SUPPLEMENT

Centon Government Gazette.

PART I.

No. 5,608-FRIDAY, MARCH 17, 1899.

STATISTICS OF

REPORT OF THE REGISTRAR-GENERAL FOR THE SECOND QUARTER OF 1898.

I .- Population.

THE estimated population of the Island on the last day of the quarter was 3,416,591, an increase of 29,700 on the previous quarter, due to an excess of 12,379 births over deaths and of 17,321 of arrivals over departures of Indian coolies. Table I. in the appendix gives the area and estimated population of each Province and district of the Island in the quarter.

Arrivals and Departures of Indian Coolies.—The total number of Indian coolies who arrived in the Island this quarter (53,236) was 31 per cent higher than the average number for the second quarters of the last five years (40,637), while the departures (35,915) showed an excess of 37 per cent. on the average for the second quarters of the last five years (26,216).

II.—Marriages.

Marriages.—The number of general marriages—i.e., marriages other than Kandyan or Mohammedan—registered

in this quarter was 3,333, and of Kandyan marriages 1,707.

Table VI. in the appendix shows the marriages solemnized among the general community in every Province and district in the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c. Table VII. in the appendix gives similar information in respect of the Kandyans.

First Marriages; Re-marriages.—Of the 3,333 general marriages, 2,900 (equal to 87 per cent.) were between bachelors and spinsters, 102 between bachelors and widows, 277 between widowers and spinsters, 50 between widowers and widows, 3 between divorced men and spinsters, 1 between a divorced woman and a widower.

Of the 1,707 Kandyan marriages, 1,352 (equal to 79 per cent.) were between bachelors and spinsters, 65 between bachelors and widows, 170 between widowers and spinsters, 55 between widowers and widows, 40 between divorced men and spinsters, 1 between a divorced man and a widow, 17 between bachelors and divorced women, 2 between widowers and divorced women. between widowers and divorced women, and 5 between divorced men and divorced women.

Age at Marriage.—The mean age at marriage for the general community was 27.4 for males and 20.3 for females, and for Kandyans 27.7 for males and 19.7 for females.

Minors.—In the general community 5 per cent. of the bridegrooms and 54 per cent. of the brides, and amongst the Kandyans 13 per cent. of the bridegrooms and 67 per cent. of the brides were under 21 years of age.

Mixed Marriages.—There were 25 mixed marriages in the quarter: 1 between a European and a Burgher, 1 between a European and a Sinhalese, 11 between Burghers and Sinhalese, 2 between Burghers and Tamils, and 10 between Sinhalese and Tamils.

Signature in Marriage Register.—Of the 6,666 persons married among the general community this quarter, 770 men and 2,519 women signed the register with marks; that is to say, 77 per cent. of the men and 24 per cent. of the women were able to write their names. Of the 3,414 persons married among the Kandyans, 628 men and 1,639 women signed the register with marks, i.e., 63 per cent. of the men and 4 per cent. of the women were able to write their names. their names.

III.—Births and Deaths.

Births.—The births registered in the quarter numbered 31,353 (30 Europeans, 129 Burghers, 22,729 Sinhalese, 6,704 Tamils, 2,149 Moors, 74 Malays, and 38 others), and were in the proportion of 40.8 to 1,000 persons living, as against 32.6, the average of the corresponding quarter in the ten years 1888-97, and 38.7 the rate in the second quarter of last year.

Deaths.—The deaths registered in the quarter amounted to 19,474 (32 Europeans, 125 Burghers, 11,912 Sinhalese, 6,063 Tamils, 1,227 Moors, 73 Malays, and 42 others), and corresponded to an annual rate of 25.0 per thousand as against 27.7, the average for ten preceding second quarters, and 23.6 in the second quarter of last year.

The highest and deaths and deaths are 13 in the following statement with the results.

The births and deaths and their rates in this quarter are compared in the following statement with the results obtained in the previous quarter, the second quarter of last year, and the average of the corresponding quarters in the years 1888-97:—

S			TABLE A.				Per Mill	e pe	r Annum.
Average of ten second qua	rters in 1888-97	•••	Births. 24,476	•••	Deaths. 20,763		Birth-rate. 32.6 38.7	•••	Death-rate. 27.7 23.6
Second quarter of 1897	•••	•••	29,811	***	$18,\!163$	•••		•••	
First quarter of 1898	•••	•••	30,501		20,846	•••	39.5	•••	$\begin{array}{c} 27.0 \\ 25.0 \end{array}$
Second quarter of 1898	***	•••	31,853	•••	19,474	•••	40.8	•••	(1)

The birth-rate for the quarter (40.8) has risen 25 per cent. over the average for the corresponding quarter of the last ten years 1888-97 (326), and is the highest rate recorded in any second quarter, a result due to the improved system of registration introduced since July 1, 1897; while the death-rate for the quarter (25.0), compared with the average for the second quarters in the ten years 1888-97 (27.7), shows, in spite of improved registration, a decline of nearly 10 per cent., an indication of better health.

Table II. in the appendix gives in respect of each Province and district in the Island information similar to

what is given in Table A.

Table I. gives the births and deaths according to sex with the marriages, population, and area of each Province and district; Table VIII. the births according to nationality and sex; Table IX. the deaths for each month of the quarter according to nationality in every Province and district. The causes of death are shown in Table X. quarter according to nationality in every Province and district. The causes of death are shown in Table X. for every Province and district; and in Table XI. for the estates in the Central, Uva, and Sabaragamuwa Provinces and in the Kalutara and Colombo Districts of the Western Province; and in Table XII. for the town of Colombo according to wards and nationalities. Table XIII. shows the period of life at which the deaths of the various races occurred in every district.

Sex.—Of the total number of births (31,853), 16,207 were males and 15,646 were females, i.e., 104 males to 100 females. Of the total number of deaths (19,474), 10,070 were males and 9,404 were females. Out of equal numbers living of each sex, there died 945 males to 1,000 females.

The Rate of Infant Mortality varied in different districts from 305 per 1,000 registered births (for Tamils) in Trincomalee, 286 (for Moors) in Puttalam, 257 (for Tamils) in Mullaittivu, 226 (for Sinhalese) in Puttalam, 212 (for Sinhalese) in Kegalla, 211 (for Tamils) in Mannar, and 188 (for Sinhalese) in Anuradhapura, to 113 (for Sinhalese) in Colombo, 95 (for Sinhalese) in Negombo, 94 (for Sinhalese) in Matara, 87 (for Sinhalese) in Chilaw, and 86 (for Sinhalese) in Kalutara. 26 deaths (8 males and 18 females) were reported to be of centenarians, but the ages reported cannot be relied on.

IV.—State of Public Health.

The general health of the population during the quarter was good, the death-rate of the Island for all races declining to 25.0 from an average of 27.7 for the second quarter of 1888-97, in spite of the improvement in registration due to the new Ordinance. Seven out of the nine Provinces shared in the improvement, the exception being the Western Province, in which there was a slight deterioration, and the Northern Province, of which the death-rate in the quarter (236) was normal. The birth-rate for the quarter (408) throughout the Island is 8 per 1,000 higher than the average, and 158 per 1,000 higher than the death-rate, and is the highest recorded for any

second quarter, an improvement which is evidence of the efficiency of the present improved system of registration.

Tables III., IV., and V. in the appendix show the births and deaths, the annual birth- and death-rates per mille for all ages and for infants in the several districts of the Island and in the subdivisions of those districts for this quarter, for the preceding quarter, for the second quarter of 1897, and the average for the second quarters of 1897. The property of the property 1891-97. The rates shown are for the Sinhalese only in the Sinhalese districts and for the Tamils only in Tamil districts. In the Puttalam District, where the Sinhalese, Tamils, and Mohammedans are found in almost equal numbers, and in the Batticaloa District, which is inhabited almost in equal numbers by the Tamils and Mohammedans, the rates are given for each section of the population. These separate rates furnish more trustworthy data for comparing the relative sanitary condition of the districts and subdivisions of the Island than if the rates included other nationalities temporarily resident in them.

The healthiest Province in the Island in the quarter was the Southern (which takes the place usually occupied by the Western), the healthiest district was Negombo, and the healthiest division Siyane korale of the Colombo District, which korale is also the most populous division in the Island, more populous in fact than many a district.

Western Province.—The rate of mortality among the Sinhalese, who form the bulk of the population in this Province, being estimated to be 703,700 out of 815,450, was at the annual rate of 18.7 per 1,000 of the estimated population, i.e., 2.6 per 1,000 higher than in the corresponding period of 1897 (16.1) and 1 per 1,000 lower than the average rate (19.7) for the second quarters of 1891-97. In the Colombo District, which contains more than half the Sinhalese population of the Province, the mortality was normal, being in the proportion of 19.2 per 1,000, which is the average for the second quarters of 1891-97, but lower than in the corresponding period of 1897 (16.9). The Colombo Municipality is, as usual, the unhealthiest division of the district, with a death-rate 40.5, or more than doubte that of the pext unhealthiest divisions viz. Aluthurn korale south and Salpiti korale each with a death-rate doubte that of the next unhealthiest divisions, viz., Alutkuru korale south and Salpiti korale, each with a death-rate of 17.5, a deterioration from their respective average (14.6 and 15.1.) The healthiest division in the district, as in the Island, is the Siyane korale, with a death-rate of 12.6, which is 5 per 1,000 lower than the average, and the next healthiest

Island, is the Siyane korale, with a death-rate of 12.6, which is 5 per 1,000 lower than the average, and the Hewagam korale, with a death-rate of 14.9, a great improvement on its average (21.9).

The Negombo District this quarter shows a considerable improvement on its average, though not on the corresponding period of 1897, with a death-rate of 14.8 as against 24.1, the average for the second quarters in 1891-97, and 12.5 for the corresponding quarter of last year. The improvement is probably due to the absence of the second average of malarial fever. The improvement is probably due to the absence of the second average of malarial fever. The improvement is probably due to the absence of the second average of malarial fever. The improvement is probably due to the absence of the second average of malarial fever. 1891-97, and 12:5 for the corresponding quarter of last year. The improvement is probably due to the absence of the floods which usually accompany the south-west monsoon and cause an epidemic of malarial fever. The improvement is noticeable in all the divisions of the district, especially in Hapitigam korale, the death-rate of which (14:6) is about half its normal rate in the quarter (29:1), though not so low as in the second quarter of 1897 (10:1). The healthiest division of the district was Alutkuru korale north (12:8) and the unhealthiest the Negombo Local Board (29:6), both divisions showing an improvement on their respective averages (20:5 and 36:9). In the Negombo Local Board the birth-rate is again nearly up to the average, and is almost the highest in the Island (51:9), against 31:4 in the corresponding quarter of 1897, which low rate was due to inefficient registration.

The Kalutara District, which used to be the healthiest in the Province, has of late fallen behind the other two, and is the only district in the Province which shows in the quarter a higher mortality than usual, the death-rate being 20:3 against 18:0, the average. Its unhealthiest division was, as usual, the Kalutara Local Board (23:4), and worse than usual (21:8); and its healthiest division was Pasdun korale, with a death-rate of 19:3, an increase, however, on its average (17:1), and specially on last year, when the second quarter showed 12:9. Rayigam korale follows with 19:5 and Kalutara Totamune with 20:9.

Rayigam korale follows with 19.5 and Kalutara Totamune with 20.9.

Central Province.—In the Central Province the number of Sinhalese deaths to the estimated Sinhalese population (265,684) was in the proportion of 25.2 per 1,000, or 7.4 lower than the average death-rate (32.6) and nearly half the birth-rate (51.3), which under the new system has considerably improved on the average (39.1). The improvement was shared by all its districts. The rate of mortality in the Kandy District was 23.6, or 8.4 per 1,000 lower than the average (32°0). All the divisions of the district show an improvement, except the Kandy Municipality, whose death-rate rose to 34°8 (with an infantile mortality of 437 per 1,000) from an average of 25°6. The birth-rate, too (27°2), though better than the average (17°5), is less than the death-rate (34°8). As usual, the healthiest division in the district is Uda Bulatgama (19°1),—an improvement on its average (20°1), but a deterioration from the second quarter of 1897 (13°9),—followed closely by Uda Dumbara (19°8, a great improvement on the average 31.5) and Harispattu (21.0, as against the average of 32.8).

In the Matale District the death-rate in the quarter was 28.6, against its average 40.0, and was half the birth-

rate, which under the improved system of registration has increased from an average of 47.3 to 57.5.

The Nuwara Eliva District shows a death-rate of 23.5 in the quarter, as against its average of 25.3, and against a birth-rate of 42.5. The lowest mortality was in Uda Hewaheta (18.8) and the highest (49.8) in Nuwara Eliva Local Board, which was more than twice as unhealthy as usual (21.3).

Northern Province.-The mortality of the Tamils in the Northern Province was 23.6, a little above the aver ge (21.2). Of the 323,172 Tamils estimated to be in the Province, as many as 296,019 are estimated to be in the Jaffna District. The death-rate, which rose in the district from an average of 189 to 22.3, accounts for the increased mortality in the Province. All the other divisions of the Jaffna District, except Vadamaradchi west, shared the District. deterioration.

Leaving out of consideration the divisions of Karaichchi, Punakari, Pachchilaippalli, and Vadamaradchi east, which are scantily populated, and whose rates are consequently not very reliable, the healthiest divisions in the district were Valikamam east (14·3), Vadamaradchi west (17·9), Valikamam north (18·4), and the unhealthiest division was Vadamaradchi east (47·6):

The Mannar District was slightly healthier than usual in spite of 36 deaths from cholera introduced by immigrant Indian coolies, the death-rate being 40.5, as against an average of 46.9, an improvement shared by the Mannar Islands division and especially Mantai, the rates falling from 59.0 and 40.9 to 48.2 and 27.5, respectively. Nanaddan was the only division which showed a higher death-rate (42.2) than usual.

Mulliattivu District was slightly unhealthier and Vavuniya District much healthier than usual, the death-rate (7) is the left of 42.4 to 48.2 in the form 42.4 to 48.2 in the form and falling from 27.4 to 32.7 in the latter.

rising from 42.4 to 48.2 in the former and falling from 37.4 to 23.7 in the latter.

Eastern Province.—This Province enjoyed good health during the quarter, the rate of mortality among the Tamils, who form the bulk of the population of the Province, being 28.0 per 1,000, as against an average of 37.1. The improvement is shared by both its districts.

In the Batticaloa District the death-rate among the Tamils, who are estimated to number 76,519, fell to 26.3 per 1,000 from an average of 32.4, and the birth-rate was as high as 60.5, being the highest birth-rate recorded for any district in the Island, and 12 per 1,000 higher than the average.

The death-rate among the Mohammedans of the district (who are estimated to number 51,495 and make it the most important Mohammedan district in the Island) fell in the quarter to 20.8 from an average of 35.3, and the birthrate was 52.1.

All the divisions shared in the improved health, except the Batticaloa Local Board, in which the mortality rose to 24'3 from an average of 18'3, and Eraur—Rukani—Koralai, which rose to 35'4 from 32'3. This was the unhealthiest division, while Chamanturai—Nadukadu was the healthiest, with a death-rate as low as 16'4 for the Tamils and 17.5 for the Mohammedans.

The Trincomalee District was healthier than usual, with a death-rate of 35.9 against an average of 42.1, but its birth-rate (31.1) was lower than the death-rate. The improvement in health was chiefly in Trincomalee town, where the mortality fell to 27.5 from an average of 53.2. The healthiest division was Koddiyar pattu (15.4), and the unhealthiest Kaddukulam pattu (89.1, a great rise on its average 46.6).

Southern Province.—The Southern Province, which is estimated to contain 488,322 Sinhalese was healthier than usual, the Sinhalese death-rate having declined to 18.4 from an average of 23.6, an improvement shared by all its districts.

In the Galle District the rate of mortality fell to 19.7 from an average of 22.3. The lowest death-rate (13.8) In the Galle District the rate of mortality fell to 19.7 from an average of 22.3. The lowest death-rate (13.8) was in the Galle Municipality, but it does not evidence improved health, and was due to inefficient registration, since improved. The average death-rate within the Municipality was 27.9, and fell in this quarter to 13.8, as also the birth-rate (for the same reason) from 43.5 to 15.2. Hinidum pattu shows the next lowest death-rate (16.0), an improvement on its average 24.4, and a birth-rate of 32.7. The highest death-rate in the district (21.2) was in the Gangaboda pattu, and the highest birth-rate (35.9) in Talpe pattuwa.

The Matara District was healthier than usual, with a death-rate of 17.2, against an average of 22.3, and a birth-rate of 40.4 against an average of 31.3, and was the healthiest district in the Province. The town division shows a higher death-rate (31.7) than usual (24.8), but a decided improvement on the last quarter (40.1).

The healthiest division in the district was Four Gravets beyond Local Board limits with a death-rate of 13.5, Gangaboda pattu coming next in order with a death-rate of 14.0, Wellaboda pattu following with a death-rate of 14.2, and Weligam korale with a death-rate of 15.4.

and Weligam korale with a death-rate of 15.4.

The Hambantota District, which is usually the unhealthiest in the Province, has fared better than Galle District this quarter, the deaths being in the proportion of 17.7 per 1,000, or less by 11 per 1.000 than its average 28.8. The rates of the subdivisions ranged from 16.2 in Giruwa pattu west (which contains about seven-eighths of the population of the district) to 37.8 in Magam pattu (exclusive of Hambantota town), which division also shows the highest birth-rate (72.1).

North-Western Province.—The North-Western Province was healthier than usual, with a death-rate of 26.3 against an average of 38.8, and a birth-rate of 47.3 against an average of 34.7. All the districts of the Province

contributed to this improvement,

The Sinhalese mortality of Kurunegala District (which is estimated to contain 210,359 out of 276,878 in the Province) was in the proportion of 28.9 per 1,000, a decrease of 14 per 1.000 compared with the average (42.7), an improvement attributed to the restoration and improvement of village tanks, to an increase in the number of wells, and to the fact that medical aid is now more accessible and more availed of than in past years. The highest death-rate was shown by the Kurunegala Local Board, viz., 143-1, which is the highest recorded in the Island, and rather exaggerates the unhealthiness of the town, being due to the large influx of patients from outlying villages to the town hospital. This town also shows the highest birth-rate (75.2). The lowest death-rate (19.4) was in Katugampola hatpatu, the most populous division in the district, and the highest death-rate (next to the town) was in Wanni hatpatus (24.1 a great in the state of the sta in Wanni hatpattu (34·1, a great improvement on its average 54·0)

The Chilaw District, which is estimated to contain 57,134 Sinhalese, stands this quarter as the second heateness district in the Island (the first being Negombo), with a death-rate of 15.4 (against an average of 21.7) and a birth-rate of 41.4 (against an average of 28.4). Its most populous division, Pitigal korale south, contains nearly five-sixths of the district population, and shows the lowest death-rate (14.2) in the district and the highest birth-rate (42.7). The The Chilaw District, which is estimated to contain 57,134 Sinhalese, stands this quarter as the second healthiest Chilaw town shows the highest death-rate (23.2, against an average of 18.6), and was worse than usual. Pitigal korale north was better than usual, with a death-rate of 23.0 against an average of 31.3, and a birth-rate of 33.8 against an

average of 27.2.

The Puttalam District, which is estimated to contain, in round numbers, 10,000 Sinhalese, 10,000 Mohammedans, and 6.000 Tamils, showed an improvement of health among the Tamils and Sinhalese, but a deterioration among the Mohammedans, the Sinhalese and Tamil death-rates being, respectively, 33-3 and 34-9 (as against averages of 51-2 and 36-3) and the Mohammedans 40-8 against an average of 28-7. The improvement in the Sinhalese health was due mainly to Demala pattu, in which the death-rate fell from 62-9 to 41-7; and the decline in the Mohammedan health was mainly due to Kalpitiya division, where the death-rate rose from 36.6 to 64.9. (1*)

North-Central Province.—The North-Central Province was slightly healthier than usual, the death-rate being 33.6 per mille as against an average of 42.3, and the birth-rate 41.9 against an average of 39.5. Every division of the Province shared in the improvement, except Tamankaduwapalata, which showed a considerable increase in the death-rate (from 32.0 to 66.5). The lowest death-rate in the Province was in Kelegampalata (25.8), the Anuradhapura town following with 26.0. The two principal divisions of the Province (Nuwaragampalata and Hurulupalata), which contain nearly four-fifths of the provincial population, were healthier than usual, and showed death-rates, respectively, 32.4 and 38.1 and birth-rates 41.6 and 44.7.

Province of Uva.—The Province of Uva was slightly healthier than usual, with a death-rate of 33.3 (against an average of 35.6) and a birth-rate of 51.9 (against an average of 49.1). The improvement in the death-rate was shared by all its divisions, except Yatikinda, Wellassa and Wiyaluwa. The death-rate ranged from 26.2 in Badulla Local Board to 36.3 in Yatikinda, and the birth-rate from 40.1 in Wellawaya to 61.2 in Wellassa.

Province of Sabaragamuwa.—This Province was also healthier than usual, with a death-rate of 24·1 (against an average of 33·0) and a birth-rate of 51·8 (average 33·7). The improvement was shared by both its districts, Ratnapura District showing a decline in its death-rate to 27·5 from an average of 33·4 and a rise in the birth-rate from 37·6 to 52·9, and the Kegalla District declining in mortality from 32·8 to 21·3 and rising in the birth-rate from 30·6 to 50·9. The lowest death-rate in Ratnapura District was in Kolonna korale (20·8), and the highest in the Ratnapura Local Board (38·4). Beligal korale shows the lowest death-rate (19·1) in the Kegalla District and Panawal korale the highest death-rate (30·1).

V.-Causes of Death.

The causes of death registered in the Island during the quarter are given in Table X. in the appendix. They may be summarized as follows:—

Tr.	DT 13	D
_ 1 A	BLE	D.

			Small-		Dysen-		Viole	ence.		All other	
District.		Cholera.	pox.	Fevers.	tery and Diarrhœa	Accidents	Homiciđe	Suicide.	Execu- tion.	Causes.	Total.
Ceylon	•••	87	4	4,038	4,319	369	35	44	5	10,573	19,474
Colombo	•,••	8	3	440	426	40	4	14	4	1,716	2,655
Negombo	•••		l —	134	57	17	5	1		320	534
Kalutara	• • •		-	210	251	25	4	2	—	634	1,126
Kandy	•••	2		185	823	30	1	7	1	1,226	2,275
Matale	•••	ļ <u></u>		123	102	12	3	2 3		345	587
Nuwara Eliya		l		31	328	11		3	_	423	796
Jaffna	•••	20		669	86	35	2	6		843	1,661
Mannar	•••	36		56	37	2		· — (76	207
Mullaittivu	•••	 	 .	31	8				~~	46	85
Vavuniya		2		11	6		(1	-	23	43
Galle	.,.			170	320	19	-	2	_	635	1,146
Matara	•••	1	_	193	220	18	1	1		386	820
Hambantota	•••			166	57	19	2			152	396
Batticaloa				304	137	8	1	2		357	809
Trincomalee	•••			92	49	4	1	1		88	230
Kurunegala	•••	1	-	385	217	22	8	_	-	1,013	1,646
Puttalam	•••		_	90	19	3			<u> </u>	127	239
Chilaw	•••		1	60	16	8			-	179	264
Anuradhapura	•••	3	_	176	76	15	l —		. —	334	604
Badulla	•••		-	234	464	23	· —			611	1,332
Ratnapura	•••	1		154	315	20		1	_	428	919
\mathbf{K} egalla	•••			124	318	38	3	1		616	1,100

Fever and Diarrheal Diseases.—Of the 19,474 deaths registered in the quarter, 4,308 were reported as due to various forms of fever and 4,406 to diarrheal diseases, i.e., fever and diarrheal diseases contributed 43 per cent. of the total number of deaths.

Under the head "Diarrhœal Diseases" is included cholera, which accounted for 74 deaths, of which 36 were in Mannar, 20 in Jaffna, 8 in Colombo, 1 each in Matara, Kurunegala, and Ratnapura, 3 in Anuradhapura, 2 each in Vavuniya and Kandy. As usual, the infection was introduced by immigrant coolies from India vià Mannar and Colombo.

There were four deaths from smallpox this quarter (Colombo 3 and Chilaw 1). 87 deaths were due to measles, of which 18 were in Colombo, 4 in Kandy, 2 in Badulla, 9 in Kalutara, 3 in Kurunegala, 1 in Galle, 8 in Batticaloa, 1 in Kegalla, 2 in Negombo, 1 in Matale, 34 in Jaffna, 4 in Anuradhapura. Five deaths were caused by chickenpox, of which 1 was in Galle, 1 in Matale, 1 in Matara, 1 in Kandy, and 1 in Badulla. Ten deaths resulted from whooping

Cough.

The other chief natural causes of death were infantile convulsions 1,651, general debility 560, anæmia 486, debility 871, phthisis 593, pneumonia 475, bronchitis 163, asthma 77, pleurisy 6, worms 570, thrush 175, dochmius duodenalis 75 (of which 38 were in Kandy, 2 in Colombo, 1 in Galle, 1 in Matara, 1 in Kurunegala, 2 in Ratnapura, 4 in Kegalla, 1 in Badulla, 12 in Matale, 5 in Nuwara Eliya, 1 in Mannar, and 7 in Kalutara), puerperal convulsions 200, childbirth 265, old age 376, premature birth 124 (48 in Badulla, 33 in Colombo, 8 in Kandy, 5 in Nuwara Eliya, 4 in Matale, 7 in Matara, 2 in Kurunegala, 2 in Kalutara, 1 in Galle, 3 in Chilaw, 1 in Ratnapura, 1 in Kegalla, and 9 in Jaffna), parangi 32 (1 in Kurunegala, 3 in Anuradhapura, 4 in Kandy, 1 in Matale, 3 in Batticaloa, 2 in Colombo, 2 in Negombo, 2 in Kalutara, 1 in Jaffna, 1 in Mullaittivu, 2 in Matara, 3 in Hambantota, 1 in Trincomalee, 2 in Badulla, 1 in Puttalam, and 3 in Ratnapura), want of breast-milk 86 (23 in Kandy, 17 in Kegalla, 15 in Badulla, 5 in Nuwara Eliya, 4 in Kalutara, 2 in Matale, 1 in Colombo, 2 in Mannar, 1 in Vavuniya, 8 in Trincomalee, 3 in Kurunegala, 1 in Puttalam, and 4 in Ratnapura), malarial cachexia 175 (25 in Colombo, 35 in Kandy, 36 in Kegalla, 2 in Kalutara, 7 in Negombo, 8 in Matale, 3 in Nuwara Eliya, 10 in Jaffna, 10 in Galle, 2 in Batticaloa, 2 in Trincomalee, 8 in Kurunegala, 1 in Puttalam, 3 in Anuradhapura, 5 in Badulla, and 18 in Ratnapura), and hydrophobia 9 (3 in Colombo, 1 in Kalutara, 1 in Kandy, 1 in Nuwara Eliya, 10 in Galle, 1 in Chilaw, and 1 in Anuradhapura).

Deaths by Violence.—Of the 453 deaths attributed to these causes, 108 were reported to be due to fall from trees, 9 to fall from other heights, 77 to drowning, 22 to burns and scalds, 5 to poison, 12 to gunshot wounds, 28 to fall of heavy substance, 12 to injury at birth, 2 to sunstroke, 59 to snake-bites, 6 to suffocation, 1 to fall into a pit, 6 run over by train, 7 run over by carts, 2 to lightning, 4 by alligators, 1 by wasps, and 1 by the rupture of the bladder in a struggle.

Forty-four deaths were attributed to suicide, of which 27 were by hanging, 5 by drowning, 5 by poison, 3 by

gunshot wounds, 2 by cuts, and 2 otherwise.

As many as 35 deaths were attributed to murder and other forms of homicide (29 Sinhalese, 3 Tamils, 1 European, 1 Burgher, and 1 other). Of these, 4 occurred in Colombo, 5 in Negombo, 4 in Kalutara, 1 in Kandy, 3 in Matale, 2 in Jaffna, 1 in Matara, 2 in Hambantota, 1 in Batticaloa, 1 in Trincomalee, 8 in Kurunegala, and 3 in Kegalla. Five men were judicially executed, 4 in Colombo and 1 in Kandy.

VI.—Health of the Estate Population.

The total number of births reported for registration from the estates in the Central, Uva, and Sabaragamuwa Provinces, and in the Colombo and Kalutara Districts of the Western Province, was 2,052 (of which 6 were Europeans, 1 Burgher, 60 Sinhalese, 1,959 Tamils, 24 Moors, 1 Malay, and 1 other); and the total number of deaths was 2,565 (3 Europeans, 38 Sinhalese, 2,518 Tamils, and 6 Moors), corresponding respectively to an annual rate of

27.0 and 34.7 per 1,000.

The Kandy District has the largest estate population (over 100,000) and the Nuwara Eliya District the next than districts together contain less than 100,000. The healthiest estates are, as largest (nearly 90,000). All the other districts together contain less than 100,000. The healthiest estates are, as usual, in Nuwara Eliya District, which shows for the estate population a mortality of 23.0 and a birth-rate of 22.0; the unhealthiest estates are in Colombo District (i.e., in the Avisawella division) with a death-rate as high as 61-2, and in Ratnapura District with a death-rate of 61-1. The causes of deaths are given in Table XI., and may be summarized as follows :--

TABLE O

				TABLE U.					
Fever Diarrhœa	***	117 499		Premature birth Infantile convulsions	***	$\begin{array}{c} 13 \\ 92 \end{array}$	1	Pneumonia Diseases of parturition	$\begin{array}{c} 122 \\ 48 \end{array}$
Dysentery	•••	597	ĺ	Phthisis		25	i	Debility	428
Want of breast-milk Old age	•••	44 71		Dochmius duodenalis Bronchitis	•••	$\frac{44}{36}$		General dropsy Other causes	$\frac{104}{325}$

TABLE	D.
-------	----

* *				Birth	-rate		1	Death	-rate.	
District.		Population in 1898.	Average of 2nd Quarters, 1891-97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.	Average of 2nd Quarters, 1891–97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.
Kandy Matale Nuwara Eliya	•••	104,062 15,758 88,909	26·8 26·4 28·7	29·1 41·2 25·6	31·4 27·5 22·1	27·1 34·1 22·0	30.6 28.7 28.9	27·4 33·2 20·7	32·6 29·3 20·7 34·5	39·2 24·9 23·0 38·2
Badulla Ratnapura Kegalla Colombo	•••	25,385 10,826 32,090 4,852	31·6 33·9 16·8 18·3	31·2 28·1 11·3 21·3	29·5 28·5 34·5 22·0	40·9 25·6 29·9 21·5	27·9 33·8 33·7 84·5	23·8 36·2 25·2 72·4	71·9 48·1 76·0	$61.1 \\ 39.0 \\ 61.2$
Kalutara	***	8,783	7.9	11.9	17.2	18.7	24.9	35.8	44.4	46.6

Kandy District.—The total number of births reported for registration from the estates in the Kandy District was 730 (of which 704 were Tamils, 16 Sinhalese, 8 Moors, and 2 Europeans), and the deaths numbered 1,030 (of which 1,016 were Tamils, 11 Sinhalese, 2 Moors, and 1 European). The Tamil birth-rate in the quarter was equal to 27·1, as against a mean rate of 26·8 in the second quarters of 1891-97; and the Tamil death-rate was equal to 39·2 per 1,000, as against the mean rate of 30·6 for the corresponding period of 1891-97. As usual, the most fatal causes were diarrhocal diseases, which caused 467 deaths (198 from diarrhoca and 267 from dysentery), or nearly 45 per cent. of the total number of deaths. The other chief causes of death were debility 181 (including mostly deaths of infants from inability to suck milk), fever 39, malarial cachexia 30, pneumonia 42, bronchitis 12, infantile convulsions 31, general dropsy 37, dochmius duodenalis 23, starvation, want of breast-milk, 15, childbirth 23, old age 24, premature birth 8, anæmia 3, and phthisis 11.

Mutale District.—The total number of births reported for residential.**

Matale District.—The total number of births reported for registration from the estates in the Matale District was 136 (134 Tamils and 2 Sinhalese), and the deaths numbered 99 (98 Tamils and 1 European), and corresponded to an annual birth-rate of 34·1 against a mean rate of 26·4 for the corresponding periods of 1891–97, and a death-rate of 24·9 against a mean rate of 28·7 in the second quarters of 1891–97. Dysentery and diarrhæa caused 29 deaths, i.e., 29 per cent. of the total number of deaths, fever 8, debility 16, pneumonia 2, general dropsy 9, child-light of the corresponding 10. birth 4, old age 2, and infantile convulsions 10.

Nuwara Eliya District.—The total number of births reported for registration from the estates in the Nuwara Nuwara Elaya District.—The total number of births reported for registration from the estates in the Nuwara Elaya District was 514 (487 Tamils, 16 Sinhalese, 8 Moors, and 3 Europeans), and the deaths numbered 514 (509 Tamils, 4 Sinhalese, and 1 European), and corresponded to an annual birth-rate of 220 against a mean rate of 28 in the second quarters of 1891-97, and a death-rate of 230 against a mean rate of 28 9. Dysentery and diarrhoea were fatal in 221 cases, or nearly 43 per cent. of the total number of deaths. 118 deaths were attributed to debility (mostly of infants from inability to suck), 11 to fever, 40 to pneumonia, 8 to bronchitis, 23 to dropsy, 9 to infantile convulsions, 12 to old age, and 7 to childbirth.

Badulla District.—The total number of births reported for registration from the estates in the Badulla District was 263 (259 Tamils, 1 European, 1 Burgher, 1 Sinhalese, and 1 Moor), and the deaths numbered 245 (242 Tamils, 2 Sinhalese, and 1 Moor), and corresponded to an annual birth-rate of 409 against a mean rate of 316 in the corresponding period of 1891-97, and a death-rate of 382 against a mean rate of 279 in the second quarters of 1891-97 respectively. Dysentery and diarrhoea were fatal in 100 cases, or nearly 41 per cent. of the total number of deaths (245), debility in 35 cases (mostly of infants from inability to suck), fevers in 12, general dropsy in 13, pneumonia in 21, starvation, want of breast-milk, in 3, infantile convulsions in 9, old age in 6, and bronchitis in 6.

Ratnapura District.—The total number of births reported for registration from the estates in the Ratnapura District was 74 (69 Tamils, 2 Sinhalese, 2 Moors, and 1 Malay), and the deaths numbered 170 (165 Tamils, 3 Sinhalese, and 2 Moors), and corresponded respectively to an annual birth-rate, among the Tamils, of 25.6 and a death-rate of 61.1.

Here, as elsewhere, the most fatal causes were diarrhoeal diseases, which caused 81 deaths (47 from diarrhoea and 33 from dysentery), or 47 per cent. of the total number of deaths. The other principal causes of death were infantile convulsions 4, fever 22, debility 20, malarial cachexia 7, and old age 5.

Kegalla District.—The total number of births reported for registration from the estates in the Kegalla District was 260 (239 Tamils, 16 Sinhalese, and 5 Moors), and the deaths numbered 327 (312 Tamils, 14 Sinhalese, and 1 Moor), and corresponded respectively to an annual birth-rate, among the Tamils, of 29-9 against a mean rate of 16.8 for the corresponding quarters for the last five years, and a death-rate of 39.0 against a mean rate of 33.7 in the corresponding period in the last seven years. The largest number of deaths in the district, as elsewhere, was due to diarrhœal causes, being 126 (71 from diarrhœa and 55 from dysentery), or 38 per cent. of the total number of deaths. Of the other principal causes of death, fever accounted for 19 deaths, debility 43 (mostly infants due to inability to suck), dochmius duodenalis 4, general dropsy 9, malarial cachexia 26, pneumonia 5, infantile convulsions 22, phthisis 4, old age 13, bronchitis 4, and starvation 17.

Colombo District.—The total number of births reported for registration from the estates in the Colombo District, by which is meant the Avisawella division of the district, was 30 (26 Tamils and 4 Sinhalese), and the number of deaths was 74 (all Tamils), and corresponded to an annual birth-rate of 21.5 and death-rate of 61.2. Diarrhœal diseases were fatal in 39 cases (14 dysentery and 25 diarrhœa), i.e., 52 per cent. of the total number of deaths (74). The other principal causes of death were debility 9, fever 3, pneumonia 1, bronchitis 2, anæmia 6,

Kalutara District.—The total number of estate births registered in this district was 45 (41 Tamils, 3 Sinhalese, and 1 other), and the deaths numbered 106 (102 Tamils and 4 Sinhalese), and corresponded to an annual birth-rate, among the Tamils, of 18.7, and a death-rate of 46.6. The most fatal causes were diarrhoeal diseases, to which 36 deaths (14 from dysentery and 22 diarrhœa), i.e., 34 per cent. of the total number of deaths (106), were attributed. The other principal causes of deaths were debility 9, general dropsy 7, dochmius duodenalis 7, phthisis 3, old age 4, malarial cachexia 6, and infantile convulsions 6.

VII.—Health of the Town of Colombo.

The deaths registered in the town of Colombo during this quarter numbered 1,247. This, added to 3 deaths of town residents reported from the Infectious Diseases Hospital, Kanatta (outside the town limits), makes a total of 1,250, and corresponds to an annual rate of 35.6 per 1,000, an increase of 2 per 1,000 over the mean rate for the second quarters of the last five years. Compared with the period 1887–92, however, the rate shows an increase of 16 per 1,000; but in this period registration of deaths in the town of Colombo was defective, as the improved system of registration under the Ordinance No. 20 of 1891 had not been brought into operation.

The births registered in the quarter numbered 758, representing an annual rate of 21.6 per 1,000, which is 2 per 1,000 higher than the average of the second quarters in 1893-97, and 4 per 1,000 higher than the average

As usual, the death-rate exceeded the birth-rate, due mainly to the preponderance of males over females (chiefly among the Europeans, Indian Tamils, and Mohammedans), to the presence of hospitals, which add to the normal mortality of the town, and to defective registration of births.

The subjoined Table E gives the births and deaths and their rates for each nationality in the second quarter of this year, and the average rates for the second quarters in 1887-92 and in 1893-97:—

TABLE E.

			******		-								
		` .	Births.		1	Deaths.		.E	Birth-rat	te.	. De	ath-rate).
Nationality.	Population at the Census of 1891.	Average of Second Quarters, 1887-92.	Average of Second Quarters, 1893-97.	Second Quarter, 1898.	Average of Second Quarters, 1887–92.	Average of Second Quarters, 1893–97.	Second Quarter,	Average of Second Quarters, 1887–92.	Average of Second Quarters, 1893–97.	Second Quarter, 1898.	Average of Second Quarters, 1887–92.	Average of Second Quarters, 1893-97.	Second Quarter, 1898.
	127836	540	689	758	624	1,129	°1,250	17:3	20.4	21.6	20.0	33.5	35.6
Europeans, including the Military Burghers Sinhalese Tamils Moors Malays Others	2,239 10,674 59,962 24,372 24,428 3,437	37 210 32 223 19	287 48 264	21	214 92 251 24	510 244 - 212 39	238 234 44	5·3 36·6 22·2	15.6 19.2 7.9 43.3 28.2	32·3 27·1 10·2 23·3 24·5	6·8 14·3 15·1 41·2 28·0	29·7 34·1 40·1 34·9	30·5 31·6 40·6 39·2 38·4 51·3 38·3

The birth and death-rates given in the above table for the Europeans, Malays, and the races classed together The birth and death-rates given in the above table for the Europeans, Malays, and the races classed together as "Others" are not reliable, owing chiefly to their population being too small for purposes of rate calculation. Excluding the rates for these sections of the population, the lowest death-rate was, as usual, among the Burghers (31.6, against an average of 29.7 in the last five years), and the highest among the Sinhalese (40.6, an increase of 6.5 per 1,000 over the average). The Moorish death-rate (38.4) also shows an increase of 3.5 per 1,000 over the average. But the Tamil death-rate, which is generally the highest, shows this quarter a fall of 1 per 1,000, and is less than the Sinhalese rate. Of these four principal nationalities, the Burghers, Sinhalese, and Tamils have shown a steady improvement in the births registered, their average rates during 1893-97 being higher than the averages in 1887-92, and their rates in the present quarter being higher than their averages in 1893-97, and further improvement may be expected with the greater attention paid to registration by the public in consequence of recent prosecutions may be expected with the greater attention paid to registration by the public in consequence of recent prosecutions of defaulters. The Moorish birth-rate is still below the averages for both these periods.

^{*} Including three deaths of town residents removed to the Infectious Diseases Hospital, Kanatta (outside the town limits).

The number of births and deaths of the different races in the different wards in the town, their rates per 1,000, the principal zymotic causes of death, &c., during the second quarter of 1898, are shown in the following table :-

TABLE F.

· ·	Births.												-	***		De	ath	ıs.				•					nnu	al	re			
	Census of		rota irth		<u> .</u>		Cla	ss.		.		Total Deaths.				(Clas	s.				(Caus	ses	of I)ea _i t	h.			ite p 1,000		n under r.
Ward.	opulation at Cer	ons.	.gg.	ales.	Europeans.	Surgners.	ils.	rs.	lys.	rs.	ons.	38.	ales.	Europeans.	Burghers.	Sinhalese.	ils.	35	ys.	rs.	era.	les.	, s	Dochmins Duodenalis.	Diarrhea and	-	Ī.	enc.	ion.	-	ľ	hs of Children One.Year.
**************************************	<u>~</u>	Persons	Males.	Females.	-		_	\—-		-	Persons	Males.	Females.				Tamils.		II		Cholera.	Measles.	Fevers.	рэсри	Dia	Accident.	Homicide	Suicide.	Births.	Deaths		Deaths
Col. Municipality	127836	758	395	363	10	36 40	5 74	142	21	20	1250	667	583	17	84	507	238	234	44	26	2	2 16	143	1	18	2 14	2	5	21	6 35	6	305
Fort & Galle Face Pettah St. Sebastian St. Paul's Kotahena New Bazaar Maradana: Hospitals Exclusive of Hopls.	2541 7961 7943 16322 27935 14501	13 56 92 135	1 5 26 47 73 49 33 61	3 8 30 45 62 50 21 67	1 1	$ \begin{array}{c cccc} 1 & 2 \\ 7 & 11 \\ 0 & 4 \\ 5 & 4 \end{array} $	$egin{array}{c c} 0 & 6 \\ 3 & 11 \\ 4 & 4 \end{array}$	8 34 1	1	1 2 3	11 33 83 115 252 136 197 196	10 20 35 61 133 64 130	1 13 48 54 119 72 67 94	5 - - 1: 4 5:2	8 6 I	17 16 34 73 63 17	4 8 8 56 28 19 53 20	1 6 50 22 25 45	3 1 1 1 -	1 - 2 - 1 - 6 -	1 - 1		1 8 6 6 45 9	 I	12 36 20 50	2 2 5 3 - 5		2 -	6 - 28 - 22 - 19 - 27	6 16 3 41 6 28 4 36 4 37	6 9 3 2 6	1 10 27 34 63 48
Slave Island Kollupitiya	13622 13449	73	34	39 38	1	5 3		13	$\frac{12}{2}$		144 83	68 44	76 39		9	46 44	23 19	37 28 9		3 1		8 1	16 28 9	_	•15 17 12	2		$\frac{1}{2}$	21 21 31		4	55 39 19

There were no deaths from cholera in the town. The two deaths from this cause occurred in the Infectious Diseases Hospital, Kanatta (outside the town limits), to which the patients (immigrants from India) were removed, one from the Fort and the other from the Pettah. Of the two deaths attributed to smallpox, one occurred in the Fort and the other in the Infectious Diseases Hospital, to which the patient was removed from St. Paul's Ward. Measles caused the death of 16 persons (all children), and whooping cough of 5. Influenza proved fatal in 2 cases. Phthisis, bronchitis, and pneumonia were fatal in 257 cases (against an average of 161 in the corresponding period of the last five years), dysentery and diarrhoea in 182 (average 187), infantile convulsions in 122 (average 142), debility in 78 (average 77), simple and ill-defined fever in 52 (average 99), worms in 48 (average 50), enteric fever in 35 (average 31), premature birth in 29 (average 14), tetanus in 27 (average 26), malarial cachexia in 25 (average 31), parturition in 21 (average 17), paralysis in 19 (average 15), diseases of the circulatory system in 18 (average 12). Other causes of death were anæmia 12, diseases of liver 8, Bright's disease 6, ague 6, diabetes 5, asthma 5, tabes mesenterica 5, softening of brain 5, ulcer 5. Of the 14 deaths attributed to accidents, 2 were due to fall of heavy substances, 2 to drowning, 1 to fall from a tree, 1 to fall from height other than trees, 1 to gunshot wounds, 1 to burns, 1 to being run over by a cart, and 1 to sunstroke. Two deaths were attributed to homicide and 5 to suicide, There were no deaths from cholera in the town. The two deaths from this cause occurred in the Infectious burns, 1 to being run over by a cart, and 1 to sunstroke. Two deaths were attributed to homicide and 5 to suicide, of which 3 were by hanging, 1 by gunshot, and 1 by a cut.

VIII.—Health of other Towns.

The total number of births registered in the principal towns (exclusive of Colombo) during the quarter numbered 1,366, corresponding to an annual rate of 29.0 per 1,000, or 8 per 1,000 less than the average for the same period in 1891-97 (38.3). This fall in the birth-rate is probably due to the new system of registration introduced in July, 1897, under which births, as well as deaths, in towns are registered by medical officers, which system has not worked well in some towns. Steps have been since taken by the appointment of special officers to improve the registration of births and deaths in some of the towns, viz., Negombo, Galle, Kandy, and Jaffna.

The deaths numbered 1,400, and were at the annual rate of 29.7, a lower proportion than the average for the second quarters of 1891-97 (34.1), due to better health enjoyed by the towns in the quarter in common with the rest

of the Island.

The following table shows the birth- and death-rates in each of the principal towns of the Island for the second quarters of 1898 and 1897, and the average rates for the second quarters in 1891-97. The rates given are for all races, and include events occurring in hospitals and jails :-

				<u> </u>						
•		Second	d Quarter	, 1898.	I	Birth-rate.		Dea	th-rate.	
Town,	Population at the Census of 1891.	Total Births.	Total Deaths.	Deaths in Hospitals and Jails.		Second Quarter, 1897.	Second Quarter, 1898.	Average of Second Quarters, 1891–97.	Second Quarter, 1897.	Second Quarter, 1898.
Colombo	127,836	758	1,250	211	20.2	20.2	21.6	30.0	32.3	35.6
Negombo	18,933	180	115	16	74.3	37.3	38.1	40.6	26.7	24.4
Kalutara	10,864	86	67	8	31.0	41.7	31.8	26.6	24.7	24.7
Kandy	20,558	105	176	66	14.2	15.0	20.5	26.9	16.6	34.3
Matale		29	78	41	16.8	23.9	27.7	49.9	46.8	74.5
Nuwara Eliya	2,726	17 .	58	36	21.2	33.8	25.0	32.6	51.5	85.3
Jaffna	43.179	383	269	11	43.7	54.5	35.6.	28.5	34.9	25.0
Galle	33,590	121	103	26	50.1	48.0	14.5	38.7	22.2	12.3
Matara		87	71	. 15	28.8	28.4	40.6	25.4	27.5	33.1
Hambantota	-,	22	15	3 [46.8	29.4	34.1	27.7	17.0	23.3
Batticaloa	7,257	66	41	6	22.2	21.6	36.5	16.7	27.1	22.7
Trincomalee	11,948	63	86	7	30.6	29.5	21.2	47.4	55.4	28.9
Kurunegala	4,745	40	92	40	19.3	36.3	33.8	63.5	59.2	77.8
Puttalam	5,034	52	53	7	29.9	42.2	41.4	35.4	24.7	42.2
Chilaw	3,738	23	17	3	24.4	27.9	24.7	24.7	19.3	18.2
Anuradhapura	2,508	9	23	7	18.5	17.6	14.4	48.4	38.4	36.8
Badulla	5,023	51	54	30	29.5	23.2	40.7	41.1	24.8	43.1
Ratnapura	3,527	32	82	56	34.9	39.8	36.4	40.3	33.0	$93.\overline{2}$

Of the 17 towns (other than Colombo) included in this table, as many as 11 have a population estimated at the last Census to be under 10,000; and in five of these towns—Ratnapura, Nuwara Eliya, Kegalla, Matale, Badulla—50 per cent. or more of the deaths occurred in hospitals, chiefly resorted to by estate coolies or destitute poor not resident in the towns. The death-rates therefore are not trustworthy as an index to the comparative sanitary condition of the towns. Excluding these, Galle shows the lowest death-rate (12·3), which is about one-third of its average death-rate (38·7), and is due to imperfect registration. Of the other towns, Batticaloa shows the lowest death-rate (22·2), which may be accepted as accurate, and is 6 per 1,000 in excess of the average; Trincomalee (28·9), a decrease of 18 per 1,000 on its average; and Negombo (24·4), a decrease of 16 per 1,000 on its average, and due, as in Galle, to imperfect registration, since remedied.

Registrar-General's Office, Colombo, January 7, 1899.

P. ARUNACHALAM, Registrar-General

APPENDIX.

Table I.—Area, Estimated Population, and the number of Marriages, Births, and Deaths registered in the Second Quarter of 1898.

			Ailes		MA	RRIAG	es.		Births			DEATUS	.
Pro v ince ar	ad District.		Area in Square Miles	Estimated Population,* April 1, 1898.	Total.	General.	Kandyan.	Total,	Males.	Females.	Total.	Males.	Females,
CEYLON	***		25,333	3,137,769	5,040	3,333	1,707	31,853	16,207	15,646	19,474	10,070	9,40
Western	•••	}	1,432	815,449	1,435	1,435		7 000	3,697	i			
Central		***	2,300	486,581	422	126	296	7,236		3,539	4,315	2,244	2,07
Northern		•••	3,363	338,932	432	432	200	5,153		2,506			1,75
Southern	•••	•••	2,146	512,078	893	890	3	3,116	1,601	1,515	1,996	1,030	96
Eastern	•••	***	4,037	162,738	108	96	12	4,454	2,250		2,362		1,17
North-Western	***	•••}	2,997	318,376	915	269	646	_,			1,039		50
North-Central	•••	•••	4,002	74,976	93	4	89	-,			2,149		1,02
Uva		•••	3,155	165,860	259	26	233	774		402	604	308	29
Calamanana	•••	***	1,901	262,779	483	55	428	1,917	944				65
Western.	•••	•••		202,713	40.3	00	425	3,359	1,715	1,644	2,019	1,058	96
Colombo		1	561	468,225	815	815		0.000	. 000				-1 -0
Negombo	•••	•••	247	148,648	272	272		3,883	1,986		2,655	1,389	*1,26
'Talintona	***	•••	624	198,576		348		1,324	670		534	280	25
Central.	***	•••		130,070	340	940		2,029	1,041	988	1,126	575	55
Kandy			911	295,570	274	95	170		1.00			}	
Matale	•••	***	926	77,302		14	179	1 -,			2,275	1,193	1,089
N7	•••		463			17.	64	.,		506	587	303	- 28
Northern.	***	•••		110,100	1 "	17.	5 3	970	480	490	796	409	38
Jaffna	•••		819	300,670	372	372	[:	2					
Mannar		•••	546	, ,,,,,,	44	44		2,783	1,424	1,359	1,661	842	81
Mullaittivu	***		936	7,073		9		198	104	94	207	120	81
Vavuniya	•••	•••	1,062			7		83					4
Southern.	•••	.***		1,50.	i 'i	•	_	52	30	22	43	26	1
Galle	•••		652	234,787	336	333	. 3		0.0				
Matara	***	***	481			379		,,,,,			1,146	561	58
Hambantota	***	• • • • • • • • • • • • • • • • • • • •	1,018	,		178		1,870					39
Eastern.	•••	•••	,,,,,,) 00,100	1 .//5	110		823	403	420	396	208	18
Batticaloa	114		2,872	136,372	75	64	11	, ,,,,	,044				
Trincomalee	444	•••	1.16					1,898			809		38
North-Western.			})	1	02	1	254	134	120	230	110	12
Kurunegala		•••	1,845	226,462	737	114	623	0 700	3 8=0	1			
Puttalam	***	• • • • • • • • • • • • • • • • • • • •	890			49		,					76
Chilaw		• • • •	269	66,706			,	305 649					12
North-Central.		. •••	1		1	1 .00	1	049	345	304	264	132	13
Anuradhapura	•••	•••	4,009	74,976	93	4	89	774	372	100		000	00
Uva.			}	,-,0	1	, ,)	1 ''4	3/2	402	604	308	29
Badulla	•••	•••	3,155	165,860	259	26	233	1,917	044	070	1	0.	
Sabaragamuwa.			-,-50	1 1 - 0 0	1 200	1	200	1,917	944	973	1,332	674	65
Ratnapura	•••		1,259	110,049	272	25	247	1,435	707	-	l		45
Kegalla	•••	•••	642			30							50

^{*}The estimate of the population is based on the Census of February 26, 1891, and the subsequent returns of births and deaths.

Table II.—Birth-and Death-rates for the Second and First Quarters of 1898, the Second Quarter of 1897, and for the Second Quarters in the Years 1888-97.

				Birth-rate	per Mi	lle per .	Annum.	Death-rat	e per M	ille per .	Annun
Pro	ovince and	District.	:	Average of Ten Second Quarters of 1888-97.	Second Quar- ter of 1897.	First Quarter of 1898.	Second Quar- ter of 1897.	Average of Ten Second Quarters of 1888-97.	Second Quarter of. 1897.	First Quarter of 1898.	Second Quar- ter of 1898.
Ceylon	•••		•••	32.6	38.7	39.5	40.8	27.7	23.6	27.0	25.0
Western	•••			29.1	36.3	37.3	35.6	21.0	18.7	22.6	21.2
Central	•••	***	•••	31.3	38.2	45·1	42.5	30.3	23.7	31.2	30.1
Northern	•••	•••	•••	33.9	35.9	28.2	36.9	23.6	24.6	29.4	23·6 18·4
Southern	***	•••	•••	32.2	37.9	35.5	34.9	23.1	17.8	21.6	25.6
Eastern	***	***	•••	45.3	46.4	37.1	53.0	34.6	41·1 30·0	29.4	27.1
North-Western		•••	•••	33.0	45.9	48.5	46·5 41·4	37·9 40·7	32.9	-37.7	32.3
North-Central	•••	. ***	•••	37.7	32.5	42·7 41·7	46.4	33.0	30.2	33.1	32.2
Uva Salaina mananana	•••	***	•••	40·9 30·5	42·9 38·1	47.6	51.3	33.6	23.1	34.8	30.8
Sabaragamuwa	414	***	••••								
Western.									0. 0	24.2	00.7
Colombo	•••	***		25.8	33.7	34.8	33.3	20.3	20.3	24.6	22.7
Negombo	•••	***	•••	36.5	41.3	43.4	35.7	24.2	13.5	15.5	14·4 22·7
Kalutara	***	. •••	•••	30.6	38.8	38.5	41.0	19.5	19.0	23.1	221
Central.				-				20.5	29.0	91.4	30.9
Kandy	***	***	•••	29.6	37.5	46.5	42.7	29.7	23·6 28·2	31·7 38·7	30.5
Matale	•••	***	•••	39.3	52.2	55.4	53.6	38.5		24.6	28.1
Nuwara Eliya	***	•••	•••	30.4	30.6	34.1	34.2	25.8	20.7	240	201
Northern.								20.0	00.0	27.8	22.2
Jaffna	•••		•••	33-9	36.4	27.6	37'1	20.8	22·3 38·3	37.1	35.1
Mannar	•••	•••	•••	33.4	29.4	36.6	33.6	46·5 39·9	56.9	56.0	48.2
Mullaittivu	•••	***		38.9	45.7	40·6 39·1	47·1 27·6	37.0	42.1	45.5	22.8
Vavuniya	•••	•••	•••	30.2	2 5 ·8	39-1	210	570	7.2.1	100	
Southern.				-0.5	90.0	94.7	30-1	2 2 ·9	17.9	22.7	19.6
Galle	***	•••	•••	33.7	39·9 36·3	34·7 34·5	40.1	21.0	16.9	20.4	17.6
Matara	•••	***	••••	30.4 31.7	35.7	39.4	36 6	27.5	19.3	21.2	17.6
Hambantota	•••	•••	•••	31.		001					
Eastern.					40.0	07.7	55·8	34.5	40.9	18.8	23.8
Batticaloa	•••	***	•••	47.5	48:6 35:4	37·7 34·2	38.6	35.5	41.9	29.0	35.0
Trincomalee	•••	•••	•••	34.4	39.4	04.2	400	000			
North-Western.			ĺ		40.0	50.7	10.5	4].5	33.1	30.5	29.2
Kurunegala	,	***	•••	34.2	49.3	50·7 48·7	48.5 48.5	45.8	35.2	49.7	38.0
Puttalam	•••	•••	***	34·4 27·8	44·5 35·0	40.6	39.0	21.7	17.5	18.0	15.9
Chilaw	•••	•••	•••	21.0	000						
North-Central.			1		02.5	40.5	41.4	40.7	32.9	37.7	32.3
Anuradhapura	•••	•••	•••	37.7	32.5	42.7	41.4	40.1	023	0	J = 0
Jva.			}		40.0	47.50	10.4	33.0	30.2	33·1	32.2
Badulla	•••	***	•••	40.9	42.9	41.7	~46 ·4	33'0	ου· 2	001	<i></i>
sabaragamuwa.	٠,					.0.0		34.7	27.9	40.4	33.5
Ratnapura	***	•••	•••	35.5	41.0	48.3	52.3	32.8	19.6	30.8	28.0
Kegalla	•••	***	•••	26.9	3 6 ·0	47.0	50· 5	020			

Table III.—Sinhalese Births and Deaths, with their rates per 1,000 of the estimated population and the proportion of infantile deaths to 1,000 registered births in Sinhalese Districts, in the First and Second Quarters of 1898, the Second Quarter of 1897, and the mean rates for the Second Quarters of 1891-97.

Kandaboda Pattuwa 70 22,179 267 133 262 35-6 44-9 48-3 29-0 19-4 22-2 24-1 105	Quarters of 1050, the Sect), 41		ī	Birt	h-rate	,		Deat	h-rate ner Ar	num.	under hs in of 1898
Western	Province, District, and Division.		Area in Square Miles.	Estimated Population at the beginning of the Quarter.	Births.	Deaths	Seven irters,			1 1			Quarter 1898.	SecondQuarter of 1898.	Deaths of Children 1 1 year to 1,000 Birth the Second Quarter c
Colombo Scient Colombo Colo	CEYLON	2	5333	2,155,772	22,729	11,915	34.	2 40.	6 43	0 42.3	27.7	21.1	24.5	22.2	124
Calombo Municipality															
Hewagam Korale	Colombo Municipality	[10	54,967	405	600	18			7 27.1	29.5	37.8	40.7	40.5	39 <i>5</i>
Salpiti Korale		- 1				1 -									
Negombo Nego	Sılpiti Korale	- 1	75	87,048	668	379	29	2 35	4 37	6 30.8	15.1	12.9	18.4	17.5	
Negrombo Local Board 1.59		- }	*(1	1	1	1 -	1	·		}			+
Hapitigam Korale	Negombo Local Board	- 1	71	12,051	156	8	54	9 31	4 50	0 51.9	36.9	23.6	33.5	29.6	154
Kalutara Local Board		- 1				1									
Naturar Totamuna	Kalutara	1	- 1	•]	1	ł	1	ļ	1		1	20.2		
Pasdun Korale 403 39,889 462 192 28-6; 39-2; 38-5 17-5 12-9 18-6 19-3 69		- 1	1 <u>4</u> 884			1							f		
Central	Pasdun Korale		4033	39,889	46	19	2 28	.6 39	2 38	5 46	17.1	12.9	18.6	19.3	
Martiel Mart	may gam notate		100	45,179	40	2 23	4 31	.7 36	9 25	9 38.	17.6	18.3	14-1	19.5	``
Mardy			2300	265,684	3,40	0 1,62	9 39	1 46	.5 55	.7 51.	3 32.	6 22.6	30.0	25.2	
Herispettu			1							- 1			1		
Pata Hewsheta	Harispattu		50 7	27,505	34	6 14	4 42	·6 59	9.6 57	3 50	5 32.5	8 21.5	29.7	21.0	156
Tumpane	Pata Hamuluta	1		31,717 13.164	7 43 4 16	- 1				- 1			1		
Uda Dumbars 2384 19,692 233 97 45-3 42-2 45-7 47-5 31-5 23-0 29-6 19-8 73 10-8 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 17-946 10-8 10-8 17-946 10-8 10-8 11-8	Tumpane	Į.	$46\frac{7}{8}$	11,33	7 16	3	35	3.7 48	3.5 61	7 57	7 41	7 20.6	24.2	20.2	
Uda Palata 106	Uda Dumbara					1				- 1			1		73
Yati Nuwara	IIda Palata	1								. [1	1	
Matale Local Board	Yati Nuwara	ì		14,38		1									
Matale South 1631/373 23,976 354/313 172/46°3 64°5 69°2 59°2 41°9 30°1 34°8 28°8 164 34°8 28°8 164 Matale East 3753/3 13,966 180 93 43°3 51°1 64°3 53°1 34°0 21°0 37°5 27°4 178 376/2 74°4 178 376/2 74°4 178 376/2 74°4 178 376/2 74°4 178 38°8 15,863 238 114 54°1 62°1 60°9 60°2 42°2 31°6 42°9 28°6 180 38°8 15°1 64°3 53°1 34°0 21°0 37°6 27°4 178 42°9 28°6 113 Nuwara Eliya 46°3 42,966 465 252 40°4 39°2 48°1 42°5 26°3 19°6 26°9 22°6 23°3 32°5 49°8 167 26°9 28°6 13°8 180 38°8 16°6 40°9 60°2 42°3 1°6 42°9 28°6 113 32°5 49°8 167 26°9 28°8 16°8 22°7 35°2 21°3 23°3 32°5 49°8 16°8 48°8 16°7 38°8 10°8 22°7 35°2 21°3 23°3 32°5 49°8 16°8 48°8 16°7 38°8 10°8 22°7 35°2 21°3 23°3 32°5 49°8 16°7 38°8 10°8 22°3 17°4 22°7 18°8 10°8 48°8 16°7 38°8 10°8 20°7 35°2 21°3 23°3 32°5 49°8 16°7 38°8 10°8 22°3 17°4 22°7 18°8 10°8 48°8 16°7 38°8 10°8 20°7 35°2 21°3 23°3 32°5 22°6 26°7 25°3 32°5 22°6 28°6 20°7 25°3 29°4 27°5 15°1 18°8 10°8 38°1 38°1 38°3 36°1 33°3 36°1 32°3 32°5 33°3 32°5 32°6 17°5 22°6 32°4 27°5 18°8 10°8 48°8 10°8 20°7 38°8 10°8 22°3 17°4 22°7 18°8 10°8 28°8 16°7 38°8 10°8 20°7 38°5 30°8 22°3 17°4 22°7 18°8 10°8 28°8 16°7 38°8 20°7 38°5 22°7 30°8 30°8 30°8 30°8 30°8 30°8 30°8 30°8		•••				1		1					· l .		
Matale North 388\$ 15,863 238 114 54*1 62*1 60*9 60*2 42*2 3*16 42*9 28*8 113 113 Nuwara Eliya 463 42,966 455 252 40*4 39*2 48*1 42*5 25*3 19*6 25*9 23*5 138 Nuwara Eliya Local Board and Ottside 236\$ 13,702 130 80 34*1 39*6 43*1 38*1 26*4 20*5 22*6 23*4 169 Kotmale 108\$ 16,666 194 78 41*1 31*3 51*2 46*7 24*0 14*7 25*7 18*8 108 Walapane 113\$ 11,229 119 77 50*0 49*8 53*0 42*5 26*7 25*3 29*4 27*5 16*1 Southern 2146 488,322 4,309 2,243 33*0 38*3 36*0 38*3 36*0 35*3 23*6 17*5 21*5 18*4 118 Galle 652 221,984 1,705 1,090 34*7 40*3 35*5 30*8 22*3 17*4 22*7 19*7 13*1 Galle Municipality 6 25,214 96 87 48*5 50*6 28*2 15*2 27*9 19*9 20*1 13*8* 115 Gangaboda Pattuwa 25\$ 18,585 102 91 149 36*6 40*9 33*5 30*3 20*5 18*5 19*9 21*2 150 Wellaboda Pattuwa <	Matale South	1	163	23.97	6 3	1							- 1		164
Nuwara Eliya .	Motolo Manul	1				1							1 -	1 .	
Nuwara Eliya Local Board and outside	Nuwara Eliya	1		1	t t	-		1	1	1	1	i	1		
Kotmale 236 13,702 130 80 34*1 39*6 43*1 38*1 26*4 20*5 22*6 23*4 169	Nuwara Eliya Local Board			1	Ì		ł	-	1	Ì	1	1	1		1
Walapane 113\frac{3}{8} 11,229 119 77 50.0 49.8 53.0 42.5 26.7 25.3 29.4 27.5 151	Kotmale		0.00	13,7									-		
Southern	Uda Hewaheta Walapane		1 1 10			1									
Galle 652 221,984 1,705 1,090 34.71 40.3 35.5 30.8 22.3 17.4 22.7 19.7 131 Galle Municipality 6 25,214 96 87 43.5 50.6 28.2 15.2 27.9 19.9 20.1 13.8 11.5 Four Gravets beyond Municipal limits and Akmimana 25½ 18,585 102 91 28.1 36.3 36.1 22.0 14.8 9.8 22.8 19.6 88 Gangaboda Pattuwa 128½ 28,177 213 149 36.6 40.9 33.5 30.3 20.5 18.5 19.9 21.2 150 Wellaboda Pattuwa 48,110 44.5 24.5 36.2 41.2 34.6 35.9 22.6 18.5 25.8 20.4 107 Walalawiti Korale 146 38,572 341 196 34.2 <				1 '	-						1				Ì
Galle Municipality Four Gravets beyond Municipal limits and Akmimana Gangaboda Pattuwa 1284 28,177 213 149 366 40-9 33.5 36-1 22-0 14-8 98 22-8 19-6 88 Gangaboda Pattuwa 1284 28,177 213 149 36-6 40-9 33.5 30-3 20-5 18-5 19-9 21-2 150 Wellaboda Pattuwa 97 48,110 445 245 36-2 41-2 34-6 35-9 22-6 18-5 25-8 20-9 146 32-7 20-9 146 32-7 20-9 146 32-7 20-9 146 32-7 20-9 146 32-7 20-9 146 38-7 32-1 36-2 36-2 36-2 36-1 36-3 36-3		•••			, ,		243 8								
Four Gravets beyond Municipal limits and Akmimana 25½ 18,585 102 91 28:1 36:3 36:1 22:0 14:8 9:8 22:8 19:6 88 22:8 19:6 18:5 19:9 21:2 15:0 14:8 9:8 22:8 19:6 18:5 19:9 21:2 15:0 14:8 9:8 21:2 15:0 14:8 16:3 28:7 20:9 14:8 18:1 18:1 28:9 18:2 18:1 18:1 18:1 18:1 18:1 18:1 18:1	Galle Municipality	••	.\ (1.1	1
Gangaboda Pattuwa 1284 28,177 213 149 36-6 40-9 33-5 30-3 20-5 18-5 19-9 21-2 150 Wellaboda Pattuwa 834 57,323 459 298 31-5 3-83 35-3 32-1 21-6 16-3 23-7 20-9 146 Talpe Pattuwa 97 48,110 446 245 36-2 41-2 34-6 35-9 22-6 18-5 25-8 20-4 107 Walallawiti Korale 146 38,572 341 196 34-2 39-2 42-6 35-4 23-9 19-0 22-7 20-4 158 Hinidum Pattuwa 166 6,003 49 24 32-1 30-1 38-7 32-7 24-4 16-4 15-6 16-0 61 Matara Local Board 141 79,520 1,807 769 31-3 36-8 34-6 40-4 22-3 16-6 20-1 17-2 94 15-7 15-7 15-7 15-7 15-7 15-7 15-7 15-7			1 0	51 18.5	95 1	109	- 1	1	1	1	1	- 1		9 10.6	. 88
Talpe Pattuwa 97 48,110 446 245 36-2 41-2 34-6 35-9 22-6 18-5 25-8 20-4 107 Walallawiti Korale 146 38,572 341 196 34-2 39-2 42-6 35-4 23-9 19-0 22-7 20-4 15-8 Hinidum Pattuwa 166 6,003 49 24 32-1 30-1 38-7 32-7 24-4 16-4 15-6 16-0 61 Matara 481 179,520 1,807 769 31-3 36-8 34-6 40-4 22-3 16-6 20-1 17-2 94 Matara Local Board 1½ 7,078 61 56 29-1 27-8 43-6 34-6 24-8 26-1 40-1 31-7 24-6 Four Gravets beyond Local Board limits 7½ 16,062 121 54 31-1 38-6 31-9 30-2 19-9 16-5 16-7 13-5 12-4 Wellsboda Pattuwa 51½ 40,011 410 142 33-0 40-0 34-3 41-1 21-0 17-4 14-9 14-2 82-8 14-9 14-9 14-9 14-9 14-9 14-9 14-9 14-9	Gangaboda Pattuwa		. 128	$8\frac{3}{4}$ 28,1	77 2	213	49 3	36.6	40.9 3	3.5∫ 30	9.3 20	5 18	5 19	9 21.2	150
Walallawiti Korale 146 38,572 341 196 34.2 39.2 42.6 35.4 23.9 19.0 22.7 20.4 158 Hinidum Pattuwa 166 6,003 49 24 32.1 30.1 38.7 32.7 24.4 16.4 15.6 16.0 61 Matara 481 179,520 1,807 769 31.3 36.8 34.6 40.4 22.3 16.6 20.1 17.2 94 Four Gravets beyond Local Board limits 77 16,062 121 54 31.1 38.6 31.9 30.2 19.9 16.5 16.7 13.7 246 Wellsbods Pattuwa 51\$/2 40,011 410 142 33.0 40.0 34.3 41.1 21.0 17.9 16.5 16.7 13.5 12.4 Morawak Korale 160 13,750 182 86 30.9 39.9 39.0 53.1 28.5 25.7 30.5 25.1	Talpe Pattuwa			. 12 /		{ '				- 1		-1			
Matara 481 179,520 1,807 769 31·3 36·8 34·6 40·4 22·3 16·6 20·1 17·2 94 Matara Local Board 1½ 7,078 61 56 29·1 27·8 43·6 34·6 24·8 26·1 40·1 31·7 246 Four Gravets beyond Local Board 7½ 16,062 121 54 31·1 38·6 31·9 30·2 19·9 16·5 16·7 13·5 124 Wellaboda Pattuwa 51½ 40,011 410 142 33·0 40·0 34·3 41·1 21·0 17·4 14·9 14·2 82 Weligam Korale 160 13,750 182 86 30·9 39·9 39·0 53·1 28·5 25·7 30·5 25·1 98 Morawak Korale 70 22,179 267 133 26·2 35·6 44·9 48·3 29·0 19·4 22·2 24·1 10·6		٠.	. 140	6 38,5	72 3	341	196	34.2	39.2 4	2.6 3	6.4 23	9 19	0 22	7 20.4	158
Matara Local Board 1½ 7,078 61 56 29·1 27·8 43·6 24·8 26·1 40·1 31·7 246 Four Gravets beyond Local Board limits 7½ 16,062 121 54 31·1 38·6 31·9 30·2 19·9 16·5 16·7 13·5 124 Wellsboda Pattuwa 51½ 40,011 410 142 33·0 40·0 34·3 41·1 21·0 17·4 14·2 82 Morawak Korale 160 13,750 182 86 30·9 39·9 39·0 53·1 28·5 25·7 30·5 25·1 98 Kandaboda Pattuwa 70 22,179 267 133 26·2 35·6 44·9 48·3 29·0 19·4 22·2 24·1 10·4	Matara •			- (1	1	- 1	- 1	į	l l		- {	1		1
Welliboda Pattuwa 51\frac{1}{2} \dot 40,011 \dot 410 \dot 417 \dot 185 \dot 32.7 \dot 53.0 \dot 40.0 \dot 34.3 \dot 41.7 \dot 18.5 \dot 18.2 \	Matara Local Board Four Gravets beyond Local 1		1 1		411										T
Weligam Korale 111 48,078 417 185 32.7 35.0 28.5 34.8 18.1 12.9 18.2 15.4 83 Morawak Korale 160 13,750 182 86 30.9 39.9 39.0 53.1 28.5 25.7 30.5 25.1 98 Kandaboda Pattuwa 70 22,179 267 133 26.2 35.6 44.9 48.3 29.0 19.4 22.2 24.1 10.6	limits		•			1	- 1			- 1					
Morawak Korale 160 13,750 182 86 30 9 39 9 39 0 53 1 28 5 25 7 30 5 25 1 98 Kandaboda Pattuwa 70 22,179 267 133 26 2 35 6 44 9 48 3 29 0 19 4 22 2 24 1 10 3	Weligam Korale		1 22												
	Morawak Korale	••	. 16	0 13,7	750	182	86	30.9	39.9	39.0 5	3.1 28	5 25	7 30	5 25	1 98
	Gangaboda Pattuwa												٠,		

Table III .- continued.

Hambanton Four Gravets 1048 1,048 6 8 854 272 198 390 295 194 310 307 88 Magam Pattu East 1224 4,671 84 4,480 305 329					e 111	1			ate n	or	i ile	th-ref	o nor I	Milla I	· ·
Hambaniota Four Gravets 1,013 86,8 8 797 884 32-5 30-2 30-9 30-8 29.8 19-8 21-8 17-7 14 14 14 14 14 14 15 15	•		re	pu- e the		1	Mil	le per	Ann	um.	1			121110	made hs in 1898
Hambaniota Four Gravets 1,013 86,8 8 797 884 32-5 30-2 30-9 30-8 29.8 19-8 21-8 17-7 14 14 14 14 14 14 15 15			qua	8 E S		Ì	ven	rter	ter	rter	ers	# .	er	rter	Iren Birt Pr of
Hambaniota Four Gravets 1,013 86,8 8 797 884 32-5 30-2 30-9 30-8 29.8 19-8 21-8 17-7 14 14 14 14 14 14 15 15	Province, District, and Divisi	ion.		ted at ing	Births.	Deaths.	f Seruari	na. 897	uar 398.	98.	f Se trart	398.	art 98.	397.	000,
Hambaniota Four Gravets 1,013 86,8 8 797 884 32-5 30-2 30-9 30-8 29.8 19-8 21-8 17-7 14 14 14 14 14 14 15 15	,		ea i	Sinn Circuit			nd Q	ndC of 1	# 100 H	nd(f 18	189)	nd C	0a	nd (to 1
Hambaniota Four Gravets 1,013 86,8 8 797 884 32-5 30-2 30-9 30-8 29.8 19-8 21-8 17-7 14 14 14 14 14 14 15 15			Ar	Est la beg	}		vera Sec.	600	ring	600	vers secon	600	irst	000	eath year
Hambantoth Four Gravets 1,045 6 33.4 27.2 19-9 32.0 25.0 19-4 31.0 50.7 85 85 85 85 19-4 19-5							·}	<u>~</u>		<u>x</u>	402	<u>20</u>	<u> </u>		
Magnam Pattn, exclusive of Four Gravets		•••	1,013					ł.							140
Giruwa Pattu Enat 122 4,671 384 44,850 470 523,721 380 370 383 378 174 175 176 174 175 176 174 175 174 175 174 175 174 175 175 174 175 175 174 175 1		Four	6424		0	1	35.4	27.2	19.3	23.0	28.9	19.4	31.0	30.7	600
Giruwa Pattu West EAstrass 4.907 7,656 Botticolog ² 2,872 8,414 866 73 17 3,985 87 17 8,985 8,987 8,988 8,987 8,987 8,988 8,987 8,988 8,987 8,988 8,987 8,988 8,	Gravets			4,671	1			47.0	52.3	72.1			38.3	37.8	190
Eastrank 9.07															
Batticalos Local Board 1 211 3 3 3 3 3 3 3 3 3					1		ł)							i
Basticalos Local Board 14						-	1								106
Board		• • •	14	212	3	-	_	-		-	_	-		-	-
Bintenna			222	47											
Dervort-Rutans—K-ralai 2572 310 1 - - - - - - - - -	Bintenna		6771	2,489									47.7		96
Eruvil - Fortiva - Kairawaku 277 86						4	41.2	37.7	65.9	50.0			34.7		148
Panama Pattu	·							_	_					_	_
NORTH-WESTERN	T) (5	•••]) [900
		•••						1)	1					i
Kurnungsala Local Board	era.														156
Dewsmedi do	Kurunegala Local Board		11/2	1,653	31	´ 59	36-1		75.2	75.2			121.0		290
Hiriyala			. 21		- 1										140
Wanni do.	Hiriyala do.		$387\frac{3}{2}$	27,779	416	173	41.8	528	55.6	60.1	43.6	28.8	28.4	24.7	127
Weudawili do,	Katugampula do.												1		78 146
Puttalam Local Board							1						-		259
Demsis Hatpattu	Puttalam*		890	9,385	124	77	37.8		44.6	53 ·0	51.2	41.3	39.8	33.3	226
Kalpitiya Division)	4411		* 1								49.0		429 933
Pottalam Division					7		47.5	33.0	44.9	- 4	02.9	- 1	42.9	-	-
Chitaw Town			133	2,430	7	4	20.2	28.4	30.1	11.5	25.3	15.0	18.4	6.6	143
Pitigal Korale North		٠,	262								,				87
Pitigal Korale South		- 1	1323		- 1				(•					180
Anuradhapura		1	- 71		521			36.7	40.4	42.7	20.6	15.5	15.5	14.2	72
Anuradhapura Town Nuwaragam Palata 1,490			4,002												
Nuwaragam Palata 1,490 25,039 260 202 41-2 34-3 43-4 41-6 41-0 32-7 44-2 32-4 17-6 17-2 18-1 19-2 12-5 18-3 40-8 35-1 40-4 44-7 44-0 43-2 42-3 38-1 205 48-1	Anuradhapura Anuradhapura Town	•••			1			1	. 1		- i				333
Kelegam Palata 311 13,501 109 87 35-8 35-5 52-5 32-4 42-6 28-8 33-5 25-8 150	Nuwaragam Palata	•••]	1,490%	25,039	260	202	41.2	34.3	43.4	41.6			1		173
Tamankaduwa Palata 1,155 1,689 42 28 44-5 29-0 53-1 99-7 32-0 19-4 31-4 66-6 28 Uva 3,155 121,391 1,672 1,009 49-1 48-1 46-1 61-9 35-6 33-2 32-5 33-3 158 Badulla 3,155 121,391 1,672 1,009 49-1 48-1 46-1 61-9 35-6 33-2 32-5 33-3 158 Badulla Local Board 3 3,065 38 20 40-0 29-1 57-3 49-7 38-9 30-4 28-0 26-2 184 Yatikinda Division 1883 20,649 261 187 50-8 45-9 42-1 50-7 33-3 29-8 36-2 36-3 172 Bintenna do 35-9 8,867 104 64 43-3 48-9 42-1 50-7 33-3 29-8 36-2 36-3 172 Bintenna do 56-1 14,502 198 130,50-8 45-3 61-9 24-0 86-4 30-9 31-2 29-0 86-1 188-4 29-4 8-1 188-4 29-4 18		1	, ,		- 1										209 156
Badulla		}					44.5	29.0	53.1	99.7		,			238
Badulla Local Board				,							- 1	. 1			158
Yatikinda Division		- 1				. ,						1	. 1		158 184
Bintenna	Yatikinda Division	- 1	1833	20,649	261		50.8	45.9	42.1	50.7	33.3	29.8	36.2	36.3	172
Wellawaya do. 1,019\$ 7,209 72 59 42*8 46*3 42*4 40*1 52*0 36*7 24*3 32*8 14*4 14*8 40*8		**-	,		- 1										86 152
Tidukinda do.		- }						,			1	,	1		194
Wiyaluwa do. 188 16,668 205 136 47·2 50·9 42·1 49·3 28·1 21·6 32·4 32·7 151 Sabahagamuwa 1,901 229,170 2,959 1,375 33·7 40·1 46·1 51·8 33·0 20·9 27·1 24·1 107 Ratnapura 1,259 101,577 1,340 697 37·6 41·6 48·2 52·9 33·4 26·3 33·5 27·5 133 Ratnapura Local Board 2113 24,031 302 160 38·2 45·4 48·7 50·4 34·4 23·1 26·1 27·2 165 Kuruwiti Korale 2113 24,031 302 163 38·2 45·4 45·7 50·4 34·4 23·1 26·1 27·2 165 Nawadun do 193\$ 22,641 31a 160 40·2 44·0 47·5 56·3 32·1 35·1 33·0 38·2 24·3 32·1 24·3 32·1	Udukinda do.	J	1883	29,465	374	230	50.6	47.8	46.3	50.9			- 1		147
Sabahagamuwa 1,901 229,170 2,959 1,375 33·7 40·1 46·1 51·8 33·0 20·9 27·1 24·1 107 Ratnapura 1,259 101,577 1,340 697 37·6 41·6 48·2 52·9 33·4 26·3 33·5 27·6 133 Ratnapura Local Board 21 2,820 29 27 38·7 42·8 38·8 41·3 37·8 21·4 45·9 38·4 207 Kuruwiti Korale 211 ³ / ₃ 24,031 302 163 38·2 45·4 48·7 50·4 34·4 23·1 26·1 27·2 165 Nawadun do. 193 ³ / ₃ 22,641 318 160 40·2 44·0 47·5 56·3 32·1 24·7 32·2 25·3 123 Atakalan do. 171 ³ / ₂ 15,643 207 111 34·4 33·3 35·1 33·0 38·3 28·5 124·3 Kadawata do. 169 9,2)					- 1	1	1	•	1				151
Ratnapura 1,259 101,577 1,340 697 37.6 41.6 48.2 52.9 33.4 26.3 33.5 27.5 133 Kuruwiti Korale 211 24,031 302 163 38.2 45.4 48.7 50.4 34.4 23.1 26.1 27.2 165 24.0 27.2 28.3 28.3 24.7 32.2 28.3 28.3 24.7 32.2 28.3 28.3 24.7 32.2 28.3 28.3 24.7 32.2 28.3 28.3 24.7 32.2 28.3 28.3 24.7 32.2 28.3 24.7 32.3 24.7 32.2 24.7 32.3 34.3 34.9 34.3	<u>.</u>		1,901	′ 1	. [33.7	40.1	46-1	51.8			1	24.1	
Kuruwiti Korale 211	Ratnapura	•••	1,259	101,577	1,340	697	37.6				_ 1	1			
Nawadun do 193\$\frac{3}{4}\$ 22,641 318 160 40.2 44.0 47.5 56.8 32.1 24.7 32.2 28.3 123 Atakalan do 171\frac{1}{4}\$ 15,643 207 111 34.4 33.3 53.1 53.1 53.1 35.1 33.0 38.8 28.5 140 Kadawata do 130\frac{1}{4}\$ 9,081 121 65 36.5 43.0 51.0 53.5 31.5 25.6 39.4 28.7 157 Kolonna do 169 9,221 105 48 27.4 25.0 43.8 45.7 32.0 18.9 23.9 20.8 38.1 Kukulu do 224\frac{1}{4}\$ 6,674 90 58 43.7 46.3 47.6 54.1 30.2 23.8 31.1 34.9 144 Meda do 156\frac{1}{2}\$ 11,466 168 65 41.2 49.7 46.3 58.5 37.5 36.5 46.0 22.7 113 Kegalla 642 127,593 1,619 678 30.6 38.9 44.4 50.9 32.8 16.5 22.0 21.8 212 Beligal Korale 642 127,593 1,619 678 30.6 38.9 44.4 50.9 32.8 16.5 22.0 21.8 212 Beligal Korale 642 15,026 212 74 39.0 62.4 58.0 56.6 44.5 18.9 24.2 19.8 99 Paranakuru do 56\frac{3}{4}\$ 11,6026 212 74 39.0 62.4 58.0 56.6 44.5 18.9 24.2 19.8 99 Paranakuru do 57 23,764 28.5 134 31.5 37.1 50.1 48.1 34.7 17.1 28.0 22.6 12.3 Atulugam do 74\frac{3}{4}\$ 12,572 147 63 29.6 42.5 35.9 46.9 34.0 19.2 22.0 20.1 47 Panawal do 40 5,469 81 41 33.6 38.8 43.3 59.4 35.2 24.6 18.7 30.1 111		1			1							- 1			165
Kadawata do. 1303/2 9,081 121 65 36.5 43.0 51.0 53.5 31.5 25.6 39.4 28.7 157 Kolonna do. 169 9,221 105 48 27.4 25.0 43.8 45.7 32.0 18.9 23.9 20.8 38.1 Kukulu do. 2244/2 6,674 90 58 43.7 46.3 47.6 54.1 30.2 23.8 31.1 34.9 144 Meda do. 156½/2 11,466 168 65 41.2 49.7 46.3 58.8 37.5 36.5 46.0 22.7 113 Cegalla 642 127,593 1,619 678 30.6 38.9 44.4 50.9 32.8 16.5 22.0 21.3 21.2 Galboda do. 162½/2 35,603 42.1 170 26.5 29.1 34.7 47.4 27.0 11.9 16.1 19.1 64 Galboda do. 42 15,026	Nawadun do	- (193	22,641	318	160	40-2	44.0 4	7.5 5	6.3	,	1	32.2	28.3	123
Kolonna do 169 9,221 105 48 27.4 25.0 43.8 45.7 32.0 18.9 23.9 20.8 381 Kukulu do 224½ 6,674 90 58 43.7 46.3 47.6 54.1 30.2 38.8 31.1 34.9 144 Meda do 156½ 11,466 168 65 41.2 49.7 46.3 58.8 37.5 38.5 37.5 36.5 46.0 22.7 113 Legalla 642 127,593 1,619 678 30.6 38.9 44.4 50.9 32.8 16.5 22.0 21.3 212 Beligal Korale 162½ 35,603 421 170 26.5 29.1 34.7 47.4 27.0 11.9 16.1 19.1 64 Galboda do 56¾ 18,667 270 90 33.5 48.7 53.6 58.0 34.9 14.5 24.9 19.3 92 Kinigoda do 42 16,026 212 74 39.0 62.4 58.0 56.6 44.5 18.9 24.2 19.8 99 Paranakuru do 57 23,764 285 134 31.5 37.1 50.1 48.1 34.7 17.1 28.0 22.6 123 Atulugam do 125½ 9,032 112 63 29.7 31.7 42.4 49.7 31.4 24.0 22.1 28.0 62 Dehigampal do 40 5,469 81 41 31.3 6. 38.8 43.3 59.4 35.2 24.6 18.7 30.1 111		- 1													
Meda do 156\frac{1}{9} 11,466 168 65 \frac{1}{4}1\cdot 2 49\cdot 7 46\cdot 3 58\cdot 8 37\cdot 5 36\cdot 5 46\cdot 0 22\cdot 7 113	Kolonna do	Į.	169	9,221	105	48	27.4	25.0 4	13.8 4	5.7	35.0	18.9	23.9	20.8	381
Cegalla 642 127,593 1,619 678 30·6 38·9 44·4 50·9 32·8 16·5 22·0 21·8 212 Beligal Korale 162½ 35,603 421 170 26·5 29·1 34·7 47·4 27·0 11·9 16·1 19·1 64 Galboda do. 56½ 18,667 270 90 33·5 48·7 53·6 58·0 34.9 14·5 24·9 19·3 92 Kinigoda do. 42 15,026 212 74 39·0 62·4 58·0 56·6 44·5 18·9 24·2 19·8 99 Paranakuru do. 57 23,764 28·5 13·4 13·5 37·1 50·1 48·1 34·7 17·1 28·0 22·6 122 Atulugam do. 125± 9,032 112 63 29·7 31·7 42·4 49·7 31·4 24·0 22·1 28·0 62 Dehigampal do. 74½	3.00	- 1		- '							- 1	,	1		
Beligal Korale 1621 35,603 421 170 26.5 29.1 34.7 47.4 27.0 11.9 16.1 19.1 64 Galboda do 563 18,667 270 90 33.5 48.7 53.6 58.0 34.9 14.5 24.9 19.3 92 Kinigoda do 42 15,026 212 74 39.0 62.4 58.0 56.6 44.5 18.9 24.2 19.8 99 Paranakuru do 57 23,764 28.5 134 31.5 37.1 50.1 48.1 34.7 17.1 28.0 22.6 12.5 Atulugam do 1251 9,032 112 63 29.7 31.7 42.4 49.7 31.4 24.0 22.1 28.0 Dehigampal do 748 12,572 147 63 29.6 42.5 35.9 46.9 34.0 19.2 22.0 20.1 47 Panawal do 40 5,469 81 41 33.6 38.8 43.3 59.4 35.2 24.6 18.7 30.1 111		- 1	~	1	1	1	1	1	1	1	1	ĺ	1]	
Kinigoda do 42 15,026 212 74 39.0 62.4 58.0 56.6 44.5 18.9 24.2 19.8 99 Paranakuru do 57 23,764 285 134 31.5 37.1 50.1 48.1 .34.7 17.1 28.0 22.6 123 Atulugam do 1251 9,032 112 63 29.7 31.7 42.4 49.7 31.4 24.0 22.1 28.0 62 Dehigampal do 748 12,572 147 63 29.6 42.5 35.9 46.9 34.0 19.2 22.0 20.1 47 Panawal do 40 5,469 81 41 33.6 38.8 43.3 59.4 35.2 24.6 18.7 30.1 111	Beligal Korale	1	162 <u>1</u>	35,603	421	170	26.5 2	29-1 3	3 4·7 4	7.4	27.0	11.9	16.1	19.1	64
Paranakuru do 57 23,764 285 134 31·5 37·1 50·1 48·1 .34·7 17·1 28·0 22·6 123 Atulugam do 1251 9,032 112 63 29·7 31·7 42·4 49·7 31·4 24·0 22·1 28·0 62 Dehigampal do 748 12,572 147 63 29·6 42·5 35·9 46·9 34·0 19·2 22·0 20·1 47 Panawal do 40 5,469 81 41 33·6 38·8 43·3 59·4 35·2 24·6 18·7 30·1 111	Galboda do	- [- 1				
Atulugam do 1251 9,032 112 63 29.7 31.7 42.4 49.7 31.4 24.0 22.1 28.0 62 Dehigampal do 748 12,572 147 63 29.6 42.5 35.9 46.9 34.0 19.2 22.0 20.1 47 Panawal do 40 5,469 81 41 33.6 38.8 43.3 59.4 35.2 24.6 18.7 30.1 111)			1							17.1	28.0	22.6	123
Panawal do 40 5,469 81 41 33-6 38-8 43-3 59-4 35-2 24-6 18-7 30-1 1)1	Atulugam do	•••		9,032	112	63	29.7	31.7 4	12.4	9.7		1	1		
ower Bulatgama 844 7,460 91 43 24·1 23·5 39·9 48·9 23 9 16·4 22·4 23·1 65		- 1			. 1		33-6	38.8	43.3 8	9.4		- 1		•	
		1					24.1	23.5	39.9	8.9					65

^{*} For Tamil statistics see Table IV.; for Mohammedan statistics see Table V.

Table IV.—Tamil Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in the Tamil Districts.

			zi.	ou- te the			l 1		e per nnun		}	th-rate per Ai			100 100 11d
Province, District	, and Division.		Area in Square Miles,	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Average of Seven Second Quarters of 1891-97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.	Average of Seven Second Quarters of 1891-97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.	Deaths of Children under 1 year to 1,000 Births in the Second Ouarter of 1999
NORTHERN	•••	•••	3363	323,172		1,905	32.5	33.7	28.0	36.9	21.2	22.6	29.4	23.6	145
Jaffna	•••		819	296,019		1,642			27.1	37.2	18.9	20.4	27.8	22.3	139
Jatfna Division Valikamam East	•••	•••	18 <u>1</u> 401	41,666 23,768	342 178	250 85	32·6 31·6		30.8	32.9	18.7	20.3	35·3 22·9	24·1 14·3	216 107
Valikamam North			363		35 3	207	35.0	1	27·3 20·6	30·0 31·4	11.8	13.7	30.1	18.4	119
Valikamam West	•••	•••	38 1	47,343	425	239		1	30.7	36.0	15.3	15.5	26.8	20.2	132
Vadamaradchi Eas	t		$34\frac{1}{2}$	4,211	62	5 0	41.7		36.6	59-1	41.8	55.7	34.7	47.6	178
Vadam » radchi Wes	t	•••	55	49,951	461	223	36.1		26.9	37.0	21.0		20.0	17.9	110
Tenmaradehi Pachehilaippalli	•••	•••	80 87	37,155 5,661	375 53	259 63	27.2		24.6	40.5	25.2	15.0	32.7	28.0	120 2 64
Karaichchi	•••		1233	1,687	13	17	35.1	28.9	36.6	37.6	38.8	32.7	31.6	44.6	204
Punakari	***		$226\frac{3}{4}$	4,769	58	39	52.5	70.0	1	48.8	50.4	52.1	32.2	32.8	121
Islands	•••	•••	78	34,723	422	210	35.7		27.2	48.7	20.5	33.5	22.8	24.3	142
Mannar			546	15,070	123	1.50	00.0	22.0	07.0	20 7		40.4		40.5	211
Mannar Islands Di	vision	***	47 ³ / ₄	5,661	48	$\begin{array}{c} 152 \\ 68 \end{array}$	$ \begin{array}{c} 30.2 \\ 29.8 \end{array} $	23.3	$\begin{vmatrix} 37.6 \\ 22.8 \end{vmatrix}$	32·7 34·0	46·9 59·0	43·4 75·3	41.4	40.5	250
Mantai	***		247	4,091	36	28	29.7	28.6	1 -	35.3	40.9		35.8	27.5	194
Nanaddan	•••	•••	251	5,318	39	56		24.2	1	29.4	38.6	1	46.5	42.2	180
Mullaittivu	***		936	6,494	74	78	39.5	48.5	39.2	45.7	42.4	57.7	59.0	48.2	257
Karikkaddumulai	***	•••	350	4,233	5 0	60	39.4	45.2		47.4	42.2	58.4	58.2	56.8	280
Mulliyawalai Tunukkai	•••		$139\frac{1}{4}$	1,663 598	18 6	14 4	46.4	62.3	46.1	43.4	46.8	71.8	63.1	33.8	167
Vavuniya	-]	-						_	_		_	_		
Kilakkumulai	•••		1062 286‡	5,589 $2,744$	37 8	33 7	27·1 16·2		38.4		37.4	40.4	47.8	23.7	135
Chinnacheddikulan	·,.		1581	751	12	10	41.4	21.8	19·2 91·8	11·7 64·1	21·4 52·9	33·4 31·8	26.6 91.8	10·2 53·4	167
Melpattu	•••		220	1,512	14	11	37.1		37.4	37.1	37.1	49.6	50.8	29.2	71
Panankamam		•••	397 1	582	3	5	_	-	-	-	-	-	-	-	_
Eastern	•••	pt.	4037	93,392	1286	65 3	45.9	47:3	33.7	55.2	37.1	40.8	19.6	28.0	166
Batticaloa	···· ,		2872	76,519	1155	502	48.6	49.8	35.5	60.5	32.4	38.4	18.3	26.3	151
Batticaloa Local B Manmunaipattu, ex	oard	•••	$1\frac{1}{4}$		58	37	23.5		12.6	38.1	18.3	28.3	9.3	24.3	103
Bintenna	CIUSIVE TOCSIDOS	- }	$\frac{222}{677\frac{1}{8}}$	22,634 489	$\begin{array}{c} 377 \\ 2 \end{array}$	164 3	51.8	53.0	28.2	66.8	34.3	33.7	20.6	29.1	162
Chammanturai-N	adukadu		4201		43	16	31.2	24.5	29.1	44.0	29.4	64.4	16.6	16.4	116
Eravur—Rukam—	Koralai		$662\frac{1}{9}$		189	116			34.1	57.7	32.3	47.9	15.8	35.4	212
Eruvil-Porativu-	- Karavaku	•••	277	24,135	405	126	55.2			67.3	32.1	34.0	17.8	20.9	118
Nintavur—Akkara Panama Pattu		•••	124½ 486⅓		67 14	36 4	63.2	$\frac{61.2}{-}$	54.4	48·4 —	47.5	50.9	28.7	26.0	209 —
Trincomalee	•••		116 5	16,873	131	151	34.6	26.0	25.7	97.1	49.1	51.2	97.4	35.9	305
Trincomalee Town		***	1	8,751	52	60			20.3	$\begin{array}{c} \mathbf{31 \cdot 1} \\ \mathbf{23 \cdot 8} \end{array}$	42·1 53·2	66.2	27·4 32·8	27.5	173
Kaddukkulam Patt	n		490 1	2,522	36	56	43.1		30.6	57.3	46.6	66.5	29.0	89.1	583
Koddiyar Pattu	***	•••	223	3,907	34	15	38.8	47.6	28.1	34.9	18.9	24.3	16.7	15.4	177
Tampalakamam Pa	ccu ,		450 4	1,693	. 9	20	24.8	16:7	40.1	21.3	24.1	9.6	29.7	47.4	444
North-Wester	N	•••	2997	17,600	136	153	22.7	32.8	32.7	31.0	36.3	31.3	37.6	34.9	250
Puttalam			890	5,540	62	60	33.0	43.7	37.2	44.9	45.8	45.6	53.2	43.4	210
Puttalam Local B		•••	443	1,004	13	16	21.8	33.6	19.8	51.9	54.1	39.7	99.0	63.9	154
Demala Hatpattu Kalpitiya Division		•••	441 ¹ / ₄ 315	188 1,509	1 33	$\begin{array}{c} 2 \\ 29 \end{array}$	29.4	977.				40.0	-		
Puttalam Division		•••	133	2,839	15	13	38·4 39·6	37·5 54·9	75·1 25·7	88·0 21·2	48·0 39·5	46·3 49·4	85·8 20·0	77.4	242 200
		- 1		į . l	- 1	- 1	1	- 1	1			-1	- 1	1	

Table V.—Mohammedan Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in Batticaloa and Puttalam Districts.

St. 1944		zů.	u- e					per M				e per nnun	Mille	, gg 000
Province, District, and Division.		Area in Square Miles	Estimated Population at the beginning of the Quarter.	Births.	Deaths.	Average of Seven Second Quarters of 1891-97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.	Average of Seven Second Quarters of 1891-97.	Second Quarter of 1897.	First Quarter of 1898.	Second Quarter of 1898.	Deaths of Children under I year to 1,000 Births in the Second Quarter of 1898.
Eastern		4037	58,647	7 57	322	46.8	48.0	43.1	51.8	33-2	41.6	19-1	22.0	145
Batticaloa Batticaloa Local Board		$2872 \\ 1\frac{1}{4}$	51,495 318	667 —	267 2	49·1	49·6 —	42·0 —	52·1	35·3 —	44.5	17.8	20.8	138
Manmunai Pattu, exclusive of Lo Board	Cai	222	11,018	149	61	52.8	2 9·4	47.8	54.2	41.0	8.3	17-1	22.2	154
Bintenna	•••	677 1	251		(<u>~`</u>						
Chammanturai - Nadukadu	•••	420 1	5,502	61	24	41.4			44.5	34.7		17.8	17.5	180
Eravur-Rukam-and Koralai	•••	$662\frac{1}{2}$	8,77,5	124	46		80.7		56.7			17.2	21.0	129
Eruvil-Porativu-and Karava	ku	277	12,722	157	65	47.4			49.5			14.4	20.5	185
Nintavur-Akkarai Pattu		$124\frac{1}{9}$	11,356	157	64	54.8	54.3		55.5	40.2	56.1	22.3	22.6	63
Panama Pattu	•••	486½	1,553	19	5	58.6	96.5	28.8	49.1	41.8	40.2	23.5	12.9	105
North-Western	•••	2997	22,135	278	172	29:9	39.9	49-1	50·6	30.7	25.3	40.8	31.2	197
Puttalam		890	9,680	112	99	32.1	38.7	60.4	46.4	28.7	21.2	56.6	40.8	286
Puttalam Local Board		1	2,651	28	24	35.7	39.3	60.9	42.4	23.4	1-8-1	80.7	36.3	250
Demala Hatpattu		441 7	445	5	1				_]					*****
Kalpitiya Division		315	4,448	78	72	37.4	49.2	87.9	70.3	36.6	21.9	69.6	64.9	308
Putt-lam Division	•••	133	2,136	1	2	14.4	20.7	38.0	1.8	13.6	11.3	38.0	3.7	1,000
							1			,				

Table VI.—	1					`			,								М	ARRI	GES.						,								101	gneu
		s,	,		C	ontra	cted	betw	een		, ,	O	f		-			tween		вггіярев	betw	ontra veen l same	Person	not 2	ersons l Years Age.	Åge.	Age.	Age.	de Age.	Age.	ıle Age.	solemnized sters.	W M:	gister vith arks.
Province and District.		Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Bachelors and Divorced Women.	Divorced Men and Widows.	Divorced Women	Divorced Men and divorced Women.	Widowers.	Widows.	European and Burgher.	European and Sinhalese.	European and Tamil.	Burgher and Sinbalese.	Burgher and Tamil.	Sirhalese and Tamil.	Other mixed M	European.	Sinhalese.	Tamil.	Males.	Females.	Highest Male	Mean Male Ag	Lowest Male	Highest Female Age.	Mean Female	Lowest Female	Marriages solem by Ministers.	Males.	Females.
CEYLON		3333	2900	102		50		 	_	1	_	328	152	1	1	-	11	2	10	2	16 33	2589	665	175	1816	72	27.4	15	60	20.3	12	418	770	2519
Vestern Jentral Northern Jouthern Jostern Jorth-Western North-Central Jaa Jabaragamuwa Vestern		1435 126 432 890 96 269 4 26	1255 112 364 793 80 218 4 25	41 2 18 19 5 16	68 9	— 14 8						139 12 50 77 11 34 1 4	56 2 32 27 7 27 —	1 = = = = = = = = = = = = = = = = = = =			4 1 2 2 2 - - 1 1	-	6 - 2 1 - 1	1 - 1	8 23 3 2 1 2 4 2 3 1 -	1	51 - 39 427 - 3 - 90 - 46 3 - 2 4 -	55 4 14 85 3 13 —	672 83 230 597 61 128 2 17 36	65 55 64 72 56 58 30 46 53	27·5 27·5	18 18 15 25 21	50 34 40 60 43 40 25 38 38	20·3 25·8 20·4 19·9 19·8 20·7 20·5 20·2 19·8	13 12 13 14 13 15	42 74 10 20 50	279 26	72 342 767 79 232 2 20
Colombo Negombo		815 272 348 95	718 240 297	26 6 9	65 23 36			=	-	_	<u>-</u>	71 26 42	32 9 15		_ 		1 1 2	}	3 -	-	8 22 - 1 3 2	252 345	35 — 16 — 25	36 14 5	423 160 89	60 65 60	26·7 26·4 28·2	18 19 20	50 45 40	19.6 20.2 22.0	14 15	46 19		194 259
Matale		14	86 12 14		9 2 1			-		=	<u>-</u>	2 1	2	_		=	-	=		1		9	5 -		8 12	55 45 35	23·6 28·4 25·2	18 20 22	34 27 24	17·3 19·6 18·8	13	32 4 7	23 3 3	10
Jaffna Mannar Mullaittivu		372 44 9 7	335 21 7 1	8 8 2 —	25 6 - 5	4 9 — 1			1 1 1	- -	_ _ _	29 15 -6	12 17 2 1	_		=		- - -	1 1 1		1	- - - -	369 — 42 — 9 — 7 —	14	193 28 5 4	64 40 40 45	26·6 27·9 28·7 33·0	17 22 22 23	40 38 30 27	20·5 20·1 21·7 18·4	12 13 15 12	30 36 7 1	39 18 6	
Galle Matara		333 379 178	296 339 1 <i>5</i> 8	4 12 3	27 24 17	5 3 —	_1 _1			_1 _	_	33 27 17	9 15 3	_	=	=	1 1 	-	1 1 —		2 2 - 1 - 1		7 -3 -	7 44 34	183 279 135	72 70 70	28·8 30·4 27·6	19 18 18	50 50 60	20·1 19·9 19·6	15 13 14	8 1 1	73 134 72	347
m.:	•••	64 32	55 25	2 3	5 4	_2	_ _	_	_	_	-	7 4	4 3	_	_	=	_	=			$\begin{bmatrix} 1 \\ 2 \end{bmatrix}$	_	62 - 28 -	1 2	42 19	48 56	27·9 26·6	20 18	27 43	19·9 19· 4	15 14	8 12	17 9	55 24
Kurunegala Puttalam		114 49 106	92 33 93	6 2 8	13 6 4		- 1 -	=	- -	=	=	15 14 5	8 10 9	=	=	=	=	- 1	111			110 17 94	31 12	4 3 6	69 32 37	58 50 45	27·0 28·3 27·6	18 15 20	35 40 40	20·2 20·8 21·2	14 13 14	6 35 9	21 17 29	
Anuradhapura va.		4 26	4 25		_ 1	_	_	_	_	_	_	 - 		_	_	-	-	_	_		1 -	1 21	3 -	-	2 17	30 46	27·2 29·2	25 21	2 5	20·5 20·2		3		
baragamuwa.		25	22	1	2	_						2	_	_		-	,	-			4	21	2 -	1	17				38				4	20

Table VII. - Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c., in the Second Quarter of 1898.

	T						in th	8 56	Сопа	wua	1 001	Per	sons]					ened he
					Co	ntra	cted 1	pet.wo	een	,	,		s of ge.	*			aj.			Reg	gisters with orks.
Province and District.		Total Marriages.	Bachelors and Spinsters.	Bachelors and Widows.	Widowers and Spinsters.	Widowers and Widows.	Divorced Men and Spinsters.	Divorced Men and Widows.	Divorced Women and Bachelors.	Divorced Women . and Widowers.	Divorced Men and Divorced Women.	Males.	Females.	Highest Male Age.	Mean Male Age.	Lowest Male Age.	Highest Female Age.	Mean Female Age.	Lowest Female Age.	Males.	Females.
Ceylon .	•••	1707	1352	65	170	55	40	1	17	2	5	216	1144	68	27.7	15	56	19.7	13	628	1639
Southern Eastern North-Western North-Central Uya	•••	296 3 12 646 89 233 428	3 12 486 72 189	25 4 13	83 10 22	8 - 31 1 8 7	- 12 - 1		3 3 1 10	_	4 1 	51 -1 50 8 28 78	61	40 40 68 55 60	,	23 20	30 30 49 40 56	19·4 27·0 21·8 19·3 20·8 21·0 19·6	13 18 15 14 16 13 13	1 4 186 30 114	3 12 625 88 228
86-4-5-	•••	179 64 53	48	4	1		2		1 1 1			37 9 5	149 45 35	45	25·4 26·4 26·7	18 20 18	40	18·6 21·2 20·0	13 16 15	56 20 21	
Southern. Galle		3	3		_	_	-	_	-	-	_	_	2	40	30.0	23	30	27.0	18	1	3
m · 1	•••	11	11 1	_	_		_	_	_	=	-	_i	6		27·4 40·0	20		21·1 30·0	15	4	11
30 to 1 67	•••	623 23						_	3	_2	_4	49 1	347 11		28·9 29·5	15 20		ſ9·2 2 2·3	14 18	179	602 23
North-Central. Anuradhapura	•••	89	72	4	10	1	-	-	1	_	1	8	61	55	29-1	18	40	20.8	· 16	30	88
Uva. Badulla	•••	233	189	13	22	8	1		_		_	28	148	60	28.5	17	56	21.0	13	114	228
17 11	•••	247 181		7 2			9		5 5			48 30	189 151		2 7·5 2 4· 6	17 18	1	20·1 19·0	13 14	131 65	243 175

Table VIII.—Number of Births	of each Nationality and during the S	l Sex in each Province and Dis Second Quarter of 1898.	strict in the Island register	ed
				~

				Il Race			ropea			ırgheı			inhalese	·	· ·	Tamils.			Moors.		N)	Ialays	·.		Others	;.
Province	and District.	, 	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males,	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.
CEYLON	•••	•••	31,853	16,207	15,646	30	16	14	129	67	62	22,729	11,521	11,208	6,704	3,412	3,292	2,149	1,132	1,017				38		20
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		•••	7,236 5,153 3,116 4,454 2,152 3,692 774 1,917 3,359	1,601 2,250 1,111 1,870 372 944	3,539 2,506 1,515 2,204 1,041 1,822 402 973 1,644	11 -3 3 -	-4 -1	- - 2	96 7 2 11 9 2 -	5 1 6 2	2] 5	6,505 3,400 8 4,309 81 3,266 629 1,572 2,959	3,323 1,755 4 2,179 47 1,653 291 762 1,507	1,645 4 2,130 34 1,613 338 810	219 1,424 2,976 29 1,286 136 34 276 324	110 715 1,526 13 647 68 18 145 170	109 709 1,450 16 639 68 16 131	357 295 129 87 757 278 111 61 74	175 160 70 45 407 141 63 33 38	182 135 59 42 350 137 48 28	10 1 13 14 8 — 3	6 4 5	4 1 9 9		-2 2 1	13 4 — — — — — — — —
Western. Colombo Negombo Kalutara	•••	•••	3,883 1,324 2,029	670	1,897 654 988	10 1	- 8 -	2 1	92 1 3		1	3,442 1,241 1,822	1,765 625 933	616	117 59 43	58 30 2 2	59 29 21	178 19 160	79 13 83	99 6 77	2			22 1	1	13 _ _
Central. Kandy Matale Nuwara Eliya	;··· ···	•••	3,149 1,034 970	1,639 528 480	1,510 506 490	- 7 4	2 2	5 ₂	6 1	4 1 -	_ _ _	2,156 789 455	1,132 401 222	1,024 388 233	758 170 496	386 83 246	372 87 250	212 68 15	111 39 10	101 29 5	4	3 3 —				3 1
Northern. Jaffna Mannar Mullaittivu Vavuniya	***	•••	2,783 198 83 52	104 43	1,359 94 40 22	[111]	1111	1111	1 - 1	_1 	_ _ _ _	- 1 - 7	_ 1 _ 3	_ _ _ 4	2,742 123 74 37	1,400 64 39 23	1,342 59 35 14	38 7 <i>5</i> 8 8	22 40 4 4	16 35 4 4			1 -		_ _ _ _	
Southern. Galle Matara Hambantota	•••	•••	1,761 1,870 823	916 931 403	845 939 420		 - -		6 4 1	3 3		1,705 1,807 797	886 902 391	819 905 406	7 16 6	1 9 3	6 7 3	43 36 8	26 15 4	17 21 4		: 1	- 3 6	 1 1	- 1 1	-
Eastern. Batticaloa Trincomalee	•••	***	0.54	977 134			1	-	8	1	7	66 15		26 8		582 65	*573 66	667 90	352 55	315 35		5	- 9	1	1	

North-Western. Kurunegala Puttalam Chilaw	•••	•••	2,738 305 649	1,372 153 345	1,366 152 304		111	1 1] -	_ 	<u> </u>	2,556 124 586	59	1,272 65 276	43 62 31	22 31 15	21 31 16	136 112 30	66 57 18	70 56 12	1 6 1	 5 1	1	- 1 1	-	
North-Central. Anuradhapura	•••		774	372	402	-	: 	_	_		<u>:</u>	629	291	338	34	18	16	111	63	48			_	<u></u>	_	· -
Uva. Badulla	•••	•••	1,917	944	973	2	1	1	1	_	1	1,572	762	816	276	145	131	61	33	28	3	2	1	2	1	· 1
Sabaragamuwa. Ratnapura Kegalia	•••	••• •••	1,435 1,924	727 988	70 8 936		-		1	_	— ,	1,340 1,619	673 834	667 785	79 245	44 126	35 119		10 28	5 31	_1	_	1	_	_	_

Table IX.—Deaths according to Races registered in each Month in Ceylon, and in each Province and District, in the Second Quarter of 1898.

					APR	IL.							MA	Y.						-	Jun	E.			-
Province and District.		TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Toral.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moore.	Malays.	Others.
Crylon	•••	6,145	4	36	3761	1914	398	22	10	6284	14	14	3891	1912	376	30	17	7045	14	45	4280	2217	453	21	15
Western Central Northern Southern Eastern North-Western North-Central Uva Sabaragamuwa		197	3	25 5 2	1051 484 22 738 14 548 158 308 438	144 516 678 21 207 53 14	115 41 20 18 96 68 23	12 3 1 2 1 2	6 1 - 2	1421 1120 609 774 343 702 210 422 683	7 5 1	34	1049 528 5738 18 604 177 320 452	186 537 575 23 212 52 19 96	110 41 28 11 106 44 14	22 3 1 2 1	13	1538 1488 664 808 375 774 197 512 689	4	31 8 1 2 2 .1	1175 617 767 15 663 170 381 485	799 632 20 234 48	56 24 18 120 60 13	1 - 2 -	
Western. Colombo Negombo Kalutara	***	804 179 373	 —	25	576 162 313	11	6	ì	6	887 173 361	7	32 1 1	605 15 3 291		4		[13	964 182 392	-	28	706 160 309	104 14 44	96 7 36	13 1	0
Central. Kandy Matale Nuwara Eliya		666 199 185	-	_4	289 138 57	43	15]	771 165 184	4 1	5	331 110 87		7		1	838 223 427	2	7	365 144 108	63	38 13 5	2	1
Northern. Jaffna Maunar Mullaittivu Vavuniya	•••	57	-	2	20	1	15		_	500 65 30	_]	 1 1	495 45 26	19	-	 	530 85 35		1	- 2 3	524 65 32	5 18 3		-
Southern. Galle Matara Hambantota	•••	373 276 131	_	1	353 259 126	8	11	-	_ _ _	353 277 144	1		341 257 140	6	5	_		420 267 121		1 1	396 253	14 5 1	9 8 1		_
Eastern. Bătricaloa Trincomalee		259 62		2	12 2		1	1	_	257 86		1 2	14				1	293 82	1-2	2	11 4	177 57	104 16	1,-	_
North-Western. Kurunegala Puttalam Chilaw	•••	502 95 76			459 27 62	16 26	25 40	1	1		_	1	506 21 77	28 16	11 27	<u> </u>	_	598 79 97		-	553 29 81	20 18 10	23 32 5	2-	
North-Central. Anuradhapura	•••	197	_	1	158	1			1		_	_	177		-			197	_ -	_	170	12	13	-1	2
Uva. Badulla	•••	398			308	80	9	1	_	42 2			320	96	5	1		512			381	120	10	_	1
Sabaragamuwa. Ratnapura Kegalla		320 327		_	230 208	,			_	312 371	1		235 217		5 12		1	287 402	- -		232 253	54 136	1 12	1	-

Table X.—Causes of Deaths registered in Ceylon, and in each Province and District, during the Second Quarter of 1898.

		W Pro	ESTE	RN CE.	CE Pro	NTRAL	ş.		North				UTHE		East Prov	ern Ince.	W	ORTH ESTER	RN	NORTH- CENT. PROV.	Uva Prov.	SAB. GAM PRO	UWA		DE	ATHS	MONG	ALL	RACE	, s.	
CAUSE OF DEATH,	CEYLON.	Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaittiva.	Vavuniya.	Galle,	Matara.	Hambantota.	Batticaloa,	Trincomalee,	Kurunegala,	Puttalam,	Chilaw.	Anuradhapura,	Badulla,	Ratnapura.		Europeans.	Burghers.	Sinhalese,	Tamils.	Immigrants.	Moors.	Malays.	Others.
ALL CAUSES	19474	2655	534	1126	2275	587	796	1661	207	85	43	1146	820		809	230		239	264					J J.	{			TI I	×	X X	<u>~</u>
. I. Specific, Febrile, or									-							200		239	204 ———	604	1332	919	1100	32	125	11912	6063		1227	73	49
Zymotic diseases 11. Parasitic diseases 111. Dietetic diseases 11v. Constitutional	8914 820 88		35	482 61 4	1060 123 23	52	381 19 5	879 — —	141 1 2	41	22 —]	512 66 —	422 12 —	223 — —	459	144	618 106 3	111 3	81 22	264 5	710 6 15	491 59 4	99		32	5118 683 18	3185 94 59		531 36	18	· 2
diseases v. Developmental diseases		336			108	21	20	98	2	2	1	151	105	41	12	4	117	8	27	16	49	61	-		14	1116	226	_	9 90	6	
vi. Local diseases vii. Violence viii. Ill-defined and not	5736		184	328	540	194	22 161 14	26 55 1 43	- 48 2	2 25 —	_ 14 1	45 328 21	22 225 20	60	1 260 11	4 49 6	689 30	76	5 112 8	1 236 15	59 351 23	23 180 21		17	7 59	293 3781	153 1422	_	40 415	10 29	
specified causes		130	25		338	-	174	64	11	15	4	23	14	42	6 6	15	80	37	9		119	80	, -		4	318 585	117 807	1	9	1	
Miasmatic diseases Diarrhœal do Malarial do Zoogenous 'do	440 33	6 43 4 8 81 0 4	57	251		102	43 328 6	673 106 40			10 8)	•	6	166 57	314 139 2	91 49 3	379 218 17	91 19	60 16 2	180 79 3	236 464 7	152 316 20	118 318	3	11 16	2453 2541 86	1231 1650 211	_	97 312 179 28	5 8 5	1
Venereal do 6 Septic do	1		-	7 =	1 4		$\frac{1}{2}$	2 58	12		3	2	4	_	_	-		_	- -2	1 —	2		_		_	. 8 5	1 7	_	-	1	_
Parasitic diseases	82	0 151	38	6	1 123	52	19	-	1	_		6 6	12	_			106	3	22	1 5	1 6	59	99		2	25	85	-	11	-	
Dietetic diseases	1		3 -	1	4 23	2	5	-	2	_	1	_	-	_		8	3	1		_	15	4	1		1	683 18	94 59		36 9	4	
Constitutional diseases v. Developmental disease	1	6 336 6 164			1	1	20	98	2	2	1	151	105	41	. 12	4	117	8	27	16	49	61)]		14	1116	226	_	90	6	. —
vr. Diseases of—	90	0 164	1	3 2	8 . 44	10	22	26	-	2		45	22	9	1	4	3		5	1	59	23	35	ı	7	293	153		40	10	2
Nervous system Organs of special sens	ام	9 389	2 6	6 22	2 88	25	18	248	10	- 1	4	230	166	29	26	17	79	30	31	21	156	70	71	3	25	1374	469		106		
3 Circulatory system 4 Respiratory do 5 Digestive do 6 Lymphatic system and	132 28	6 21	8 1		4 6 6 138 7 3	37	103		1 22	11	_ 8	11 19 23	9	8			1 4 201 12	16	1 1 23		10 122 17	-1 -7	1 3 53	5 1	- 3 21	68 749	3 18 443		106 - 6 105	14	- - -
Ductless Glands 7 Urinary system 8 Reproductive system (a) Organs of Ge	5	2 3 1		1	5 -	5 _	4	2	-	_	-1	4		=	4	2		_1	- 1	- 1	17 - 1	14	_		6 -3	160 1 37	79 7 12		28	1	
(b) Parturition	9		4 1	2 1	3 6	29	14	2	_	_	<u> </u>	1 20			3 6		3 93	- 13	2 19		3 23	1 10	4 34		_	21 348	6	_	2 38		_

Table	X.—Causes	of	Deaths.	&c	c	ntii	ruea	l.
エサハイム	WP OMMBOD	~	2000000		U	10061	eucu	į

								1	lable	X	–Ca	uses	of I	eatl	ıs, &	c.—	conti	nued							:				·	
			ESTE			ENTR.		 L	Nort Provi	HERN INCE.			PUTRE			TERN INOK,	W	CORTH ESTER COVINC	N	NORTH- CENT. PROV.	UVA Prov.		ARA- UWA		DEATI	IS AMO	NG AL	L RA	CES.	· ·
CAUSE OF DEATH.	CEYLON.	Colombo,	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaittivu.	Vavaniya,	Galle.	Matara.	Hambantota.	Batticalos.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw	Anuradhapura.	Badulla	Ratnapura	Kegalla.	Europeans. Burghers,	Sinhale: e.	Tamils.	Immigrants.	Moors,	Malays.	Others.
O Organs of Loco O Integ. system		3 92 3 92	-1	35	1 201	91	<u>_</u>	<u>_</u> 151	-9		_	19	_ 	10	 155	6		14	30	77	19	74	7 6	1 -	101		 - -	127		=
Accident or Negligen Homicide Suicide Execution	ce 369 36 44	14	i á	4	1	3	11 -3 -	35 2 6 —		1111	_ _ _	19 - 2 -	18 1 1	2	8 1 2	i i	22 8 —	3	. 8	15	23 — —	20	3	. 1	2 26 1 29 1 29	2 19	3 -	- - -	- - -	- 1 -
viii. -defined and not specified causes	1 5 01	130	25	48	338	51	174	64	11	15	4	23	14	42	66	15	80	37	9	67	119	80	8:	-	5 586	807		97	5	2
Miasmatic Diseases. pallpox cickenpox easles comping Cough comps rebro spinal fever ple & ill-defined fever citeric Fever fluenza	4 5 87 10 2 2 2 2 2 944 40	6 - 229 155	2	73 132	1 4 - 124 49 6	- 1 1 - - 97 18 2		- 34 - 635 4	- - - - 52 -	- - - 30 1		- 1 1 1 - 83 79 6	- 1 - 2 1 28 158 1	 144 22	- 8 2 - 302 2	91	- 3 - 321 55		39 19	 -4 163 13	1 2 - 157 75	80 72	1 1 9 8		2	1129		10 5 - 1 268 27 1	- 6 1	- - - - - 3
Diarrhæal Diseases. olera arrhœa vsentery	74 3056 1276		- 36 21	197 54	2 482 339	76 26	 164 164	20 31 55	36 24 13	- 2 6	2 6 -	- 284 36	1 198 22	 48 9	84 55	34 15	1 193 24	13 6	 12 4	3 68 8	 332 132	1 252 63			8 2148 8 389			4 98 77		
Malarial Discuses. mittent Fever ue llarial Cachexia	139 24 175	50 6 25	_8 2		12 - 35	8 8	2 1 3	19 11 10	3	-	1	6 2 10	4 2	-	2	- 1 2	9 - 8	=	2	_ _ 3	1 1 5	2 - 18	7 ————————————————————————————————————	2 -	2 57 6 1 23	13		15 1 12	2	2 1
Toogenous Diseases. ydrophobia wpox and other effects of vaccination	9		 	1	1	_	_1	_	_	-	-	1	_	-	_	_	-		1	1		_	-		8	1	_		 	
Venereal Diseases. philis norrhæa, Stricture f Urethra	10 4		'		1	2	1	1	_	_	_	2	_		_	-		_	_		1			_	4		-	_	_	1

Septic Diseases. Erysipelas 22 3 -<	$ \begin{vmatrix} - & - & - & - & 1 & - & - & - & 2 & 19 & - & 1 & - & - & - & 1 & - & - & - & -$	March 17, 18997
Dietetic Diseases. Starvation, Want of Breast Milk 86 1 - 4 23 2 5 - 2 - 1 8 5 Chronic Alcoholism 2 2 - -	$\begin{bmatrix} 3 & 1 & - & - & 15 & 4 & 17 & 1 & 17 & 59 & - & 9 & - & - & - & - & - & - & - & $	k997
Cancer 51 9 2 5 1 - 2 12 3 4 3 2 1		PART I.
(hydrocephalus) 3 1 —	$\begin{bmatrix} 1 \\ 39 \\ 21 \end{bmatrix} - \begin{bmatrix} -5 \\ 5 \\ 7 \end{bmatrix} = \begin{bmatrix} -2 \\ 21 \\ 29 \end{bmatrix} = \begin{bmatrix} 1 \\ 35 \\ 1 \end{bmatrix} = \begin{bmatrix} 1 \\ 9 \\ 434 \end{bmatrix} = \begin{bmatrix} 1 \\ 113 \\ -132 \end{bmatrix} - \begin{bmatrix} -32 \\ 32 \end{bmatrix} = \begin{bmatrix} -3 \\ 113 \end{bmatrix} = \begin{bmatrix} -32 \\ 32 \end{bmatrix} =$	— CEYLON
Diabetes Mellitus 26 12 1 1 - - 1 7 - - 1 7 - - 2 - - 1 7 - - - 2 -	$\begin{vmatrix} 10 & 10 \\ -1 & 10 \end{vmatrix}$	GOVERNMENT
Stitutional Diseases 16 14 -		
Nervous System.	$egin{bmatrix} -2 & -1 & -1 & -1 & -1 & -1 & -1 & -1 &$	GAZETTE
Infantile Convulsions 1651 281 44 191 55 22 12 193 10 8 3 210 159 25 20 13 Tetanus 74 31 4 3 11 1 1 15 2 1 2 1 2 1 2 1 2 2 2 1 3 2		91

			VESTE		P	CENT	RAL ICE,			THERN			OUTHE		EAS Prov	TERN INCE.	V	NORTE VESTE BOVING	RN	North- Cent. Prov.	Uva Prov.		ARA- UWA OV		′ D	EATHS	AMONO	3 ALL	RACE	s.	
CAUSE OF DEATH.	CEYLON.	Colombo.	Negombo.	Kalutars.	Kandy.	Matale.	Nuwara Eliya.	Jaffns.	Mannar.	Mullaittivu.	Vavuniya.	Galle.	Matara.	Hambantots.	Batticaloa.	Trincomalee,	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura.	Badulla.	Ratnapura.	Kegalla.	Europeans	Burghers.	Sinhalese.	Tamils.	Immigrants.	Moors.	Malays.	Others.
Organs of Special Sense. Conjunctivities and other diseases of Eye Oticis and other diseases of Ear Epistaxis and other diseases of Nose Circulatory System. Pericarditis Valve disease of Heart Anginapectoris, Syncope Aneurism Embolism, Thrombosis Phlebitis Varicose veins Other and undefined	3 5 5 3 3 1 1 5 9		 - -		- - - 2 - - - - - -	1 2						- - 1 - - - - 11	1 - 10									1	1 	1		1 5 3 1 - 1 1 53	3 - 2 1 2 - -				
diseases of Heart or Circulatory System Respiratory System. Laryngitis Croup Bronchitis Asthma Pneumonia Pleurisy Other and undefined diseases of Respira-	28 5 3 163 77 475 6	16 1 89 13 106 2	8 1 7	- - 4 4 17	2 - 23 2 65	1 - 3 - 10 1	- - 1 9 2 50 -	2 - 3 18 88 -	1 —	- - 1 1 - 7 -	- - - - - - -			- - 1 6	- - - 2 19	1 - 1 - 1 - 1 3		- - - 1 7	3 	1 2 7	3 - 7 7 28 1	 2 1 4	1 -2 -6 -5 9	3	2 - 1 11 - 9	9 5 - 67 46 133 1	10 -2 64 30 294 5		3 - 19 1 35	1 — 1 — 1 — 1 — 1 — 1	
tory System Digestive System. Stomatitis Dentition Quinsy Sore Throat Dyspepsia Hæmatemesis Melæna Diseases of Stomach Enteritis Ulceration of Intestines Ileus, Obstruction of Intestine	597 1 3 1 6 17 16 1 36 7 3	7 -3 -1 1 -6 2 -4	3	1 — 1 — 2 — 3 — — — — — — — — — — — — — — — —	45 	23	41 — — — — — — — — — — — — — — — — — — —	2 - - 10 1 - 2 - 2	13	2	2	3 	1 - 2 - 1	2 - 2 - 2 2	35		188 	8111	17	97	79	1 - 2 - 1	30 	1		497 -3 1 2 2 13 1 26 2	48 1 - 2 13 2 - 4 4 2		50 	2	

Stricture or strangu- lation of intestine Hernia Fistula Peritonitis Ascites Cirrhosis of Liver Other diseases of Liver Other and undefined diseases of Digestive System	5 8 15 20 9	3 -3 3 4 7		3 -2	1 1 2			- - - - - - -				1 13	3	3		6	- 1 - 2 1 -		3	.2	- - - - - 3	1 5		1 2 -	2	3 1 8 13 3 3 3 148	5 - 4 - 19 -		2 1 1 1 8		
Diseases of Lymphatic System and Ductless Glands. Diseases of the Lymphatic System Diseases of Spleen			1			_			1	_			1	1	-4					11	1 1					1 -			3		
Diseases of Urinary System. Nephritis Bright's Disease Uræmia Suppression of Urine Diseases of Bladder Other and undefined diseases of Urinary	10 15 1 10 1	6 1 1 1		-		_	- 3	11171	1 1 1 1			1 1 3 1	11111	1111	11111	1111			1 1 1 1	1111	1 -	-1			2211 —	7 6 9 1	3 - 6 - 1 -				
System Diseases of Organs of Generation. Ovarian diseases Diseases of Uterus and Vagina Disorders of Menstruation	16]	- 2	1 1		1 —		1	_	1 1	1 1	- 1	 1		<u>-</u>			- 		1 1		2		1	1 -	- -	- -			
Pelvic Abscess Diseases of Testes, Penis, Scrotum, &c.	17		1	-		_	_	_ _ 2	_	_	-	-	1	1	3	_	3	_	- ²	_	2 - 1	_1 - -	4		-	6	- -			_	
Diseases of Parturition, Abortion, Miscarriage Puerperal Convulsions Placenta Prævia, Flooding	200	23	8	9	1 13 —		4			_		8		-3	_	1 1 1	1 63	-1	 12	1 5	1 17		16	_	1	6 -	8 -	- -		_	
Phlegmasia Dolens Other & undefined accidents of Childbirth Diseases of Organs of	ì	29	-6	6	 55	24	10	_	-	-	-	11	-	1	6		29	12	7	17	 5	_ _ 5	18	- - -	16	1	75 -	- -		_ _ 2 1	
Locomotion. Caries, Necrosis Arthritis, Ostitis, Periostitis	· 1	2	_	_	<u>_</u>		_	ļ.— 	_		-	 - -	_	_	_	_	_	_			·	_	-			1	1 -	- -	- -	-	
Other and undefined diseases of Organs of Locomotion	-				_		_		_							-			t	· -	_	_			_	1 -	- -	- -		_	

PART J. -- CEYLON GOVERNMENT GAZETTE

March 17, 1899]

Table X	.—Causes	of	Deaths.	&c.	-continued

		W: PR	estei Ovin	BN CE		ENTR			Nort Prov			So	UTHE	RN	EAST PROV	TERN	N Wı	ORTH ESTER	N	nuea. North- Cent.	UVA Prov.	GAM		1	, Di	EATHS	AMON	G AI	L RA	CES.	
CAUSE OF DEATH.	CEYLON.	Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaittivu.	Vavuniya.	Galle.	Matara.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhanua A	Badulls.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils,	Immigrants.	Moors.	Malays.	Others.
Diseases of Integumentary System. Carbuncle Phlegmon, Cellulitis Ulcer, Bed sore Eczema Other and undefined diseases of Integumentary System	15 3 30 1 1,397	_9	_ 	3 - 5 - 27	-3	90	1 - 1 - 9	150	9	2	1111	1 1 18	- - - 7		155	6	293	_ 	-	1 	1 -3 -	1 - 1 -	74	1		12 1 15 1 986	2 1 14 —	l IIII	_ 	- - - 1	
Accident or Negligence. Fractures, Contusions Gunshot wounds Burn, Scald Poison Drowning Suffocation Snake-bite Otherwise	165 12 22 5 77 6 59 23	1 - 11 - 3	$\begin{bmatrix} - \\ - \\ 6 \\ - \\ 1 \end{bmatrix}$	-	14 2 5 1 3 3 2	2	2 3 1 1	13 - - 10 2 8 2			1111111	12 -1 3 -1	12 - 1 3 - 1	_ _ _		1 1 3 1	9 2 - 2 - 8	_	2 - 2 - 4	3 - -	10 3 3 1 3 -	6 - - 3 - 1	1 1 1 7 - 5		1	134 9 11 3 46 1 40 19	28 2 11 2 27 5 16 3		2 - - 3 - 3 1	1 1 	
Homicide. Murder, Manslaughter	3 5	4	5	4	1	3		2	_	_		~	1	2	1	1	8			-	_	_	3	1	1	29	3	, 	_	_	1
Suicide. Gunshot wounds Cut, Stab Poison Drowning Hanging Otherwise	3 2 5 5 27 2				 6] - - - 1	1 1 3	 - - - - - - - -	1111		_ _ _ _ _	- - - -		11111			11111	11111	11111	111111	11111	 - - - -		2	1	2 - 4 2 12 2		.	11111	11111	
Execution. Hanging	5	. 4	_	_	· 1	·	-	 	_	_	-	_	_	_		_		_		_	_				_	4	1	-			_
Ill-defined and not spe- cified Causes. General Dropsy Debility Sudden deaths (causes unascertained) Abscess Tumour Hemorrhage Other ill-defined and not specified causes	2 15 	96 	7	13 - - -	75 240 - 5 - - 2	31	143	444 19									19 1 2 —	19 	- - -		40 71 — 1 — 7	111 67 —	27 61		5	282 275 2 7 —	228 541 - 8 1	1.4.4.1-	49 44	5	1

Table XI.—Causes of Deaths registered on Estates in the Central, Uva, and Sabaragamuwa Provinces, and Colombo and Kalutara Districts, in the Western Province, for the Second Quarter of 1898.

	(ent	ral P	rovii	ice.		Prov. of	P	rovino	e of S	'gamuv	va.	Wester	n P	rovince.
Cause of Death.	Kandy	.]	Matai	le.	Nuwa		Uva. Badulla.	E	Ratnap	ura.	Kegall	a.	Colombo). I	Kalutara.
ALL CAUSES	. 1030	•••	. 99	•••	Eliya 514		245		170	•••	327	•••	74	•••	106
I Specific Fabrila or 70		•													
I.—Specific, Febrile, or Zy motic diseases	~ `~ .		44	***	248		121		111		173		42		46
II.—Parasitic diseases	. 29	•••	7	•••	6	•••		•••	2	•••	. 5	• •••	-	•••	8
III.—Dietetic diseases		•••		•••	4	•••	3 4	•••	· 4	•••	17 10	•••	7	•••	.1 5
IV.—Constitutional diseases V.—Developmental diseases	. 19	•••	1 3	•••	6 14	•••	7	•••	5	•••	14	•••	5	•••	. 4
VI.—Local diseases		,	19	•••	81		52	•••	15	•••	5 0		9	•••	26
VII.—Violence	. 13	•••	_	•••	12	•••	6	•••	2	•••	6	•••	1	•••	
VIII.—Ill-defined and not speci fied causes			25		143		52 .		25		52		10	•••	16
	201	••		•••	110	•••		•••		•••	-	•••		•••	
I.			_				10		22		1.5		9		
Miasmatic diseases Diarrhœal do	409	•••	5 29	•••	19 221	•••	13 10 0	•••	20 81	•••	15 126	•••	3 39	•••	4 36
Malarial do,	0.0	•••	8	•••	6	•••	_	•••	9	•••	31	•••		•••	6
Zoogenous do		•••		•••	1	•••		•••	-		_	•••		•••	
Venereal do		•••	2	•••	1	• • •	2	•••		•••		•••	-	•••	
Septic do	3	•••	_	•••	-	***	_	•••	1.	• •••	,1	•••		•••	
Íľ.															
Parasitic diseases	29		7	•••	6	•••		•••	2	•••	5	•••		•••	8
111.															
Dietetic diseases	15				4		3		4		17			•••	1
,		•••		•••	•	***			_		*				
	10		1		e		4				10		7		5
	10	• • •	•	•••	U		•	••	•	•••	• •	***	•	•••	•
								*					_		
Developmental diseases	32	•••	3	•••	14	***	7	•••	5	. •••	14	•••	ð	•••	4
VI.								•							
Diseases of—			10		1.0		10		~		94		9		Q
					10										_
	_			•••	1		_ `		<u>-</u>	•••	1	•••			
Respiratory system	55		3	•••	53	•••		••	4	•••		•••		•	13
	13	··· ,	1	•••	6	•••	2.	٠٠,	1	•••		•••		•••	_
01 - 4				•••		•••	- .	••			_		1	•••	
Urinary system	3 .				1	•••	1.	••		•••	1	•••		•••	1
							9								
	24	••	4	•••	9	•••		••	_	•••	8	•••	1 .		2
Integumentary system	5 ,	••		•••	ì	•••	1.	••	2	•••		•••	1.	••	1
	10 .				10	•••	6		2	•••	6		1 .	••	
Suicide					_			••		•••	_	•••		••	
	231		25		143		<i>5</i> 2	_	25		52		10 .	••	16
In-uennen and not specimen causes	201 .	••		•••	110	•••	•- "	•		•••					
Miasmatic Diseases.															
Chickenpox	1 .		- .	••	<u>-</u>	•••	1			•••	·	••		••	
Measles	1	• -			,			:	_			••		••	1
Simple and ill-defined Fever	30	•			8			•	20	•••	14 .	••	3		3
Enteric Fever	1			••						•••	- .	••		•	_
Other Miasmatic diseases	3 .			••	11 .	•••	. 1	•	_	•••	- , •	••	<i>-</i>	•	
Diarrhæal Diseases.															
Cholera	2			••			·····				-	•	95	•	99
Diarrhœa		_													
Dysentery	207	. 1	4 .	. 1	47 .	••				•••		••		-	-
Malarial Diseases.	•														
Remittent Fever	8		3 .				1				5 .	••		•	/-
Ague	<u> </u>		_				<u> </u>		7		26	•			
Walariai Cacheala	VI. iseases of— Nervous system														
•														` _	•

Table	XI.—Causes	of The	the Acc	continued
Tanto	AI. TO GUDOD	OI DOG	OTTO: ODO:	concere and a

		Cent	ral P	rovin	ce.		Prov.		Provi	ace of	S'gan	uwa.	Wes	tern :	Province.
Cause of Death.	Kandy	r. I	latal	θ.	Nuwa Eliy		Uva Badu		Ratna	pura.	Kega	lla.	Colon	nbo.	Kalutara.
Zoogenous Diseases.		•													
Hydrophobia	, —	•••	_	6 41	1	•••		•••		•••		•••		•••	
Venereal Diseases,															٠
Syphilis Gonorrhæa, Stricture of Urethr	a _		2 				1	.			=	•••		•••	-
Septic Diseases.			- /												
TO 1 15	ì		-	•••		•••	_	•••	, 1	•••	1	···	- ,	•••	_
Parasitic Diseases.	٠,														
Worms (animal)		***	1	•••	4	•••		***	_	•••	1	•••	-	•••	1
Dochmius Duodenalis (ancy lostomiasis)	0.0	.,,	6	***	2	•••		•••	2	•••	4	•••	_	•••	7.
Dietetic Diseases.															
Starvation, want of breast-milk.	15	•••		•••	^ 4	•••	3	•••	4	•••	17	•••		•••	1
Constitutional Diseases.															
	:. <u> </u>	• •••	1	•••	-	•••		•••	1	•••	_	•••	_	•••	_
Tabes Mesenterica	1	•	_	•••	- 1	•••	_	•••	_	•••	_	•••		•••	
Tubercular Meningitis (hydi								•••	1	•••			_		
Phthisis	1		_	•••	2	•••	3	•••	1	•••	4	•••	1	`, •••	3 . 2
Anæmia, Chlorosis, Leucocythæm Leprosy	ia 3			•••	3	•••	1	•••	3	•••	6	•••	6	•••	
Elephantiasis	1			•••	. —	•••		•••	-	•••		•••		•••	
Other and undefined Const tutional Diseases		ı	· —	٠		•••		•••	_	•••	_	•••		•••	,
Developmental Diseases.												•			
014	24	E	1 2	•••	2 12		1 6	•••	5	•••	1 13	•••	5	•••	4
Nervous System.		•							-					,	
Apoplexy	. 3	·		•••		•••	2				_	•••		•••	<u>-</u>
Paralysis Epilepsy]			•••		***		•••		•••	1	•••	1	•••	
Convulsions	.,	2		•••	. 1		2	•••	2	•••	-	•••		•••	6
TI .	31		. 10	•••	9	• •••	$\frac{9}{2}$	•••	. 4	•••		•••		•••	i,
Paraplegia, diseases of the Spin			· . —				1	***		•••		•••		•••	
Other and undefined diseases	of 	2	: –					•••	. 1	•••	1	•••		·	_
Organs of Special Sense.							•								
Conjunctivitis and other diseas of Eye	es 	- .	1	ı	,		_	• •••	. 1	•••	1	•••	_		
Circulatory System.	•														
Pericarditis	•••	1.	–						. –	***		•••	_	400	_
Anginapectoris, Syncope Aneurism	•••			 		 1		• ••		•••		• •••		***	_
Other and undefined diseases	of	, '		-	*	•••									<u> </u>
Heart or Circulatory System	1	1 ,			• -	•••	2	•••	. –	****		•••		•••	
Respiratory System.		_				•		_		•				•••	_
Croup Bronchitis	•••	12		- :: - ::		1 8		· ··	. 2		4		. 2	•••	2
Asthma	•••	1. 42.	٠	 2	. 4	2 0	ο.	 l	$\frac{1}{2}$	•••	2 5		. 1	•••	11
Pleurisy	***			1	-					•••	1			•••	
Other and undefined diseases Respiratory System	of	-				2				•••		,,		•••	
weeding of placent		•	••	••		•••						٠.	,	-	-

		7	lable	XI.	Ca	ause	s of l	Deat	hs, &c.		continu	ied.					
Cour	e of Death.			Ce	ntral	Pro	vince.		Prov. of Uva.	ŧ	Provin	ce of	S'gamı	wa.	- West	tern	Province.
Caus	a of Degrar.		Kan	dy.	Mata	le.	Nuwa Eliya		Badulla	a. Í	Ratnap	ura.	Keg	alla.	Colo	mbo.	Kalutara.
Digesti	ve System.						_	•									
Dyspepsia	•••	•••	1	•••		•••	1	•••		•••		•••		•••	_	•••	
Hæmatemesis Diseases of Sto		•••	1	•••	_	•••		•••		•••		•••	. 1	•••	_	***	_
373 . 1.1	»	•••	î	***		***		•••	_	•••		•••			_	***	
Ileus, obstructi		•••	2	•••	_	•••	3		2	•••	_	• • •	-	•••		•••	
Stricture or Intestine	-	of	1								_						_
Peritonitis	•••	•••	í	•••		•••	1	•••	_	•••		***	1	•••		•••	
Ascites	***	•••	1	•••				• • •	_	•••		***		***		•••	_
Cirrhosis of Liv		••••	1	•••		•••		•••	_	•••	1	•••		•••		•••	_
Other diseases Other and und		of	2	•••	1	•••		•••	-	•••		***	1			•••	
Digestive Sy			2	•••			1	•••		•••		***		•••			
Diseases of L	ymphatic Systen tless Glands.	n				•					. •				-		• .
Diseases of Spl		•••	_	•••	_	•••	_	•••	_		_	•••		•••	1	•••	· -
Diseases of	Urinary System							•									
Nephritis	•••	•••	1	•••				•••	1	•••	_	•••	_	•••	_	•••	1
Bright's disease		•••	2	•••		•••	1	•••	_	•••		•••	i	•••	_	•••	
Diseases of Org	gans of Generat	ion.															•
Disorders of Mo	enstruation	•••	_	•••		•••	. —	•••	2	•••		***		•••	_	•••	
Diseases of	Parturition.							•						,			
Puerperal Conv	ulsions	•••	1	•••		•••	2	•••		•••	<u>.</u>	•••	3	•••	_	•••	<u> </u>
Other and unde	fined accidents		ดจ		··- A		7					•••	5		1	•••	2
Childbirth	-	•••	23	***	4	•••	•	***		***		•••	Ū	••••	_		
Diseases of Inte	egumentary Syst	tem.					*								•	-	
	•••	•••	_ 2	•••		•••		•••		•••	1 1	. ***		•••	_		1
Ulcer, Bed sore		of	Z	•••		•••	. 1.	***		•••	-	***		•••			
Integumentar	y System	***	3	•••		•••			1	•••	_	•••	_	•••	1	•••	
Accident or	Negligence.																
Fractures, Cont	usions	•••	1	•••		•••	1	•••	3	•••	1	•••	1	•••	_	•••	
Gunshot wound	-	•••	<u> </u>	•••	.—	•••		***-	1	***		•••		***		***	_
.	•••	•••	4	•••	_	***	6	•••	1	***	_	•••	1			•••	
0	••• •••		1	•••		•••	. 3	***	. 1	•••		•••	2	•••	1	***	_
	•••	•••	3	•••		•••		•••		•••		•••		***	_	•••	
Snake-bite Otherwise	•••	•••	1	•••		•••		: •••		•••	1	•••	1	•••	_	•••	
	···	•••		•••		•		•••		•••	- *						
Suic	rue.		3				2		_			***			_	•••	-
Hanging . Ill-defined and n			u	•••	_	•••	•	•••		•••							4
General Dropsy			37		. 9		23	•••	13		5	•••	9		1	***	7 *
Debility Other ill-defined	, *		181	•••	16	•••	118	***	35	•••	20	•••	43	•••	6	•••	9
	-	•••	11	•••		•••			4	•••	-	***		•••	3	***	
Abscess .	**	•••	2	•••	-	•••	1	•••	_	•••	· <u> </u>	•••		•••	_	•••	
Hæmorrhage .	•••	•••		***		***	1	•••		•••		•••	-	•••		•	

Table XII.—Causes of Deaths registered in each Ward of the Town of Colombo during the Second Quarter of 1898.

						Wa	RDS.				,			NATI	ONAL	ITIES		
CAUSE OF DEATH,	Colombo Municipality.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hospitals.	Maradans (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
ALL CAUSES	12500	13	33	83	115	252	136	197	196	144	83	17	84	607	238	234	44	26
I.—Specific, Febrile, or Zymotic Diseases II.—Parasitic Diseases III.—Dietetic Diseases IV.—Constitutional Diseases V.—Developmental Diseases VI.—Local Diseases VII.—Violence VIII.—Ill-defined and not specified causes	392 49 2 135 102 464 21	4 1 4 1	12	10	16	84 20 23 17 92 3	35 7 10 14 57	1 25 8 56 5	32 17 77 4	9 52 2	2	2	18 2 - 11 5 43 2 3	189 36 1 74 35 228 12 32	73 5 -23 25 81 5 26	82 4 -22 30 74 -22	15 -2 -2 6 17 -2	11 - 3 1 11
I. Miasmatic Diseases Diarrhœal do Malarial do Zoogenous do Venereal do Septic do II.—Parasitic Diseases III.—Dieteric Diseases IV—Constitutional Diseases V.—Developmental Diseases	81 2 4 9 49 2	1 2 1 1 - 1	2 8 1		- - 1 - - 8	8 - 20 - 23	3 20 11 — 1 7 — 10 14	1 1 1 1 25	15 16 - 1 4 9 1 32	10 -11	9 12 1 1 1 2 - 17 3		6 9 2 - 1 2 - 11 5	59 88 35 1 2 4 36 1 74 35	18 37 18 — — — 5 — 23 25	18 38 21 1 4 4 	7 4 3 1 - 2 - 2 6	3 6 1 - 1 - - 3 1
V1. Diseases of Nervous System Do. Organs of special sense Do. Circulatory System Do. Bespiratory System Do. Digestive System Do. Lymphatic system Do. Lymphatic system Do. Urinary System Do. Reproductive System: (a) Organs of Generatio (b) Parturition Do. Organs of Locomotion Do. Integumentary System	18 178 41 - 9	1-	5	110	2 21 6 6	36 6 - 2	1 34 1 1	-5	24 4		23 - 3 2 2 1	2 -2 1 3 -1		95 -6 92 17 -4 -6 1 7	22 -4 36 8 -1 -5 14	28 30 6 — — 7 —	10 	7 -3 - - - - 1
Programme and the second secon	14		1 -			 -		5	1 -	_		 1 1 *	- 1 1	10 - 2	1			
Miasmatic Diseases. Smallpox Chickenpox Measles Whooping Cough Mumps Diptheria Typhus Cerebro-spinal Fever Simple and ill-defined Fever Enteric Fever Influenza Other Miasmatic diseases	. 16	1111111							3 3	8 1 - - 19	3 - -		3 - - 1 - - - - 2 3 - -	32 	26 	22 	2 - - 1 - - - - 5 1	
D:	88 97	5	1	1	2 5				7 8				- 5 4	1 48 39	21 16	1 7 30	- 1 3	_ 3 _3

Table XII.—Causes of Deaths, &c.—continued.

	.X.					W	ards.]	NATI	ONAL	ITIES		
CAUSE OF DEATH.	Colombo Municipality.	Fort and Galle Face,	Pettah.	St. Sebastian.	St. Paul's.	Kotahena,	New Bazaar.	Maradana Hos- pitals.	Maradana (exclusive of Hospitals.)	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
Malariul Diseases. Remittent Fever Ague Malarial Cachexia	. 50		8	62	-4 -4	4 3 1		4 1 9	11 — 5	5 1	1	_ _ _	1	26 2 7	10-17	12 — 9	2	_ _ _ 1
Zoogenous Diseases. Hydrophobia Cowpox and other effects of vaccination	. 1		_1	_	- -	_		 _	_	— ₁	_	_	_		_		-,1	_
Venereal Diseases. Syphilis Gonorrhæa, Stricture of Urethra	. 2		_	_		_	_	_ 1	-	- 1	_l	_	_	1	<u>-</u>	1	_	_1
Septic Diseases. Erysipelas Pyæmia, Septicæmia Puerperal Fever	. 1		_	_	_ 	_	_ _ 1	_ _1 _	- 3	<u>-</u>	_ _ _ 1	_ 	_ _ _ I	1 1 2	_	3	_	_
Parasitic Diseases. Worms (animal) Dochmius Duodenalis	. 48		_	_	1.1	20	7		9	10	2	_	_2	36	4 1	- 4	_2	-
Dietetic Diseases. Starvation, want of breast-milk Intemperence: Chronic Alcoholism			_	_		-		-	 1	_	-	-	_	-1	_	_	_	_
Constitutional Diseases. Rheumatism Rickets Cancer Tabes Mesenterica Tubercular Meningitis (hydrocephalus) Phthisis Other forms of Tuberculosis, Scrofula Anæmia, Chlorosis, Leucocythæmia Diabetes Mellitus Leprosy Other and undefined Constitutiona Diseases	. 2 3 5 1 92 . 1 12 . 5				- - - - 5 - 2 1		- - - - - - - 5 1	-1 -1 -22 	- 3 17 17 - 2 1 - 7	1 — 8 — 8 — — 2	- 1 1 2 - 2 1		1 -1 -1 -6 1 1 1	-1 1 3 -51 -5 2 -11	- - 19 - 2 - 2	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$		1 1 - - 1 - - -
Developmental Diseases. Premature Birth Atelectasis Old Age	. 2	-	- 3	5	-6 10	2 15	7 1 ·6	8	2 1 14			_ _ _		8 1 26	3	9 -21		=
Nervous System. Inflammation of Brain or its Membranes Softening of Brain Apoplexy Paralysis Epilepsy Infantile Convulsions Tetanus Paraplegia, diseases of the Spinal Cord Other and undefined diseases of Brain o Nervous System	19 3 122 27	- - -			14		- 1 2 - 12 - -	- 5 1 - 3 1	- 1 4 - 20 17 -	- - 4 - 22 1 -	5 1 1 14 —			-2 2 10 -69 11 -	1 1 1 14 4 1	 1 -2 2 17 6 	- - - 8 2	1 - - 3 -
Organs of Special Sense. Epistaxis and other diseases of Nose	-	_	_	_		_	}	<u></u>		_	_	_	_	-	_			_

Table XII.—Causes of Deaths, &c. - continued.

	Þ					WAI	rds,				<u>.</u>	<u> </u>		Nat	IONAI	LITIE	s.	
CAUSE OF DEÁTH.	Colombo	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana Hos. pitals.	Maradana (exclusive of Hospitals).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.
Circulatory System.	-	1		-		-								_	-			-
Pericarditis Valve disease of Heart Anginapectoris, Syncope Varicose veins Other and undefined diseases of Hear or Circulatory System	3 1 1 1 1 12	_ _ _				1		2 - - 3	3		- - - 3		- - 1	2 - - 4	3	- - - 1		
Respiratory System.				.	1								į				-	
Croup Bronchitis Asthma Pneumonis Pleurisy Other and undefined diseases of Respiratory System	. 91 2	- - 1 -	-1 -3 -	 6 	-9 -12 -	17 2 15 1	19 - 13 - 2	3 2 17	-8 -15 -	- 8 1 8 -	- 1 - 1 -		10 -4 -	36 3 51 1	14 2 17 1	12 - 16 -	- - - -	
Digestive System.						}	1				- {	•						
Dentition Dyspepsia Diseases of Stomach Enteritis Ileus, Obstruction of Intestine Hernia Peritonitis Cirrhosis of Liver Other diseases of Liver Other and undefined diseases of Digestiv	2 3 3 3 4 4				- - - 2 1 - - - 3	-3 -1 2 		1 3 1		- 1 - - 1 1 1		- - 1 - - - 1 1		3 - - - - 1 - 1 2	- - 2 2 1 - 1 1			
Diseases of Urinary System.	10	-]	1	-}			.		10		1		
Nephritis Bright's disease	1 1	=	_1				_1 _1	_	3 		=	- ₁	- 2 1	1 2 -	- - -			=
Diseases of Parturition.								-			- 1		`	-	_	-		
Puerperal Convulsions Placenta Prævia, Flooding Other and undefined accidents of Child birth	. 1	<u>-</u>		_1 	 	_	-\frac{1}{3}]]	-	2	_		_	1 1	-1	_3 _4	_ _ 2	=
Diseases of Organs of Locomotion.				}						.	ŀ				1			
Caries, Necrosis Diseases of Integumentary System.	. 2	-	-	-	-	- 1		1	-	-	-	-	-	1	1	-	-	
Phlegmon, Cellulitis Ulcer, Bed sore Other and undefined diseases of Integumentary System	. 5		- ₁	_	- ₂	- 1 2	_	3	=		_	-1 -	-	1 2 4	1 2 1	- ₁	_	_ _
Accident or Negligence.				1	-		.				.							
Gunshot wounds	1 ຄ	1 1 1 1			- - - -		_	2 1 - - 2	_ 1 1	-2 - - -	- - - -			5 1 1 2 1	3			
Homicide. Murder, Manslaughter	. 2	1	-	-	-	-	-	-	1	-	-	1	1	-	_ .	_ .	-	
Suicide. Gunshot wounds Cut, stab Hanging	. 1	=	=	=		=	=	_	_1	-	- 1	_1	_		_	_ :		=
Ill-defined and not specified Causes. Dropsy Debility Other ill-defined and not specified cause	. 78		_ _ _	10	14	2 10 1	12 1	13	12			-		3 28 1	25 1	20 2		_

. \	AL	II.—I	s.							-				,	٠.					GES .						_														
Province, District, and Nationality.	Persons.	Males.	Females.	One Week	and under.	Three Months and	under.	Between Three Months and	under One Year.	l year and	under 2.	2 years and	under 3.	3 years and		f years and under 5.	5 vears and	under 10.	10 years and under 15.	and	nder 20.	20 years and	<u>.</u>	25 years and	unger 35.	5 years and under 45.	45 years and	under 55.	year	under 65.	65 years and	under 75.	year	under 85.	85 years and		95 years and under 100.	100 years	& upwards.	Age not
EXLON.)			·	1	Ť]	<u> </u>	1 1	1	, -	<u>.</u>	1 59	<u> </u>	- 64	1	32	4	<u></u>	1 1	·]	99		. 75		- 36°	1 2	9 H		स्र	<u> </u>
Europeans Burghers Sinhalese Tamils Moors Malays Others	42	3252 628 43 28	53 5890 2811 599 30 14	641 320 88 7	232 83 4	214 54 4	F 1 2 487 199 51 1	124 30 4	F 3 8 302 127 33 2 1	M 2 4 314 123 37 2 1	F 1 7 329 145 36 2 2		F 1 388 3 117 1 29 3 1	5 25 36 11 10 20	33 19 34 8 32 1	F 1 4 2 2 3 2 1 1 1 2 2 1 1 2 2 1 1 1 2 2 1 1 1 1	3 7 4 4 4 3 1 8 2 0 4 9	180 40	M F 1 - 2 - 221 16 199 14 28 1 - 1 -	- 3 4 190 4 136	2 176 101	$ \begin{bmatrix} 2 \\ 1 \\ 175 \\ 2 \\ 191 \\ 1 $	3 53 42 79 3 49 8	5 1 26 5 50 4 51 4 -	1 8 81 48 25 38 56	31 41 86 27 52 2	3 2 399 4 260 26 49	$ \begin{array}{c c} $	430 206	120	M 1 5 298 121 23 3	F 1 230 99 16 1	227 76	3 216 1	40 2 9	3 36	34 7 •8 7 1	8	18	M - 6 15 1 - 1
Total Western.	19474	10070	9404	1062	852	777	743	528	476	483	522	437	5384	64 50	01 29	2 31	68i	644	452 32	2 340	311	384 4	.88 84	42 10	7180	92 71	7 72	5 26	1		152	247	225	2007	55 70		-	8		
colombo. Europeans Burghers Sinhalese Tamils Moors Malays Others	1887 338 252 47 29	51 965 189 123 27 21	34 922 149 129 20 8	52 9 8 5 1	10 14 2 —	9 6 2 2	1 1 69 12 12 - 2	63 7 7 3 —	1 5 56 5 12 2 1	1 4 69 6 7 2	1 6 60 9 14 1 2	-3 56 7 9			17 1 3 8	1 6 40	$\frac{1}{2}$	- 4 66 15 11	1 1 42 1	9 29 8 13 2 2 - 1	1 28 10	1 21	3 52 5	2 61 26 12 2	1 4 70 17 3	4 - 5 77 6 84 1	3 3 63 69 10	1 5 1 46	$\begin{bmatrix} -\\ 2\\ 64\\ 9 \end{bmatrix}$	2 60 7 4	-4 58 9 9 1	1 41 3 8	4 43 5 7 2	-1	1 - 26 2 3		7		18	22 - 1 1
	2655	1389	1266	79	76	122	97	86	82	89	93	76	94	48	59 :	5 40	91	97	55 2	9 46	46	52	72 10	05	95 13	38 9	1 9	62	92	74	8.2	48	61	63	32 2	8 11	10	2	_	
legombo. Burghers Sinhalese Tamils Moors Others	1 475 40 17 1	248 24 7 1	1 227 16 10		19 3 5	19 1 -		 17 		14 	 9 2 1		10 1	- 1	9	1 1:	2 18	1 19 19	7 2 -	4 8 1 2	1	4 2	8 2 1	3 -			21 21 2	3,	21 1	16 1	12 1	-		12	-	4 1	<u> </u>		3	
Total	534	280	254	37	27	20	15	17	14	14	12	15	11	14	12	1 1	2 18	22	9	4 11	9	6	II 2	22	24 1	- - 16 2	3 2	5 5	22	17	13	16	15	12	4	4 I	-			
Kalutara. Burghers Sinhalese Tamils Moors	913 114 95 1126	2 456 69 48	2 457 45 47	3	31 1 4	1 29 2 —	22 2 4		2 20 1 3		24 2 3	4	- 42 5		22 1 6		7 40 2 7 1 5	5		5 8 7 3 1 2	-	17 3 1	3 3		11	7	3 6 1 3	6 4		1	1 20 2 3			34	13 2	9 2		2	3	1
Central.		575	551	42	36	32	28		26	35	2 9	36	47	25	29 1	9 20	52	45	37 2	3 13	11	21	22 4	 48	59 3	38 3	I 44	35	-34	31	26	27	36	36	 [5] I	1 2	I	2	_ -	
Kandy. Europeans Burghers Tamils Moors Malays Others	6 16 985 1162 98 5 3	4 9 493 631 52 3 1	2 7 492 531 46 2 2	57	- 60 28 8	2 42 31 4 —	1 42 50 3 —		1 1 36 21 2 —	1 18 14 1			26 27 3	20 2	4 3 26 3 2 - 1 -		29 39	42	1 - 18 1: 52 3 - 3 -	1 3 15 4 25 1	18		30 7		46 2 84 8	33 6	0 16 0 40 3 - 3	1 22 23	1 1 45 31	- 20 17 1 -				-11	11 5	1 1	- 2 1			1 10 1

2

										Labi	22.1.	11		,0110	01 12	Laici	3 411	d Fe	ımaı	coa	un	161.61	10 1	erron	.s, w	·	Once	nuen	•							.,			
}	AL	AGE	s.		`													 -		ES A	T DE	ATH																	
Province, District, and Nationality.	Persons.	Males.	Females.	One Week	and under.	Three Months and	under.	Between Three Months and	under One Year	1 year and	under 2.	2 years and	nuuer 3.	a years and under 4.	4 years and	under 5,	5 years and under 10.		10 years and under 15.	Transport Al	under 20.	20 years and		25 years and under 35.	35 years and	under 45.	45 years and	roc tanun	55 years and under 65.	20	oo years and under 75.	Cor o paraceta 27	under 85.	85 years and under 95.	95 years and	under 100.	100 years	Age not	stated.
Matale. Europeans Burghers Sinhalese Tamils Moors Malays	2 2 392 153 35 35 3	1 2 207 72 18 3	1 185 81 17	M	F	5 2 2	F	M 6 1 _ 7	F 1 9 1 - 1 - 1 1 1 1 1 1 1 1 1 1 1 1 1 1	M6_2	F 8 -2 - 10	M 7 2 2 - 9	F M - 7 1 2 - 9 1	1 4	6 -	1	1 13 1 2	9 3 1 -	777	4 3 8 4		5 4 -	10 2 10 1	0 13	12 2 -	F	M 17 7 3 - 27	F 12 7 1	- 14 7 2	13 3 2	- 8 2 1	6 4	4 4 1 -	M F	M	F 3 2 2 5	M F	M M	F
Nuwara Eliya. Europeans Sinhalese Tamils Moors Malays Total	1 252 537 5 1	1 107 298 3 —	145 239 2 1 387	9 21 1 —		22 1 —	=	_	9	-7 8 - - 15	14 14 - - 28		12 2	0 1523 4	7	1	17 1		1 -	- 1	1		13 3	6 9 48 — — — .1 57	_	-7 31 - - 38	17 2 17 —	-4 20 - - 24	- 9 11 - 20	7 3	3	6 6 -	5 5	1 -	4 1	1 1 2		2	
Northern. Jafina. Burghers Tamils Moors Malays	1642 14 1	2 834 6	808 8 1		74 3 1		- 52 1		42		1 47 —	33		21 25	3 16	18		37	- -	25 2	19	33	48 5	1 1 5 88 2			- 63 -	62	71 1		59 5	34 3		21 1 	2 2	2			
Mannar. Sinhalese Tamils Moors	1661 3 152 52		- 61 26	4	2 6		3 2	5	5 1					2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	2	3 2	3 2	1 - 6 1	25 2 2 2 2	10	7 2	4	1 - 16 13 4 1	15 2		- 14 1	62 -4 1	1 6 4	61 - 3 3 - 6	2	1 -	9 46		2 2				
Mullaittivu. Sinhalese Tamiks Moors	3 78 4 85	3 36 3	- 42 1		4	- 5 - 5	5 -3 3			_			22	1	2 - 1 - 3 -	2 2	1	4	1 - 3 -		1 1 1	2	4	5 6	9	- 2 - 2	2	5	1 3	1 -	2	3 - 3	1 1	1		1			

S T	lamils Moors		8 33 2	21 21 26	3 12 2		_ 	1 1 -	_		- ₁					_			_	1 1			1 2	2	_	1 -4	3	 - -	5 		3	1 -	1							_		- -
Ga I S	Southern. lle. Europeans Burghers Sinhalese Tamils		1 2 090 28 25	1 1 529 21 9	 1 561 7		37			1				39 4	- 1				42 3	2 1 	13	19	3 - 18 - 1	- 12 2	15	3 4 30 53 2 3 1 1	3233			28 -1	1 24 —		30 2		0 22	1 1			5 1			2
	Total	1	146	561	585	51	38	40	41	36	2′3	43	36	4I 5	26	40	14	28	43 4	μο 17	13	19	19	14	17	33 57	7 40	41	40	29	25	40	32	25 3	3 23	10	17	2		1	1	
] S T	ramils .		1 769 33 17	1 396 19 6	14	40 4	4	35 2 —				32 1	28	21 1		31 1 1	14	16 1 3	2	25 14 2 2 2 1 2		8 1	7	12	11 2	26 35 2 35	3 20				1			17 -	-		9	1.	6 -	3		
		- 1	820	422	398	44	23	37	44	19	11	34	2 9	24 2	29	33	14	20	33 2	8 re	IC	9	7	12	11	28 37	7 21	26	27	20	20	24	29	17 [8 20	7	9	ı	6 —	3		_
\$ 1 1	Moors		384 3 5 4	201 2 2 3	183 1 3 1	21 — — 1	=	_ 1	25 — —	18 		6 	9	5 1		3 - -	6	4	5	9 7	5	3 1	4	4	- 1	8 18	5 28		23 — 1	16 —	17	13	9	9	7 6	-	3 -		1	1		
	Total		396	208	188	22	20	24	25	18	6	6	9	5 1:	2 7	3	6	4	5	9 7	5	4	5	4	5	9 1	25	20	24	16	17	13	- -		7 8	8	3			1	_	_
1 1 8 7	Moors		1 1 37 502 267	1 16 254 155	248			23 19	3 24 14				13 6	2 9 7	1 2 2 9 3 9				18]	1 1 1 1 1 5 2 -	5	2 2	1 15 7	3 10 2	15	1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 2 2 2 1 2 1	15	17		1 2 18 4	1 9 6	5 6		- I 1 1 4 3 5 5	4			2 - 1 -			
•	Total		809	426	383	82	65	44	41	25	17	32	19	18	5 20	24	7	6	28 1	19 1/	IC	4	23	15	21	19 38	3 32	24	34	1 9	25	16	11	9	9 10	5	3	2	3 -			-
1 1 2 1	ncomalee. Europeans Burghers Sinhalese Famils Moors Malays Others		3 6 10 151 55 4 1	3 2 3 78 21 3	73 34	7	- 2 - 8 6 -	- - 10 2 -		1	1 6 3	- 3 1	7 1	2	2 - 2 - 4 2 3 - 1 -		5	1 2	3 2 1 -	2 - 4 2 - 	3	3		1 4		1 - 4 6 1 3		3 1	1 1 4 1		1 1 11 2 1	5 5	1		- 1 4 4 - 1			1				
Ar.	Total		230	110	120	11	16	12	. 8	6	10	4	8	3	3	. 4	5	3	6	8 2	3	3	6	5	8	6) 13	4	7	5	15	IO	3	3	4 6	I		1 -	1-			_
Ku 1 S	Moors Malays Others		64 59 3	816 36 28 1 -	28	87 5 4 —	5 	4 4 - -	4 2 —	3	40, 2 2 2 - - 44	26 1 3 -	2 -		1 1	1 1 —		-	3	31 38 3 5 1 -	1	2	25 2 - - - 27	3	4 2	89 96 5 (1 —	5 94 6 4	1 2 1	2 2 	- 41 -1 - - 42	1	3 -	2	18 1	1 2			4			1	

March 17, 1899]

PART I.

- CEYLON

GOVERNMENT

GAZETTE

			ند برسمنی				-	9	lable.	XI	II.—	Dea	iths	of I	Mal	es a	ınd	Fen	nale	at	diff	erei	nt P	eric	ds,	kc.—	-con	tinue	ed,											
╢		Aı	ът А(ÆS.			!						·						_		AGES	ΑT	DE.	атн.																
	Province, District, and Nationality.	Persons.	Males.	Females.	One Week	and under.	Three Months and	under.	Between Three Months and	rear one rear	1 year and under 2.	1	2 years and under 3.	3 vears and	under 4.	4 years and	under 5.	5 years and		Uyearsand under 15.	15 years and	under 20.	20 years and	under 25.	25 years and under 35.	35 Venraand	under 45.	45 years and	under 55.	55 years and	muder 55.	65 years and under 75.		byears and under 85.	S5 years and	under 95.	95 years and under 100.	100 years	& upwards.	Age not stated.
		60 99	46	32	2	11		F 3 3 6 -	M 3 1 1	F ₂	M 2 2 - 1	F 2 1 - 1	M 1 - 2	F M	F 	3 1	F	M 3 1 1		M F	F M 4 2 - 1	F 4 1 4	M 2 1 1 -		M F 1	M	F 53 2 2 3 1 —	M 5 9	F 1 2	M 1		M 1	F M	T	<u>M</u>	1	M F	1 1	1	M F
		1	1 111 13	109	9	12	12 - 8 -	12 - 11 -	5 - 9 1 1	3 -7 -7	3 - 5 1	4	-6	7 2 1			1	5 1	_ -	6	3 4 - 4 5 - 1	5 1	3 1	_ -		-	5	1 13	 	5 14	3	2	_	3 3		1	1 -			
	Total .	264	132	132	11	15	8	11		- 7		12	6	8 4		I			7	7	4 6	<u> </u>		8	 14 I	7 14	7	17	11	14	3		8	3 3	4	-	_ _			
		a. 1	245 29 30	260 16 20	5	2	1		- 8 - 1	-9 1 1	-6 1 -1	8	-	1 11	15	17 1		$\frac{32}{1}$	18	1 -	1 10 1 —	12 1 4	- 9 3 1	18 1 2		9 1	1	5			18	6		4 2	3		2 -			
	Total.	604	308	296	46	41	21	15	9	11	7	8	7 1	2 11	15	18	10	33	21	9	8 11	17	13	21	36 4	21	15	28	25	22	19	6	8	5 2	3	3	2 -			_ -
	Moors . Malays .	296 24	166 13 -	130	13 1 —	5 1	10 - -	39 5 1 —	39 6 1 -	27 6 2 2	5 	7	1 -	9 42 6 10 - 1 - 5 53	8		7	50 10 1	10 1 	8 -	6 19 4 9 1 — 1 28	1	17	4 3 -	29 50 22 22 2	1 1 2 -	17 —	19 2 - -	7 - - -	6	24 3 1 1 1 -	4	6 -	8 6 4 2 2 8	3 1 1 -	5 1 6	2 2 -	2 _		1 - 3
	Sabaragamuw Ratnapura. Sinhalese Tamils Moors	\	340	357 9 93 7 2	56	37	15	32 2		18 4	1		23 2	2 23 4		12	19		34 1	1 1		10	6	8	21 21 19 11 -	15	19	14	19	6	-		10 1			10	5 5	3 -		3 3 - 1 - 1 -
	Moors .		349		62 - 26	26	26 5	34 - 25 9	- 15 6	22 				24 27 -23 2 10 1	<u>.</u>				45 2 33 1 12 2	_ _	0 7 8 20	8 9 2	i	16 		3 30	3 ² - 22 13	1 1	13 14			21	- 13 1	$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	8	5 2	7 - 4	3 - 2 2	1	I I
	Total .	1100	591	509	43	32	32	35	21	26	17	22	15 3	36	26	24	17	51	45 3	2 2	27	19		26		-		49	27	37	14	20	18	24 20) ()	7	4	2 2	-	