

# SUPPLEMENT

TO

# The Ceylon Government Gazette.

## PART I.

**No. 5,363—FRIDAY, JULY 26, 1895.**

## VITAL STATISTICS OF CEYLON.

### REPORT OF THE REGISTRAR-GENERAL FOR THE FIRST QUARTER OF 1895.

#### I.—Population.

THE estimated population of the Island on the last day of the quarter was 3,185,275, an increase of 6,050 on the previous quarter, due to an excess of 3,633 births over deaths, and of 2,417 arrivals over departures of Indian coolies.

Table I. in the appendix gives the area and estimated population of each Province and district of the Island in the quarter.

*Arrivals and Departures of Indian Coolies.*—The total number of Indian coolies who arrived in the Island this quarter (23,160) was more than twice as large as the number in the corresponding quarter of last year (10,550), while the departures (20,743) show an excess of only 4,205 over the number in the corresponding quarter of last year (16,538).

#### II.—Marriages.

*Marriages.*—The number of general marriages—*i.e.*, marriages other than Kandyan or Muhammadan—registered in this quarter was 3,741, and of Kandyan marriages 7,723. The number of Kandyan marriages this quarter, as in the previous one, was exceptionally high, about seven or eight times the usual number, the increase being due to the pressure brought to bear on the people by the Government Agents under instructions from Government to register marriages.

Table VII. in the appendix shows the marriages solemnized among the general community in every Province and district of the Island, the civil condition, nationality, the highest, lowest, and mean ages of the parties, the mode of solemnization, the number of bridegrooms and brides who were unable to sign their names in the register, &c.

Table VIII. gives similar information in respect of Kandyans.

*First Marriages; Re-marriages.*—Of the 3,741 general marriages, 3,292 (equal to 88 per cent.) were between bachelors and spinsters, 92 between bachelors and widows, 292 between widowers and spinsters, 52 between widowers and widows, 5 between divorced men and spinsters, 5 between divorced women and bachelors, 1 between a divorced man and a widow, and 2 between divorced women and widowers. Of the 7,723 Kandyan marriages, 6,276 (equal to 81 per cent.) were between bachelors and spinsters, 375 between bachelors and widows, 613 between widowers and spinsters, 234 between widowers and widows, 73 between divorced men and spinsters, 42 between divorced men and widows, 69 between divorced women and bachelors, 17 between divorced women and widowers, and 24 between divorced men and divorced women.

*Age at Marriage.*—The mean age at marriage for the general community was 29·4 for males and 21·8 for females; and for Kandyans 28 for males and 21 for females.

*Minors.*—In the general community 4 per cent. of the bridegrooms and 62 per cent. of the brides were under 21, and amongst the Kandyans 7 per cent. of the bridegrooms and 43 per cent. of the brides were under 21.

*Mixed Marriages.*—There were 26 mixed marriages in the quarter: 4 between Europeans and Burghers, 3 between Burghers and Sinhalese, 1 between a Burgher and a Tamil, 17 between Sinhalese and Tamils, and 1 between a Parsee and a Burgher.

*Signature in Marriage Register.*—Of the 7,462 persons married among the general community this quarter, 1,010 men and 2,964 women signed the register with marks; that is to say, 73 per cent. of the men and 21 per cent. of the women were able to write their names. Of the 15,446 persons married among the Kandyans, 3,313 men and 7,387 women signed the register with marks, *i.e.*, 57 per cent. of the men and 4 per cent. of the women were able to write their names.

#### III.—Births and Deaths.

*Births.*—The births registered in the quarter numbered 25,227, and were in the proportion of 33·6 to 1,000 persons living, as against 30·4, the average of the corresponding period for the ten years 1885-94, and 31·5 the rate in the first quarter of last year.

*Deaths.*—The deaths registered in the quarter amounted to 21,594, including 33 Europeans, 96 Burghers, 14,723 Sinhalese, 5,008 Tamils, 1,607 Moors, 89 Malays, and 39 others, and corresponded to an annual rate of 28·7 per 1,000.

The Births and Deaths and their Rates in this quarter are compared in the following statement with the results obtained in the previous quarter, the first quarter of the past year, and the average of the corresponding quarter in the ten years 1885-94:—

	Births.	Deaths.	Per Mille per Annum.
	Birth-rate.	Death-rate.	
Average of ten previous first quarters in 1885-94	... 22,200	... 21,944	30·4 ... 30·0
First quarter of 1894	... 23,567	... 21,373	31·5 ... 28·6
Fourth quarter of 1894	... 29,436	... 21,685	33·4 ... 28·3
First quarter of 1895	... 25,227	... 21,594	33·6 ... 28·7

It will thus appear that while the birth-rate of the Island in the present quarter rose above the average of the corresponding quarters of 1885-94, the death-rate fell below the average.

Table II. in the appendix gives similar information to Table A in respect of each Province and district in the Island. Table I. gives the births and deaths according to sex, and births according to legitimacy; Table IX. the births according to nationality and sex; Table X. illegitimate births according to nationality and sex; Table XI. the deaths for each month of the quarter according to nationality for every Province and district. The causes of

death for every Province and district are shown in Table XII.; and for the estates in the Central, Uva, Sabaragamuwa, and the Kalutara District of the Western Province in Table XIII.; and for the town of Colombo (according to wards) in Table XIV. Table XV. shows the period of life at which the deaths of the various races occurred in every district.

*Age at Death.*—The deaths of infants under one year of age numbered 4,555, and were in the proportion of 180 deaths to 1,000 births. The rate of infant mortality varied in different districts, 428 (for all races) in Puttalam, 332 (for Singhalese) in Kurunégala, 262 (for Singhalese) in Ratnapura, 251 (for Singhalese) in Hambantota, 226 (for Tamils) in Trincomalee, 215 (for Singhalese) in Mátalé, 205 (for Singhalese) in Nuwara Eliya, 196 (for Singhalese) in Chilaw, 174 (for Singhalese) in Kandy, 111 (for Singhalese) in Galle, 109 (for Singhalese) in Negombo, 102 (for Singhalese) in Mátara, 92 (for Singhalese) in Colombo, and 65 (for Singhalese) in Kalutara.

*Sex.*—Of the total number of births (25,227), 13,025 were males and 12,202 were females, i.e., 107 males to 100 females; of the total number of deaths (21,594), 11,040 were males and 10,504 were females. Out of equal numbers living of each sex there died 928 males to 1,000 females.

#### IV.—State of Public Health.

The general health of the population of the Island this quarter (the registered mortality being 28·7) was better than the average first quarter of the last ten years 1885–94 (30·0).

Tables III., IV., V., and VI. in the appendix show the births and deaths, the birth-rates and the death-rates for all ages and for infants in the several districts of the Island, and in the subdivisions of those districts for this quarter, for the immediately preceding quarter, for the first quarter of last year, and the average for the corresponding period of the last four years 1891–94. The rates shown are for the Singhalese only in the Singhalese districts, and for the Tamils only in the Tamil districts. These separate rates furnish more trustworthy data for comparing the relative sanitary condition of those districts and divisions of the Island than if the rates included other nationalities temporarily resident in them. In the Puttalam District, where the Singhalese and Muhammadans are found in almost equal numbers, and in the Batticaloa District, where the Tamils and Muhammadans are almost in equal numbers, the rates of the different sections of the population as well as of all races are given.

*Western Province.*—As usual the Western Province maintains the first place as the healthiest Province of the Island with a death-rate of 20 per thousand, which, though higher than in the corresponding quarter of last year (19·1) was lower than the average for the corresponding quarter in 1891–94 (20·6).

The death-rate of Colombo District, exclusive of the Municipality, declined from a mean annual rate in the corresponding quarter of the last four years 1891–94 of 18·2 to 16·7 this quarter, the decline being 1·2 in Alutkuru kóralé South (from 15·3 in the first quarter of 1891–94 to 14·1 this quarter), 1·6 in Salpiti kóralé (from 17·8 in the first quarter of 1891–94 to 16·2 this quarter), and 4·9 in Héwágam kóralé (from 24·5 in the first quarter of 1891–94 to 19·6 this quarter), while in the Siyané kóralé the rate recorded equalled the average for the period.

In the Negombo District the death-rate fell from 24·3 (the average rate for the first quarter in 1891–94) to 23·7 in the first quarter of 1895, with a reduction of 6 to every 1,000 of the population. The reduction was chiefly in Hápítigam kóralé, where the death-rate in the quarter was 6 per 1,000 lower than the average, and equal to that in Alutkuru kóralé North (the healthiest division of the district), which has a rate of 19·4, or 2 per 1,000 lower than in the corresponding period of 1891–94 (21·4).

The Kalutara District shows even a greater improvement than either Colombo or Negombo, the death-rate (18·6) being 2·7 lower than in the corresponding period of 1891–94 (21·3). The division of Rayigam kóralé has as usual the lowest rate in the district (16·6 this quarter, as against 20·4 in the first quarter of 1891–94), followed by Kalutara Totamuna with 18·7 (as against 20·2 in the first quarter of 1891–94), Pasdun kóralé with 20·3 (as against 22·9 in the first quarter of 1891–94), and the Local Board of Kalutara with 23·9 (as against 28·8 in the first quarter of 1891–94).

*Southern Province.*—The health of the Singhalese living in the Southern Province was worse this quarter (29·3) than in the corresponding period of the last two years 1893–94 (28·7). In the corresponding quarter of 1891–92 the Province was very unhealthy during this quarter, and had a mean death-rate of 39 per 1,000, the result of the epidemic of fever which prevailed in the Mátara and Hambantota Districts. If the abnormal death-rates of the two districts for the first quarter of 1891 and 1892 be excluded from comparison, the death-rate in the Mátara District (24 per 1,000) equalled the average of the first quarter in 1893–94, and the death-rate of the Hambantota District (39·5) was 6 per 1,000 lower than the average (45·4). Unlike Mátara and Hambantota the Galle District was unhealthy during the quarter, and had a death-rate (29·6) 4 per 1,000 above the mean rate of the first quarter in 1891–94 (25·8). The increase occurred mainly in the Wellaboda pattywa, which, though generally a healthy division of the district, was the unhealthiest division this quarter, and had a death-rate (37·7) 50 per cent. higher than the average. In Hinidum pattywa, which followed Wellaboda as the second unhealthiest division of the district in the quarter, the death-rate increased from 29·9 (the mean rate for first quarter in 1891–94) to 35·3 this quarter, in Gangaboda it increased from 24·0 (the mean rate for first quarter in 1891–94) to 29·1 this quarter, and in the town division of Galle from 24·7 (the mean rate for first quarter in 1891–94) to 31·7 this quarter.

*North-Western Province.*—The mortality among the Singhalese living in the North-Western Province was during the quarter in the proportion of 40·5 per 1,000, a reduction of 8·6 on the mean rate of the last four years for the same period (49·1). This reduction was mainly in the Kurunégala District (which contains more than three-fourths of the Singhalese resident in the Province), and more particularly in the Hiriyala, Dambadeniya, and Wéudawili hatpattu divisions of that district. In Hiriyala the death-rate was 15 per 1,000 lower (being 45·0 this quarter, as against 60·4 in the corresponding quarter of 1891–94), in Dambadeniya it was 20 per 1,000 lower (being 34·5 this quarter, as against 54·4 in the corresponding quarter of 1891–94), and in Wéudawili hatpattu it was 14 per 1,000 lower (being 39·8 this quarter, as against 53·5 in the corresponding quarter of last year). The other divisions also show a reduced mortality, but the reduction in them is inconsiderable.

The death-rate of Chilaw District was equal to 28·0 per 1,000, and exceeded the average for the corresponding period of the last four years 1891–94 (26·5). The southern kóralé of this district (Pitigal kóralé South) has a death-rate of 22·9 (as against 23·3 the average rate for the period in 1891–94); and is three times as healthy as the northern kóralé (Pitigal kóralé North), the death-rate of which in the quarter (66·2) was 19 per 1,000 in excess of its average (47·1).

The Puttalam District shows but little improvement on the average, the death-rate for all races having been 57·1 in the quarter, against an average of 55·2. The death-rate for the Singhalese in the quarter was 68·8, as against 44·7 for the Muhammadans.

*Central Province.*—The Central Province was healthy during the quarter, and showed a death-rate of 30 per 1,000, being 5·5 per 1,000 lower than in the corresponding quarter of the last four years 1891–94 (35·5). This improvement is noticeable throughout the Province, but more markedly in the Kandy and the Mátalé Districts. In Kandy the death-rate fell from a mean annual rate in the first quarter of 1891–94 of 35 to 28 per 1,000, with a decline in Tumpane of 12 per 1,000 (from 44·4 in the first quarter of 1891–94 to 32·3 in the present quarter), in Uda Dumbara of 10 per 1,000 (from 41·2 in the first quarter of 1891–94 to 31·2 in the present quarter), in Pata Héwaheta of 9 per 1,000 (from 29·1 in the first quarter of 1891–94 to 20·4 in the present quarter), and in Harispattu of 8 per 1,000 (from 38·4 in the first quarter of 1891–94 to 29·9 in the present quarter). In Udapaláta and in Uda Bulatgama the death-rates equalled the average for the corresponding period in 1891–94, while in Pata Dumbara, Udunuwara, and Yatiñuwara the rates exceeded the average. It was 29·0 this quarter in Pata Dumbara, as against 26·4 in the first quarter

of 1891–94; 32·4 this quarter in UduNUwara, as against 28·9 in the first quarter of 1891–94; and 33·5 this quarter in Yatinuwara, as against 31·5 in the first quarter of 1891–94.

In Mátalé the improvement was considerable, the death-rate falling in the quarter to 36·2 from 52·2 in the first quarter of 1891–94, with a decline of 16 per 1,000. The decline is due partly to the exceptional unhealthiness of the district in the last four years.

The Nuwara Eliya District maintained this quarter its normal health.

*Province of Sabaragamuwa.*—The health of the Province of Sabaragamuwa during the quarter has been satisfactory, and the mortality was below the average for the period, having been only 30 per 1,000. The Kégalla District, in which the death-rate was as high as 53·5 in the second quarter of last year, fell in the third quarter of that year to 47·4 and in the fourth to 29·3, from which it fell again this quarter to 24·6, which is the normal rate for this period.

The Ratnapura District has a death-rate in the quarter of 37·2, which, though higher than the rate in the Kégalla District (24·5), is lower than its own rate for the first quarter of the preceding four years 1891–94 (43·8).

*Province of Uva,* which is identical with the Badulla District, had, like the other Provinces of the Island, a lower rate (35·8) than in the first quarter of the last four years (43·9). In Wellawaya, which is the unhealthiest division of the district, the death-rate (49·4) was 29 per 1,000 lower than in the corresponding quarter of 1891–94 (78·0); in Bintenna it was 14 per 1,000 lower (34·1 this quarter, as against 48·6 in the first quarter of 1891–94); in Yatinkinda it was 10 per 1,000 lower (27·2 this quarter, as against 37·6 in the first quarter of 1891–94); and in Buttala it was 15 per 1,000 lower (42·3 this quarter, as against 57·6 in the first quarter of 1891–94). In other divisions there was a comparatively small decline in the mortality.

*North-Central Province.*—The Anurádhapura District shows, like Badulla, an improvement in health, the death-rate falling in the quarter to 45·3 from 56·3 in the first quarter of 1891–94. This improvement was shared by every division included in the district, except by the town division of Anurádhapura, the death-rate of which, however, is liable to serious fluctuation, and should be left out of consideration.

*Northern Province.*—The mortality in the Jaffna District during this quarter (23·0) was nearly in the same proportion as the average for the corresponding period in 1891–94 (23·8). The division of Valikámam North retains in the quarter its usual place as the healthiest division (16·0) of the district, while Valikámam East and West divisions, next to Valikámam North, the healthiest in the district, yield their usual place to Vadamaradchi West and to the Jaffna division of the district, and show a decline on their average health for the period. In Valikámam East the death-rate rose from 18·3 in the first quarter of 1891–94 to 24·6 this quarter, and in Valikámam West it rose from 22·2 in the first quarter of 1891–94 to 25·4 this quarter, while in the Vadamaradchi West division it declined from 22·3 in the first quarter of 1891–94 to 18·4 this quarter, and in the Jaffna division from 24·9 in the first quarter of 1891–94 to 19·4 this quarter. The death-rate of The Islands division in this quarter was about the average. In Ténmaradchi it was somewhat lower, being 32·0 as against 35·7 in the corresponding quarter of 1891–94. The rates of the other divisions of the district are untrustworthy for comparison, as the populations contained in them are too small for rate calculation.

The Mannár District was in the quarter (28·6) nearly twice as healthy as in the first quarter of 1891–94 (50·2), the Mannár island division showing in particular an exceptionally low rate (19·4 as against 56·8 in the first quarter of 1891–94).

The Mullaittívú District also shows an improvement in its health, the death-rate recorded having declined in the quarter to 46·2 from 58·6 in the corresponding quarter of 1891–94.

Only in the Vavuniya District was the mortality higher than the average.

*Eastern Province.*—This quarter the mortality in the Batticaloa District was, both among the Tamils and among Muhammadans, in the same ratio as in the corresponding period of the preceding four years 1891–94.

The Trincomalee District shows a very marked improvement in health (27·9), the death-rate being 10 per 1,000 lower than in the first quarter of 1891–94 (37·4).

#### V.—Causes of Death.

The causes of death registered in the Island during the quarter are given in Table XII. in the appendix. They may be summarized as follows:—

TABLE B.—

District.	Cholera.	Small-pox.	Fever.	Dysentery and Diarrhoea	Violence.				All other Causes.	Total.
					Accidents	Homicide	Suicide	Execution.		
CEYLON	118	2	6,403	5,015	370	29	21	12	9,624	21,594
Colombo	10	1	552	475	42	7	3	3	1,417	2,510
Negombo	7	—	295	191	9	2	3	1	391	899
Kalutara	9	—	190	263	27	2	3	—	464	958
Kandy	8	—	226	663	44	4	2	7	911	1,865
Mátalé	3	—	154	214	13	2	1	—	239	626
Nuwara Eliya	—	—	46	218	19	—	—	—	428	711
Jaffna	—	—	918	72	22	—	1	—	705	1,718
Mannár	10	—	67	19	2	—	—	—	65	163
Mullaittívú	—	—	47	3	1	—	—	—	32	88
Vavuniya	—	—	66	11	2	—	—	—	41	120
Galle	4	—	310	654	29	2	—	—	746	1,747
Mátara	1	—	302	384	26	1	—	—	359	1,073
Hambantota	—	—	469	168	8	3	—	—	218	866
Batticaloa	—	—	454	88	7	1	—	1	323	874
Trincomalee	—	—	71	14	1	—	—	—	79	165
Kurunégala	36	—	804	365	31	1	1	—	1,045	2,283
Puttalam	—	—	164	36	3	—	—	—	159	362
Chilaw	5	—	202	75	4	2	—	—	214	502
Annrádhapura	2	—	344	148	6	1	—	—	301	802
Badulla	8	—	282	472	17	—	2	—	536	1,317
Ratnapura	—	—	217	275	32	—	—	—	451	975
Kégalla	15	1	223	207	25	1	3	—	500	975

*Fever and Diarrhoeal Diseases.*—Of the 21,594 deaths registered in the quarter, 6,403 were reported as due to various forms of fever and 5,153 to diarrhoeal diseases, i.e., fever contributed 30 per cent. and diarrhoeal diseases 24 per cent. of the total deaths from all causes. Under the head "Diarrhoeal Diseases" is included cholera, which accounted for 118 deaths, and to which cause probably many deaths really due to acute diarrhoea have been attributed.

Smallpox accounts for 2 deaths this quarter (1 in Colombo and 1 in Kégalla), measles to 69 (of which 17 were in Colombo and 17 in Galle), chickenpox to 11 (of which 6 in Nuwara Eliya), whooping cough to 22, and 3 to mumps.

The other chief natural causes of deaths were infantile convulsions 1,502, general dropsy 546, anaemia 498, debility 722, phthisis 618, pneumonia 289, bronchitis 149, asthma 74, pleurisy 52, worms 551, thrush 148, dochmias duodenalis 83 (38 in Kégalla, 25 in Kandy, 6 in Kalutara, 5 in Badulla, and 4 in Colombo), puerperal convulsions 343, childbirth 121, old age 383, premature birth 125 (of which 69 in Badulla), parangi 48 (of which 22 in Kurunégala), scrofula 110 (of which 41 in Kurunégala), want of breast milk 69 (of which 35 in Badulla, 18 in Kandy, and 6 in Matalé), malaria 107, hydrophobia 13 (Galle 3, Colombo and Negombo 2 in each, Matalé, Mátara, Puttalam, Chilaw, Anurádhapura, and Badulla, 1 in each).

*Deaths by Violence.*—Of the 432 deaths attributed to these causes, 114 are attributed to fall from trees, 61 to drowning, 29 to snake-bites, 33 to burns and scalds, 17 to gunshot wounds, 18 to injury at birth, 8 to fall from height other than from trees, 5 to lightning, 3 to wasp stings, 3 to crocodile, 2 to sunstroke.

Twenty-one deaths were attributed to suicide, of which the majority (14) were by hanging, 1 by gunshot, 1 by cut or stab wound, and 5 otherwise.

Twenty-nine deaths were attributed to murder and other forms of homicide (25 Sinhalese and 4 Tamils).

As many as twelve men were judicially executed this quarter, 7 in Kandy, 3 in Colombo, 1 in Negombo, and 1 in Hambantota.

#### VII.—Health of the Estate Population.

The total number of births reported for registration from the estates in the Central, Uva, and the Sabaragamuwa Provinces, and in the Kalutara District of the Western Province, was 1,434 (of which 3 were Europeans, 28 Sinhalese, 1,400 Tamils, and 7 Moors), and the total number of deaths was 1,472 (1 European, 21 Sinhalese, 1,446 Tamils, and 4 Moors), corresponding respectively to an annual rate of 24·8 and 25·6 per 1,000. The causes of death are given in detail in Table XIII., and may be summarized as follows:—

Fever	...	...	84		Anchylostomiasis	...	48
Diarrhoea	...	...	228		Bronchitis	...	50
Dysentery	...	...	217		Pneumonia	...	129
Want of Breast Milk	...	...	21		Diseases of Parturition	...	42
Old Age	...	...	48		Debility	...	257
Infantile Convulsions	...	...	63		Other Causes	...	340

TABLE C.

Districts.	Estimated Population in 1895.	Birth-rate.			Death-rate.					
		Average of Four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	First Quarter of 1895.	Average of Four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	First Quarter of 1895.	
Kandy	...	88,223	25·2	23·0	24·3	27·0	27·9	25·4	26·6	24·4
Matalé	...	13,115	22·8	31·1	25·4	25·0	31·2	45·5	19·4	21·0
Nuwara Eliya	...	61,953	22·0	28·1	41·6	24·9	17·0	20·3	33·9	26·4
Badulla	...	19,564	25·3	25·0	26·5	42·1	28·6	31·0	29·2	37·5
Ratnapura	...	5,022	—	—	40·6	40·4	—	—	30·8	33·1
Kégalla	...	21,234	14·3	15·5	14·3	17·0	32·7	33·9	35·1	35·7
Kalutara	...	4,922	—	—	10·1	8·2	—	—	44·1	28·8

*Kandy District.*—The total number of births reported for registration from the estates in the Kandy District was 600, of which 587 were Tamils, 6 Sinhalese, and 7 Moors; and the deaths numbered 536, of which 530 were Tamils, 5 Sinhalese, and 1 a European. The Tamil birth-rate in the quarter was equal to 27·0, as against a mean-rate of 25·2 in the corresponding period of 1891-94; and the Tamil death-rate was equal to 24·4, as against a mean-rate of 27·9 in the first quarter of 1891-94. As usual the most fatal cause was diarrhoeal diseases, which caused 178 deaths (90 from diarrhoea and 88 from dysentery), or nearly 33 per cent. of the total number of deaths (536). The other chief causes of death were debility 63 (including mostly deaths of infants from inability to suck milk), pneumonia 36, infantile convulsion 21, general dropsy 20, ancylostomiasis 14, starvation and want of breastmilk 17, childbirth 9, old age 20, fever 32, bronchitis 6, malarial cachexia 10, anaemia 6, and phthisis 15.

*Matalé District.*—The total number of births reported for registration from the estates in the Matalé District was 81 (all Tamils), and the deaths numbered 68 (all Tamils) and corresponded to an annual birth-rate of 25·0 (against a mean-rate of 22·8 for the corresponding period of 1891-94), and a death-rate 21·0 (against a mean-rate of 31·2 in the first quarter of 1891-94) respectively. Dysentery and diarrhoea caused 23 deaths, i.e., 34 per cent. of the total number of deaths (68), debility caused 7, pneumonia 3, fever 8, general dropsy 2, childbirth 3, old age 3.

*Nuwara Eliya District.*—The total number of births reported for registration from the estates in the Nuwara Eliya District was 383 (2 Europeans, 1 Sinhalese, and 380 Tamils), and the deaths numbered 407 (404 Tamils, 2 Sinhalese, and 1 Moor), and corresponded to an annual birth-rate of 24·9 (against a mean rate of 22·0 in the first

quarter of 1891–94), and a death-rate of 26·4 (against a mean death-rate of 17·4 in the first quarter of 1891–94) respectively. Dysentery and diarrhoea were fatal in 112 cases, or nearly 28 per cent. of the total deaths (407). 97 deaths are attributed to debility (mostly of infants from inability to suck), 18 to fever, 28 to pneumonia, 25 to general dropsy, 11 to old age, 19 to infantile convulsion, 3 to premature birth, 3 to phthisis, and 9 to bronchitis.

*Badulla District.*—The total number of births reported for registration from the estates in the Badulla District was 204 (1 European and 203 Tamils), and the deaths numbered 183 (181 Tamils, 1 Singhalese, and 1 Moor), and corresponded to an annual birth-rate of 42·1 (against a mean rate of 25·3 in the corresponding period of 1891–94), and a death-rate of 37·5 (against a mean rate of 28·6 in the first quarter of 1891–94) respectively. Dysentery and diarrhoea were fatal in 53 cases, or nearly 30 per cent. of the total deaths (183), debility in 30 (mostly of infants from inability to suck), fever in 10, infantile convulsions in 9, pneumonia in 24, ancylostomiasis in 3, starvation and want of breastmilk in 3.

*Ratnapura District.*—The total number of births reported for registration from the estates in the Ratnapura District was 52 (50 Tamils and 2 Singhalese), and the deaths numbered 43 (41 Tamils and 2 Singhalese), and corresponded respectively to an annual birth-rate among the Tamils of 40·4, and a death-rate of 33·1 per 1,000.

As usual, the most fatal cause was diarrhoeal diseases, which caused 15 deaths (11 from dysentery and 4 from diarrhoea), or 35 per cent. of the total number of deaths (43). The other chief causes of death were debility 3, starvation and want of breast milk 1, infantile convulsions 4, dochmiasis duodenalis 2, and pneumonia 4.

*Kégalla District.*—The total number of births reported for registration from the estates in the Kégalla District was 104 (89 Tamils and 15 Singhalese), and the deaths numbered 198 (187 Tamils, 11 Singhalese), and corresponded respectively to an annual birth-rate among the Tamils of 17·0, and a death-rate of 35·7 per 1,000. Kégalla thus maintains its reputation as a district containing the unhealthiest estates.

The most fatal cause was diarrhoeal diseases, which accounts for 64 deaths (44 from diarrhoea and 20 from dysentery), or 32 per cent. of the total number of deaths (198). The other causes of death were ancylostomiasis 34, debility 15 (mostly of infants from inability to suck milk), fever 11, general dropsy 5, malarial cachexia 6, phthisis 7, pneumonia 12, infantile convulsions 6, and old age 6.

*Kalutara District.*—The total number of births reported for registration from the estates in the Kalutara District was 10 (all Tamils), and the deaths numbered 37 (35 Tamils, 1 Singhalese, and 1 Moor), and corresponded respectively to an annual birth-rate among the Tamils of 8·2, and a death-rate of 28·8 per 1,000.

The most fatal cause was diarrhoeal diseases, which caused 19 deaths (11 from dysentery and 8 from diarrhoea, or 50 per cent. of the total number of deaths (37)). The other principal causes of death were dochmiasis duodenalis 4, debility 1, fever 5, phthisis 2, and bronchitis 1.

### VII.—Health of the Town of Colombo.

The deaths registered in the town of Colombo during this quarter numbered 1,163, and corresponded to an annual rate of 35·0, which, though worse than in the corresponding quarter of last year (33·4), was lower than the rate in the immediately preceding quarter, when it was as high as 37·3 per 1,000.

The births registered during the quarter numbered 589, and were equal to an annual rate of 24·2 per 1,000.

The rate of infant mortality, measured by the proportion of deaths under one year to a thousand births, was equal to 462, a higher proportion than in the corresponding quarter of last year (412).

As usual, the death-rate exceeded the birth-rate, which is due mainly to the preponderance of males over females (chiefly among the Europeans, the Indian Tamils, and Muhammedans), and to the presence of hospitals and jails which add to the normal mortality of the town. The death-rate this quarter was 45 per cent. in excess of the birth-rate.

The subjoined table gives the births and deaths, and the rates of each nationality living in the Colombo Municipality in the first quarter of this year and of 1894 for the immediately preceding quarter, and the average of the corresponding period in the eight years 1887–94:—

TABLE D.

Nationality.	Population at the Census of 1891.	Births.				Deaths.				Birth-rate per Mille per Annum.			Death-rate per Mille per Annum.				
		Average of the First Quarters, 1887–94.	First Quarter, 1894.	Fourth Quarter, 1894.	First Quarter, 1895.	Average of the First Quarters, 1887–94.	First Quarter, 1894.	Fourth Quarter, 1894.	First Quarter, 1895.	Average of the First Quarters, 1887–94.	First Quarter, 1894.	Fourth Quarter, 1894.	First Quarter, 1895.	Average of the First Quarters, 1887–94.	First Quarter, 1894.	Fourth Quarter, 1894.	
<b>ALL RACES</b>	127,836	578	733	853	589	756	1095	1263	1163	18·5	22·4	25·2	24·2	17·7	33·4	37·3	35·0
Europeans including Military ...	2,239	12	8	11	12	10	13	20	17	21·9	14·5	19·5	21·7	19·0	23·5	35·4	30·8
Burgers...	10,674	38	35	32	50	34	69	78	59	14·7	13·3	11·9	19·0	13·3	26·2	29·0	22·4
Sinhalese...	59,962	238	244	295	262	304	501	585	519	16·5	16·5	19·5	17·7	21·1	33·9	38·7	35·1
Tamils ...	24,372	33	40	38	32	138	240	244	272	5·4	6·6	6·2	5·3	22·8	40·3	39·7	45·3
Moors ...	24,428	231	361	422	196	229	213	261	215	38·5	59·9	68·5	32·5	38·0	35·5	42·4	35·7
Malays ...	3,437	19	33	48	31	27	38	42	51	23·0	38·9	55·4	36·6	31·7	44·8	48·5	60·2
Others ...	2,724	7	12	7	6	14	21	33	30	11·4	17·9	10·2	8·9	22·1	31·0	48·1	44·7

The birth and the death-rates given in the above table for the Europeans, Malays, and the races classed together under the term "Others" are not accurate, and are liable to constant fluctuation, owing chiefly to their population being too small for purposes of rate calculation. Excluding the rates for these sections of the population, the lowest death-rate in the town was among the Burghers 22·4, who show an increase of nearly 4 per 1,000 on their rate for the first quarter of last year (26·2).

The next lowest death-rate in the town was among the Singhalese (35·1 this quarter, as against 33·9 in the first quarter of last year), and next to the Singhalese the Moors have the lowest death-rate (35·7 this quarter, as against 35·5 in the first quarter of last year), and then the Tamils, whose death-rate in the quarter (45·3) is, with the exception of that for the Malays (a rate untrustworthy for comparison), the highest in the town. The high Tamil death-rate is probably due chiefly to the deaths among the Indian coolies who flock to this port.

The number of births and deaths of the different races in the different wards in the town, their rates per 1,000, the principal zymotic causes of death, &c., are shown in the following table:—

TABLE E.

Name of Ward.	Population at Census, 1891.	Births.						Deaths.						Causes of Death.				Annual rate per 1,000.														
		Total Births.		Class.				Total Deaths.		Class.				Causes of Death.																		
		Persons.	Males.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Persons.	Males.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	Cholera.	Smallpox.	Measles.	Fever.	Anchylostomiasis.	Diarrhoea and Dysentery.	Homicide.	Suicide.	Execution.				
Colombo Town ...	127836	589	318	271	10	50	262	32	196	31	6	1163	628	535	17	59	519	272	215	51	30	9	1	14	176	4	190	14	2	24·2	35·0	272
Fort & Galle Face	2541	8	1	2	2	—	1	—	—	—	—	9	8	1	3	—	1	1	4	1	1	—	2	—	1	8	—	—	4·9	14·4	1	
Pettah ...	7961	10	5	5	5	5	5	—	—	—	—	29	16	13	1	5	8	8	5	2	—	2	3	—	4	—	—	5·1	14·8	8		
St. Sebastian ...	7943	38	21	17	—	4	6	1	25	2	—	61	26	35	1	4	17	7	28	2	—	1	9	—	16	—	—	19·4	31·1	19		
St. Paul's ...	16322	37	18	19	—	2	8	11	16	—	—	126	66	60	—	7	29	67	21	2	1	—	17	—	19	—	9·2	31·3	47			
Kotahena ...	27936	20	74	46	11	10	14	—	—	—	—	249	126	123	2	7	166	37	35	1	1	—	3	40	32	3	17·4	36·1	56			
New Bazaar ...	14501	44	23	21	—	3	13	2	26	—	—	98	58	40	—	10	32	27	26	2	1	6	—	12	—	21	—	12·3	27·4	28		
Maradana : Hospital & Jails ...	23562	204	104	100	5	14	1	00	5	67	10	3	194	127	67	6	2	125	49	8	4	—	11	4	35	7	2	—	—	6		
Exclusive of above												167	93	74	—	13	67	25	44	12	6	1	2	17	—	34	1	—	35·1	28·7	43	
Slave Island ...	13622	93	56	37	1	2	19	3	47	18	8	150	75	75	—	7	33	30	39	33	8	—	5	47	—	16	—	27·7	44·7	47		
Kollupitiya ...	13449	40	16	24	3	10	25	—	1	1	—	80	33	47	4	4	42	21	8	1	—	1	18	—	12	—	12·1	24·1	19			

There were 9 deaths from cholera this quarter, the first appearance of cholera in the town after a period of three years, the disease being introduced by arrivals from India. The last death from cholera was a solitary case in the fourth quarter of 1891. Smallpox accounted for 1 death, which occurred in the Fort Ward and measles to 14, a third of which were among the Burghers:

Dysentery and diarrhoea were fatal to 190 (224 in the corresponding quarter of last year), 76 to infantile convulsions (153 in the corresponding quarter of last year), 160 to fever (183 in the corresponding quarter of last year), 16 to enteric fever (10 in the corresponding quarter of last year), 59 to malarial cachexia (20 in the corresponding quarter of last year), 84 to phthisis (91 in the corresponding quarter of last year), 120 to bronchitis and pneumonia (32 in the corresponding quarter of last year), 5 to diseases of parturition (15 in the corresponding quarter of last year), 27 to premature birth (7 in the corresponding quarter of last year), 59 to old age (22 in the corresponding quarter of last year), 104 to debility (59 in the corresponding quarter of last year), and ancylostomiasis to 4 (6 in the corresponding quarter of last year).

There were 14 accidental deaths this quarter, of which 3 were attributed to fall from trees, 3 to drowning, 1 to being run over by a cart, 1 to railway accident, 1 to poison, and 5 to other causes.

Two deaths resulted from homicide.

### VIII.—Health of the Principal Towns.

The total number of births registered in the principal towns during this quarter numbered 2,308, corresponding to an annual rate of 29·4 per 1,000, a higher proportion than in the same period for 1891–94 (29·2).

The deaths numbered 2,838, and were at the annual rate of 36·3 per 1,000, an increase of 2 per 1,000 on the mean death-rate of fourth quarter of 1891–94 (34·4).

The following table shows the birth and death-rates in each of the principal towns of the Island for the first quarter of 1895, and for its corresponding period in 1891, 1892, 1893, and 1894:—

Town.	Population at Census of 1891.	Birth-rate per Mille per Annum.					Death-rate per Mille per Annum.				
		First Quarter.					First Quarter.				
		1891.	1892.	1893.	1894.	1895.	1891.	1892.	1893.	1894.	1895.
Colombo ...	127,836	20·5	22·0	19·4	22·4	24·2	27·0	24·5	25·0	33·4	35·0
Negombo ...	18,933	65·8	62·5	75·4	81·0	90·6	39·4	48·0	48·4	50·6	66·0
Kalutara ...	10,864	34·0	31·4	32·5	35·8	35·1	25·4	50·0	37·0	25·4	24·6
Kandy ...	20,558	14·4	17·4	12·8	11·2	16·6	26·8	28·8	27·8	30·0	27·8
Mátalé ...	4,197	14·5	16·4	14·5	13·5	10·6	43·5	24·2	81·2	78·3	55·1
Nuwara Eliya ...	2,726	19·3	25·3	20·8	26·8	20·8	1·5	41·7	47·6	11·9	17·9
Jaffna ...	43,179	28·9	40·3	40·0	46·2	31·8	22·2	41·0	29·4	35·4	26·8
Galle ...	33,590	24·8	27·2	35·1	50·6	45·0	36·9	27·4	56·3	35·6	40·6
Máta ...	8,602	41·0	33·5	41·0	32·5	39·6	30·6	32·5	35·4	21·2	29·7
Hambantota ...	2,576	14·1	20·4	39·2	29·8	34·5	25·1	42·3	39·2	42·3	59·7
Batticaloa ...	7,257	24·0	17·9	16·2	27·4	29·1	19·0	82·7	10·6	2·8	14·0
Trincomalee ...	11,948	31·9	26·8	26·1	33·6	20·4	29·9	63·5	32·2	41·4	24·8
Kurunégala ...	4,745	28·2	16·2	23·9	13·7	13·7	83·8	74·4	107·7	75·2	68·4
Puttalam ...	4,976	33·0	41·9	30·6	24·2	37·9	48·3	72·5	62·0	70·9	38·7
Chilaw ...	3,738	41·2	29·3	29·3	25·0	20·6	56·4	49·9	29·3	44·5	30·4
Badulla ...	5,023	27·5	37·9	35·5	33·9	29·1	45·2	77·5	44·4	55·7	41·2
Ratnapura ...	3,527	24·1	18·4	25·3	36·8	39·1	23·0	37·9	46·0	46·2	42·6

The highest death-rate (66·0) was in Negombo, which has also the highest birth-rate (90·6). Next to Negombo the highest death-rates were in Kurunégala (68·4), but the rate for Kurunégala as also the rates from Chilaw, Ratnapura, Mátalé, Nuwara Eliya, and Hambantota, are untrustworthy and liable to constant fluctuation owing to the population of these towns being too small for purposes of rate calculation. Omitting these towns, Badulla has next to Negombo the highest death-rate (41·2), and is followed by Galle (40·6), Puttalam (38·7), Colombo (35·0), Máta (29·7), Kandy (27·8), Jaffna (26·8), and Kalutara (24·6).

Colombo, July 3, 1895.

P. ARUNÁCHALAM, Acting Registrar-General.

## APPENDIX.

Table I.—Area, Estimated Population, Marriages, Births, and Deaths registered in the First Quarter of 1895.

Province and District	Area in Square Miles	Population, Jan. 1, 1895.	MARRIAGES.			Total.	BIRTHS.			DEATHS.			
			Total.	General.	Kandyans.		Legitimate.	Illegitimate.	Total.	Males.	Females.	Total.	
CEYLON	25,333	304,6497	11,464	3,741	7,723	26,227	9,420	8,784	3,605	3,418	21,594	11,040	10,554
Western.													
Central	1,432	787,825	1,424	1,424	—	5,977	2,780	2,541	346	310	4,367	2,262	2,105
Northern	2,300	472,190	3,742	325	3,417	3,874	1,381	1,338	603	552	3,202	1,672	1,530
Southern	3,363	380,710	319	318	1	2,309	737	690	440	442	2,084	1,103	981
Eastern	2,146	496,649	1,197	1,197	—	4,421	1,691	1,506	628	596	3,686	1,787	1,899
North-Western	4,037	154,849	68	57	1	1,672	486	436	396	354	1,059	526	548
North-Central	2,997	312,031	1,389	290	1,099	2,546	929	917	366	334	3,147	1,562	1,585
Uva.	4,002	74,715	840	6	834	826	196	221	205	204	802	387	415
Sabaragamuwa	3,155	161,731	215	30	185	1,475	501	480	245	249	1,317	719	598
	1,901	265,797	2,280	94	2,186	2,127	719	655	376	377	1,950	1,022	929
Central.													
Kandy	978	286,566	3,197	276	2,921	2,225	793	735	364	333	1,865	964	901
Matale	926	75,036	437	26	412	765	261	252	140	112	626	346	286
Nuwara-Eliya	396	110,588	108	24	84	884	327	351	99	107	711	362	349
Northern.													
Jaffna	819	291,752	278	278	—	2,031	629	599	402	401	1,718	891	827
Mannar	546	23,931	29	29	—	137	73	59	1	4	163	104	59
Mullaitivu	936	7,158	4	4	—	65	17	17	17	14	83	37	46
Vavuniya	1,062	7,869	8	7	1	76	18	15	20	28	120	71	49
Southern.													
Galle	652	227,910	519	519	—	2,111	951	838	160	162	1,747	827	920
Matara	481	180,673	634	634	—	1,550	550	494	274	252	1,073	514	559
Hambantota	1,013	88,066	44	44	—	760	190	174	194	202	866	446	420
Eastern.													
Batticaloa	2,872	128,936	39	38	1	1,493	434	384	353	322	874	436	438
Trincomalee	1,165	26,913	19	19	—	179	52	52	48	32	165	90	76
North-Western.													
Kurunegala	1,846	222,002	1,178	112	1,066	1,807	592	601	326	288	2,283	1,111	1,172
Puttalam	890	25,717	42	9	33	252	121	100	17	14	362	192	170
Chilaw	262	64,312	169	169	—	487	216	216	23	32	502	269	248
North-Central.													
Anuradhapura	4,002	74,715	840	6	834	826	196	221	205	204	802	387	416
Uva.													
Badulla	3,155	161,731	215	30	185	1,475	501	480	245	249	1,317	719	598
Sabaragamuwa.													
Ratnapura	1,259	108,097	1,650	42	1,608	1,136	425	386	152	173	975	512	463
Kegalla	642	147,700	630	52	678	991	294	269	224	204	975	510	466

Table II.—Birth and Death Rates in the First Quarter of this year, the First and Fourth Quarters of 1894, and the Mean Rate for the First Quarters in the years 1885–94.

Province and District	Birth-rate per Mille per Annum.				Death-rate per Mille per Annum.			
	Average of Ten First Quarters of 1885–94.	First Quar- ter of 1894.	Fourth Quar- ter of 1894.	First Quar- ter of 1895.	Average of Ten First Quarters of 1885–94.	First Quar- ter of 1894.	Fourth Quar- ter of 1894.	First Quar- ter of 1895.
CYCLON	...	...	...	...	30·4	31·6	38·4	33·6
Western	...	...	...	...	28·4	29·7	33·4	30·8
Central	...	...	...	...	27·7	28·4	36·9	28·5
Northern	...	...	...	...	29·2	32·4	37·9	33·3
Southern	...	...	...	...	30·4	33·8	36·7	36·1
Eastern	...	...	...	...	37·2	40·9	50·3	41·1
North-Western	...	...	...	...	35·4	30·4	39·2	33·1
North-Central	...	...	...	...	40·0	41·5	48·4	44·8
Uva	...	...	...	...	33·2	36·8	45·2	37·0
Sabaragamuwa	...	...	...	...	28·1	26·6	45·7	33·7
Western.								
Colombo	...	...	...	...	24·9	27·1	30·1	27·8
Negombo	...	...	...	...	39·9	34·9	44·7	37·8
Kalutara	...	...	...	...	28·4	32·2	33·1	32·8
Central.								
Kandy	...	...	...	...	25·6	pondino	33·1	31·6
Mátsale	...	...	...	...	37·8	35·6	43·2	41·3
Nuwara Eliya	...	...	...	...	25·8	29·1	42·4	32·4
Northern.								
Jaffna	...	...	...	...	28·6	32·1	38·1	28·2
Mannár	...	...	...	...	32·4	30·0	36·4	23·2
Mullaittivú	...	...	...	...	38·1	38·8	44·4	34·6
Vavuniya	...	...	...	...	32·0	43·2	27·6	39·2
Southern.								
Gáde	...	...	...	...	30·5	36·9	36·4	37·6
Mátará	...	...	...	...	29·1	30·6	37·7	34·8
Hambantota	...	...	...	...	33·1	32·6	35·1	35·0
Eastern.								
Batícaloa	...	...	...	...	38·7	42·1	51·6	47·0
Trincomalee	...	...	...	...	29·9	35·2	44·0	28·0
North-Western.								
Kurunégala	...	...	...	...	37·0	30·7	42·9	33·0
Puttalam	...	...	...	...	35·9	42·4	32·4	39·7
Chilaw	...	...	...	...	29·7	24·9	28·8	30·7
North-Central.								
Anurádhapura	...	...	...	...	40·0	41·5	48·4	44·8
Uva.								
Badulla	...	...	...	...	33·2	36·8	45·2	37·0
Sabaragamuwa.								
Ratnapura	...	...	...	...	32·3	33·5	47·8	42·6
Kégalia	...	...	...	...	24·9	21·6	44·1	27·2

Table III.—Sinhalese Births and Deaths, with the Birth-rate and Death-rate for all Ages, and for Infants in Sinhalese Districts.

Province, District, and Division.	Area, in Square Miles.	Population at the Census of 1891.	Births.	Deaths.	Birth-rate.				Death-rate.				Deaths of Children under 1 year to 1,000 Births in the First Quarter of 1895.
					Average of Four First Quarters of 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	First Quarter of 1895.	Average of Four First Quarters of 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	First Quarter of 1895.	
Ceylon ...	—	2,042,387	18,132	14,723	33·2	31·9	39·0	35·4	31·6	28·3	27·9	28·8	119
WESTERN ...	—	647,614	6,134	5,336	29·8	28·9	32·1	30·9	20·6	19·1	18·2	20·1	88
Colombo ...	—	365,735	2,766	1,834	27·6	27·1	29·9	29·6	19·2	19·2	17·7	19·6	92
Dolombo Municipality ...	10	69,962	262	515	17·6	16·5	20·0	18·3	28·0	33·9	39·9	36·0	893
Alutkuru Koralé South ...	72	56,762	376	206	24·6	24·1	30·4	25·7	15·3	13·6	12·7	14·1	96
Héwágama Koralé ...	170	52,505	511	270	40·0	38·6	43·0	37·1	24·5	20·9	17·6	19·6	57
Sripiti Koralé ...	75	79,007	646	331	29·1	29·6	28·6	31·6	17·8	14·6	14·9	16·2	68
Riyang Koralé ...	233	117,499	970	612	27·3	26·8	29·4	32·0	16·8	16·6	11·7	16·9	43
Negombo ...	—	116,310	976	710	35·2	30·5	39·1	32·6	24·3	20·6	19·2	23·7	109
Negombo Local Board ...	74	10,927	165	165	51·2	52·7	70·9	58·1	43·6	43·5	53·3	65·1	115
Alutkuru Koralé North ...	159	78,891	800	394	33·3	28·3	33·6	29·5	21·4	17·9	15·7	19·4	114
Hapitgam Koralé ...	81	26,492	211	131	34·2	28·0	42·1	31·3	25·4	18·9	15·2	19·4	95
Kalutara ...	—	165,569	1,393	791	30·9	31·6	32·0	32·7	21·3	19·3	18·4	18·6	65
Kalutara Local Board ...	13	8,446	64	51	32·2	35·0	40·5	31·5	28·8	29·3	18·4	23·9	88
Kalutara Totamana ...	46	63,156	540	306	36·8	36·6	31·6	33·0	20·2	20·6	18·1	19·7	63
Paddan Koralé ...	103	36,658	242	189	27·7	26·0	32·6	36·7	22·9	16·9	18·9	20·3	68
Rayigam Koralé ...	172	57,310	443	245	28·4	30·1	30·8	30·0	20·4	17·9	18·6	16·6	70
CENTRAL ...	—	248,581	2,604	1,961	35·9	33·3	44·9	42·0	35·5	32·6	32·0	30·0	199
Kandy ...	—	157,056	1,496	1,107	31·6	29·8	42·4	38·3	35·4	27·6	29·6	28·8	175
Kandy Municipality ...	62	9,704	47	62	15·6	14·2	18·2	20·3	26·6	25·8	16·5	26·8	106
Harihattu ...	50	25,201	238	188	34·7	31·8	56·7	37·8	38·4	31·2	30·2	29·9	269
Pita Dumbara ...	107	25,433	260	214	31·1	28·3	38·3	35·2	26·4	24·7	30·0	29·0	188
Pita Héwâhëta ...	87	11,764	138	62	39·6	40·5	40·3	45·6	39·1	29·8	27·2	20·4	101
Tempané ...	46	10,975	117	85	39·7	32·6	35·7	44·6	44·4	24·7	33·5	32·3	205
Uda Bulatgama ...	296	10,521	82	51	19·7	18·9	20·3	31·6	19·3	16·4	17·3	19·6	134
Uda Dumbara ...	238	18,432	154	145	36·2	31·8	47·2	33·2	41·3	41·8	43·2	31·2	169
Uda Nuwara ...	34	10,928	143	90	32·5	32·3	36·8	52·9	28·9	27·9	15·9	32·4	186
Uda Palata ...	106	16,840	162	96	21·4	18·1	44·8	39·7	23·3	17·6	29·1	23·5	62
Yatiuwara ...	33	13,456	153	114	27·6	45·6	60·3	46·0	31·5	29·0	38·4	33·5	196
Matalé ...	—	52,734	626	468	48·8	43·5	50·3	48·4	52·2	54·3	40·2	36·2	215
Matalé Local Board ...	—	1,753	8	20	29·0	29·0	28·8	19·7	37·1	33·9	45·6	49·3	—
Matalé South ...	163	22,858	300	184	43·8	38·4	45·1	53·6	46·4	47·5	39·1	32·8	260
Matalé East ...	373	13,090	142	129	55·6	53·8	63·5	48·5	63·9	49·8	53·8	39·6	169
Matalé North ...	384	15,033	176	135	49·7	44·6	48·8	48·0	61·2	71·6	29·2	36·8	187
Nuwara Eliya ...	—	38,591	482	286	37·6	33·7	48·0	48·4	29·4	24·1	30·9	28·7	205
Nuwara Eliya Local Board and outside ...	42	1,317	9	8	25·8	24·2	44·5	27·1	34·4	6·1	8·9	24·1	111
Kotmale ...	169	12,854	101	55	27·4	27·3	41·8	31·1	29·1	19·8	26·3	16·9	228
Uda Héwâhëta ...	108	14,746	215	113	40·8	34·4	49·0	56·5	82·1	24·8	32·0	29·7	163
Walapandu ...	113	9,678	157	110	47·6	42·3	48·5	60·9	36·3	30·8	33·3	42·7	255
Southern ...	—	464,414	4,232	3,406	33·1	33·8	36·5	36·4	31·7	27·2	31·7	29·3	114
Galle ...	—	208,764	1,991	1,566	35·2	36·6	35·4	37·7	25·8	26·0	33·4	29·6	111
Galle Municipality ...	6	23,914	267	194	37·3	48·0	36·6	43·6	24·7	20·8	34·6	31·7	90
Four Gravets beyond Municipal Limits and Akumâma ...	23	17,288	142	91	29·9	30·9	28·1	32·2	18·0	16·0	18·0	20·6	120
Gangaboda Pattuwa ...	124	26,055	248	194	32·8	33·7	43·4	37·2	24·0	24·1	39·6	29·1	109
Wellaboda Pattuwa ...	83	54,676	483	516	33·6	33·9	31·8	35·3	25·5	27·6	40·7	37·7	143
Talpâ Pattuwa ...	97	45,189	496	329	39·5	38·0	38·0	43·4	29·5	29·5	34·3	28·8	89
Wakkalawîpi Koralé ...	146	38,036	209	192	35·0	36·3	37·6	32·9	28·4	28·4	25·5	21·1	97
Hinidum Pattuwa ...	166	5,808	56	50	36·8	34·2	31·8	39·5	29·9	28·5	20·5	35·3	178
Mittara ...	—	169,658	1,504	1,014	31·0	30·9	38·4	35·3	29·4	22·8	29·8	23·8	102
Mittara Local Board ...	1	6,909	76	48	37·6	33·1	43·6	43·9	29·5	19·2	32·8	27·7	102
Four Gravets beyond Local Board Limits ...	71	14,944	182	88	32·8	29·0	39·8	40·0	26·3	25·3	23·0	23·1	112
Wellaboda Pattuwa ...	51	37,122	356	172	37·7	38·2	35·9	37·6	36·1	20·0	26·9	18·2	82
Welligam Koralé ...	111	43,962	414	217	29·2	31·3	42·5	36·6	21·1	18·6	22·6	19·2	80
Morawak Koralé ...	160	13,631	116	139	29·6	28·9	36·0	34·7	43·3	36·4	56·6	41·6	147
Kandaboda Pattuwa ...	70	21,990	137	169	30·2	28·2	38·0	26·7	37·7	24·9	39·6	30·4	131
Gangaboda Pattuwa ...	79	30,930	252	168	24·8	24·4	38·9	32·9	31·8	21·6	27·9	24·5	116

Table III.—continued.

Province, District, and Division.	Area in Square Miles.	Population at the Census of 1891.	Births.	Deaths.	Birth-rate.			Death-rate.			Deaths of children under 1 year to 1,000 Births in First Quarter of 1895.		
					Average of Four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	Average of Four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.			
<i>Hambantota</i> ...	—	85,962	737	826	32·5	33·9	35·1	50·5	40·2	31·4	39·5	251	
Hambantota Four Gravets ...	—	—	9	16	39·1	35·7	42·6	40·6	35·7	19·4	63·0	333	
Mágam Pattiwá (exclusive of Four Gravets) ...	—	—	53	93	39·5	44·9	28·1	46·3	85·6	76·8	40·8	81·2	340
Giruwá Patti East ...	112 <sup>1</sup>	10,678	59	79	31·3	30·4	19·4	28·0	60·1	59·4	29·2	30·7	220
Giruwá Patti West ...	247 <sup>1</sup>	69,345	616	638	31·9	32·6	37·9	36·4	50·6	34·7	31·2	37·7	245
<b>NORTH-WESTERN</b> ...													
<i>Kurunégala</i> ...	—	376,390	—	—	34·7	30·5	41·1	33·4	49·1	40·2	29·7	40·5	312
Kurunégala Local Board ...	212,760	1,724	1,154	1,154	36·2	31·6	44·6	34·0	53·7	43·9	33·0	42·6	332
Dambadeniya Hatpattu ...	1 <sup>1</sup>	2,683	11	63	26·5	24·1	34·5	22·0	116·5	120·3	119·6	126·1	273
Déwamedé do. ...	177	30,931	273	371	39·2	33·3	48·6	36·8	56·1	41·4	29·2	50·0	432
Hiriyalá do. ...	164 <sup>1</sup>	27,466	279	295	40·6	39·1	58·7	42·5	60·4	57·3	42·1	45·0	312
Katugampola do. ...	186 <sup>1</sup>	44,577	259	256	22·3	16·9	28·6	24·2	33·8	25·9	21·8	23·9	147
Wanni do. ...	358 <sup>1</sup>	34,755	283	581	46·7	48·2	34·3	34·0	64·6	66·6	30·1	63·8	376
Wéudawili do. ...	596	35,074	300	332	39·7	35·1	53·7	36·0	53·6	44·8	41·2	39·8	283
<i>Chilaw</i> ...	—	53,508	402	379	28·6	24·4	29·8	29·7	26·5	21·2	16·0	28·0	196
Chilaw Town ...	2,170	8	18	30·9	26·8	16·2	14·8	37·1	40·7	21·7	33·3	37·5	
Pitigal Kóralé North ...	132 <sup>1</sup>	6,068	51	97	32·8	33·2	26·7	34·8	47·1	46·1	28·0	66·2	588
Pitigal Kóralé South ...	128 <sup>1</sup>	45,270	343	264	27·9	23·2	30·9	29·8	23·3	17·1	14·1	22·9	134
<b>NORTH-CENTRAL</b> ...													
<i>Anurddhapura</i> ...	—	59,875	710	671	45·7	45·6	52·6	48·0	56·3	48·7	35·1	45·3	200
Anuradhapura Town ...	5 <sup>1</sup>	921	1	16	19·3	28·2	19·0	4·9	64·6	70·5	61·0	73·5	—
Nuwaramgam Paláta ...	1,490 <sup>1</sup>	24,810	301	320	47·7	51·9	46·9	48·8	53·7	62·0	40·2	51·9	292
Hurulu Paláta ...	1,040	19,080	262	168	49·9	51·9	56·9	54·8	52·2	36·7	30·1	36·1	114
Kelégam Paláta ...	311	13,484	129	159	37·8	26·2	57·2	39·8	65·1	40·5	28·9	46·6	225
Tamankaduwa Paláta ...	1,165	1,630	17	17	43·6	39·6	69·3	41·3	40·9	39·6	50·2	41·3	76
<b>UVA</b> ...													
<i>Badulla</i> ...	—	114,414	1,189	1,037	42·6	41·8	52·2	41·1	43·9	36·6	44·7	35·8	212
Badulla Local Board ...	114,414	1,189	1,087	1,087	42·6	41·8	52·2	41·1	43·9	36·6	44·7	35·8	212
Yatiükinda Division ...	3,085	30	26	41·1	43·8	41·3	40·8	47·6	46·6	37·3	35·4	200	
Bintenna do. ...	183 <sup>1</sup>	18,817	178	182	40·9	39·9	49·0	36·7	37·6	38·9	41·3	27·2	174
Buttala do. ...	369	8,657	100	73	41·4	40·5	64·7	46·7	48·6	40·1	49·1	34·1	130
Wellawaya do. ...	567 <sup>1</sup>	14,662	165	150	45·6	39·8	49·3	46·5	57·6	42·2	53·1	42·3	224
Udukünda do. ...	1,019 <sup>1</sup>	7,772	74	88	44·5	50·3	35·5	41·5	78·0	70·2	59·5	49·4	230
Wellassa do. ...	188 <sup>1</sup>	26,361	244	227	41·1	39·2	43·1	35·2	31·6	24·8	31·0	32·8	242
Wiyaluwa do. ...	645 <sup>1</sup>	19,882	238	231	42·6	48·6	67·8	47·2	48·1	31·7	56·8	45·8	239
189 <sup>1</sup>	16,228	160	110	38·6	38·3	67·8	40·6	35·0	36·5	42·1	28·8	200	
<b>SABARAGAMUWA</b> ...													
<i>Ratnapura</i> ...	—	221,010	1,936	1,645	30·9	28·3	49·7	35·6	32·5	28·2	31·8	30·2	200
Ratnapura Local Board ...	98,934	1,074	910	36·3	35·2	49·3	43·9	43·8	37·1	34·9	37·2	262	
Kuruwiti Kóralé ...	2 <sup>1</sup>	2,865	33	29	31·5	38·5	25·0	46·9	35·4	37·1	25·0	41·2	151
Nawadun do. ...	211 <sup>1</sup>	22,677	243	171	34·4	30·3	50·7	42·7	32·8	28·6	29·1	30·1	222
Atakalan do. ...	193 <sup>1</sup>	21,823	247	162	38·6	35·2	50·9	45·4	36·6	31·6	32·7	29·8	235
Kadawata do. ...	171 <sup>1</sup>	15,607	220	177	36·4	39·4	47·2	58·1	48·0	46·1	34·0	46·8	266
Kolonna do. ...	130 <sup>1</sup>	8,648	89	87	42·3	40·5	48·4	40·7	45·0	42·8	40·3	39·8	270
Kukulu do. ...	169	9,616	59	89	27·6	27·6	41·1	25·5	45·2	35·8	34·8	38·6	305
Meda do. ...	224 <sup>1</sup>	6,370	51	42	33·3	30·4	58·2	32·1	36·5	31·4	34·7	26·4	177
156 <sup>1</sup>	11,328	132	153	37·9	36·1	55·0	47·5	59·0	53·1	50·8	55·1	432	
<b>Kégalla</b> ...													
Beligal Kóralé ...	—	122,076	862	735	26·9	23·0	49·9	28·8	27·1	20·8	29·3	24·5	124
Galboda do. ...	162 <sup>1</sup>	33,396	230	152	25·4	22·2	47·5	27·8	22·2	19·5	25·9	18·4	65
Kinigoda do. ...	56 <sup>1</sup>	17,939	173	135	30·7	26·5	54·2	39·7	26·1	18·4	32·5	31·0	168
Paranakúru do. ...	42	14,606	86	100	32·3	27·4	49·6	23·9	32·4	27·2	55·1	27·8	198
Atulugam do. ...	57	22,878	122	134	26·5	21·5	48·7	21·9	27·4	22·6	26·3	24·0	164
Dehigampal do. ...	125 <sup>1</sup>	8,889	70	63	22·3	19·7	60·3	32·4	26·8	23·4	25·1	29·2	171
Panawal do. ...	40	5,167	69	26	33·5	27·7	38·0	45·7	26·4	20·0	19·8	19·4	102
Lower Bulatgama ...	84 <sup>1</sup>	7,087	46	55	20·6	16·8	77·6	26·9	19·1	16·3	24·0	31·0	87

Table IV.—Tamil Births and Deaths, with the Birth-rate and Death-rate for all Ages and for Infants in Tamil Districts.

Province, District, and Division.	Area in Square Miles.	Population at the Census of 1891.	Births.	Deaths	Birth-rate.			Death-rate.			Deaths of Children under 1 year to 1,000 Births in the First Quarter of 1895.			
					Average of four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.	Average of four First Quarters, 1891-94.	First Quarter of 1894.	Fourth Quarter of 1894.				
<b>NORTHERN</b>	—	—	304,355	2,132	1,906	29·8	31·4	36·6	27·4	27·3	26·5	24·3	24·6	195
<i>Jaffna</i>	—	—	275,227	1,918	1,631	29·5	31·0	36·7	27·1	23·8	24·4	23·2	23·0	189
Jaffna Division	183	39,480	226	198	28·0	27·8	36·5	22·2	24·9	25·6	23·5	19·4	230	
Valikámmam East	403	21,184	183	138	33·4	32·6	34·9	32·6	18·3	18·9	16·1	24·6	174	
Valikámmam North	363	40,407	262	171	26·4	27·1	46·1	24·6	15·8	16·7	22·6	16·0	240	
Valikámmam West	384	42,658	355	286	34·4	35·3	36·3	31·6	22·2	23·4	20·6	25·4	180	
Vadamaradchi East	344	49,853	15	11	31·5	54·6	21·5	15·0	34·7	30·0	16·6	11·0	66	
Vadamaradchi West	55	383	217	27·5	32·4	42·8	32·5	22·3	19·5	23·1	18·4	143		
Tenmaradchi	80	37,857	136	292	19·8	19·2	20·9	14·9	35·7	33·0	28·0	32·0	272	
Pachchilaippalli	87	5,746	31	36	21·0	24·3	12·6	22·3	30·9	36·4	14·8	25·9	225	
Karaichechi	123	782	3	6	10·7	—	16·1	70·4	16·0	—	7·0	14·1	—	
Punakari	226	4,714	45	61	24·6	34·3	66·1	39·3	26·6	30·9	92·4	53·2	111	
Islands	78	31,546	279	215	40·2	43·6	38·8	33·6	28·1	32·6	20·2	25·9	168	
<b>Mannár</b>	—	16,098	93	109	29·6	31·9	35·0	24·4	50·2	46·3	26·3	28·6	215	
Mannár Islands Divisions	473	6,127	33	28	31·5	36·1	58·2	22·8	56·8	47·1	26·6	19·4	90	
Mantai Division	247	4,369	25	33	25·0	22·2	19·1	24·4	45·8	41·5	21·0	32·2	320	
Nanaddan Division	251	5,602	35	48	30·8	35·0	27·8	26·2	45·9	49·2	30·0	35·9	257	
<i>Mullaittivu</i>	—	6,791	63	75	41·5	39·6	44·1	38·8	58·6	53·8	38·0	46·2	269	
Karikkaddumulai	350	4,481	38	47	35·4	30·9	41·4	35·7	62·6	61·5	40·4	44·1	236	
Mulliyawalai	1394	1,637	22	17	59·0	60·1	53·8	54·7	55·1	45·7	34·2	42·3	272	
Tunukkai	446	673	3	11	37·8	44·7	37·7	19·2	42·9	25·5	31·4	70·5	666	
<i>Varuniya</i>	—	6,239	58	91	34·0	41·0	26·0	40·6	49·4	48·5	56·1	63·7	258	
Kilskkumulai	286	2,940	24	26	23·0	22·7	19·4	34·2	32·4	29·8	31·9	37·0	125	
Chinnacheddikulam	584	984	16	36	55·8	75·3	9·3	77·2	105·4	122·3	69·8	171·4	437	
Melpattu	220	1,633	14	21	37·4	47·4	50·7	36·4	45·6	34·2	66·0	54·6	285	
Panankamam	397	682	4	8	45·2	60·5	17·9	25·1	56·7	66·6	120·4	50·2	250	
<b>EASTERN</b>	—	86,701	959	621	40·7	42·4	50·7	43·4	35·4	26·1	27·8	28·1	191	
<i>Trincomalee</i>	—	17,117	115	116	33·1	33·9	39·6	27·6	37·4	32·2	33·0	27·9	226	
Trincomalee Town	1	9,536	46	59	31·9	35·4	27·6	20·7	44·9	42·0	37·3	26·5	282	
Kadukkulam Pattu	490	2,563	17	21	33·1	21·1	64·3	27·1	38·7	17·8	39·2	33·4	411	
Koddiyar Pattu	223	3,420	37	22	39·2	48·8	31·6	41·0	25·0	28·4	13·1	24·4	108	
Tampalakamam Pattu	450	1,598	15	14	25·7	12·6	85·5	37·1	19·4	7·5	44·0	34·6	133	

Table V.—Births and Deaths among the different Nationalities, the Birth-rate and the Death-rate for all Ages, and for Infants in the Puttalam District.

	North-Western Province.				
	Puttalam.	Puttalam Local Board.	Demala Hatpattu.	Kalpitiya Division.	Puttalam Division.
<b>Area in square miles</b>	—	1½	441½	315	133
<b>Population at the Census of 1891 :—</b>					
All races	26,652	5,084	7,127	6,931	7,560
Sinhalese	10,122	879	6,351	400	2,492
Muhammadans	9,596	2,497	469	4,521	2,109
<b>Births :—</b>					
All races	252	47	94	72	39
Sinhalese	100	6	62	5	7
Muhammadans	99	32	9	47	11
<b>Deaths :—</b>					
All races	362	48	150	105	59
Sinhalese	164	8	131	4	21
Muhammadans	106	17	13	68	8
<i>Birth-rate.</i>					
<b>Average of four first quarters of 1891–94 :—</b>					
All races	39·7	30·3	50·9	43·0	30·8
Sinhalese	39·5	—	53·1	—	18·5
Muhammadans	37·6	37·1	—	46·3	18·3
<b>First quarter of 1894 :—</b>					
All races	42·3	26·2	55·0	47·0	37·7
Sinhalese	42·6	—	69·3	—	18·0
Muhammadans	36·4	32·1	—	48·6	17·3
<b>Fourth quarter of 1894 :—</b>					
All races	32·4	28·3	32·7	36·9	30·7
Sinhalese	30·7	25·7	33·2	10·4	29·3
Muhammadans	29·3	29·7	26·5	36·2	14·9
<b>First quarter of 1895 :—</b>					
All races	39·7	40·0	56·2	43·8	21·1
Sinhalese	41·9	31·6	54·7	53·4	11·6
Muhammadans	41·8	51·0	81·3	42·6	21·0
<i>Death-rate.</i>					
<b>Average of four first quarters of 1891–94 :—</b>					
All races	55·2	67·7	87·2	66·6	36·7
Sinhalese	62·8	—	86·8	—	39·0
Muhammadans	45·6	62·5	—	59·0	17·3
<b>First quarter of 1894 :—</b>					
All races	61·3	74·0	78·8	54·4	43·6
Sinhalese	67·0	—	79·1	—	44·3
Muhammadans	50·0	76·9	—	48·8	17·3
<b>Fourth quarter of 1894 :—</b>					
All races	34·7	28·3	44·4	40·4	24·9
Sinhalese	37·7	41·1	45·6	31·1	17·9
Muhammadans	27·3	18·8	26·5	38·0	14·9
<b>First quarter of 1895 :—</b>					
All races	57·1	40·8	89·8	63·9	31·9
Sinhalese	68·8	42·2	87·4	42·7	34·8
Muhammadans	44·7	27·1	116·1	61·6	15·2
<b>Deaths of children under 1 year to 1,000 births :—</b>					
All races	428	257	479	431	513
Sinhalese	430	334	451	200	571
Muhammadans	362	125	556	447	556

Table VI.—Births and Deaths among the different Nationalities, the Birth-rate and Death-rate for all Ages, and for Infants in the Batticaloa District.

	Eastern Province.									
	Batticaloa.	Batticaloa Local Board.	Mannunai Pattu (exclusive of Local Board).	Bintenna.	Chamman-turai and Nadukadu.	Ervavur, Rukam, and Korala.	Eruvil, Pora-tivu, and Karawakru.	Nintavur and Akkarai Pattu.	Penava Pattu.	
<b>Area in square miles</b>	—	—	1 $\frac{1}{4}$	222	677 $\frac{1}{2}$	420 $\frac{1}{2}$	662 $\frac{1}{2}$	277	124 $\frac{1}{2}$	486 $\frac{1}{2}$
<b>Population at the Census of 1891:</b>										
All races ...	122,699	7,257	30,689	3,633	9,847	19,828	32,676	15,934	2,135	—
Tamils ...	69,584	5,891	20,891	477	3,741	11,731	21,312	5,038	503	—
Muhammadans ...	44,780	328	9,599	254	4,935	7,473	11,092	9,741	1,358	—
<b>Births:</b>										
All races ...	1,493	52	397	54	94	223	422	215	36	—
Tamils ...	844	46	255	6	36	126	289	86	1	—
Muhammadans ...	565	1	142	—	46	97	122	126	31	—
<b>Deaths:</b>										
All races ...	574	25	251	26	56	135	233	128	20	—
Tamils ...	505	21	184	4	11	85	149	49	2	—
Muhammadans ...	315	—	66	1	34	50	74	75	15	—
<b>Birth-rate.</b>										
<b>Average of four first quarters of 1891-94:</b>										
All races ...	47·1	23·5	53·6	31·4	43·5	43·1	51·6	47·8	38·7	—
Tamils ...	47·2	26·4	51·8	16·2	30·3	44·7	55·0	43·0	23·3	—
Muhammadans ...	49·5	—	57·9	—	52·4	44·1	44·4	52·9	49·7	—
<b>First quarter of 1894:</b>										
All races ...	42·1	26·4	42·6	24·5	38·1	48·5	44·8	39·3	48·2	—
Tamils ...	44·4	29·6	46·1	—	41·2	52·7	43·9	43·6	—	—
Muhammadans ...	41·1	—	35·9	—	34·8	45·9	41·6	41·5	79·4	—
<b>Fourth quarter of 1894:</b>										
All races ...	51·6	24·5	61·1	33·8	46·0	47·2	55·9	51·3	38·3	—
Tamils ...	53·4	28·1	59·2	16·2	35·5	51·0	60·7	51·4	23·3	—
Muhammadans ...	51·7	—	65·0	—	55·6	45·0	45·7	53·4	42·2	—
<b>First quarter of 1895:</b>										
All races ...	47·0	28·8	50·5	59·9	37·2	42·6	49·3	51·3	50·2	—
Tamils ...	47·0	31·3	47·7	41·5	38·2	41·1	51·9	66·1	78	—
Muhammadans ...	47·9	—	57·4	—	35·6	48·3	41·6	48·4	88·7	—
<b>Death-rate.</b>										
<b>Average of four first quarters of 1891-94:</b>										
All races ...	26·4	16·8	31·9	21·4	25·6	21·7	27·8	23·3	30·7	—
Tamils ...	27·9	17·1	32·8	24·3	21·1	23·3	30·5	22·1	15·5	—
Muhammadans ...	26·0	—	30·0	—	23·7	20·9	21·8	21·2	39·5	—
<b>First quarter of 1894:</b>										
All races ...	22·9	12·3	23·4	20·1	15·3	17·0	28·8	24·5	41·1	—
Tamils ...	24·6	12·4	25·7	—	7·6	17·0	31·4	35·6	—	—
Muhammadans ...	20·2	—	18·2	—	16·6	17·8	21·3	20·2	55·9	—
<b>Fourth quarter of 1894:</b>										
All races ...	25·4	14·1	31·2	20·7	21·0	25·7	24·7	24·2	21·9	—
Tamils ...	26·7	13·4	32·1	24·3	12·5	26·3	27·1	30·3	15·5	—
Muhammadans ...	23·2	—	28·7	—	21·3	26·9	19·5	21·6	19·7	—
<b>First quarter of 1895:</b>										
All races ...	27·5	13·9	31·9	28·8	22·2	25·8	27·2	30·6	27·9	—
Tamils ...	28·1	14·3	34·4	33·2	11·7	27·7	27·1	37·7	15·6	—
Muhammadans ...	26·7	—	26·7	—	26·2	24·9	25·2	28·8	42·9	—
<b>Deaths of children under 1 year to 1,000 births</b>										
All races ...	191	96	174	74	223	170	199	284	111	—
Tamils ...	186	87	184	200	83	191	177	314	—	—
Muhammadans ...	175	—	147	—	261	144	221	254	97	—

**Table VII.—Marriages (General), Civil Condition, Nationality, Age, Mode of Solemnization, Signature of Marriage Register, &c., in the First Quarter of 1895.**

Table VIII.—Marriages (Kandyan), Civil Condition, Age, Signature of Marriage Register, &c.,  
in the First Quarter of 1895.

Province and District.	Total Marriages.	Contracted between										Persons not 21 Years of Age.	Signed the Register with Marks.								
		Bachelors and Spinster.	Bachelors and Widows.	Widowers and Spinster.	Widowers and Widows.	Divorced Men and Spinster.	Divorced Men and Widows.	Divorced Women and Bachelor.	Divorced Women and Widowers.	Divorced Men and Divorced Women.	Males.	Females.									
		Bachelors and Spinster.	Bachelors and Widows.	Widowers and Spinster.	Widowers and Widows.	Divorced Men and Spinster.	Divorced Men and Widows.	Divorced Women and Bachelor.	Divorced Women and Widowers.	Divorced Men and Divorced Women.											
Ceylon	7723	6276	375	613	234	73	42	69	17	24	543	8324	80	28	16	70	21	12	3813	7387	
Central	3417	2848	143	280	66	20	5	23	3	9	228	1532	78	30	16	61	21	12	1440	3128	
Northern	1	—	—	—	—	—	—	—	—	—	1	23	23	23	23	20	20	—	—	1	—
Southern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
North-Western	1099	842	70	106	52	18	3	7	1	1	83	557	60	26	17	53	20	18	366	1076	
North-Central	834	760	19	46	13	1	1	1	2	1	49	380	70	30	18	50	23	15	313	832	
Uva	185	143	11	22	7	—	—	—	—	12	101	71	26	18	48	20	13	81	185	—	
Sabaragamuwa	2186	1690	182	158	76	34	33	38	12	13	171	753	80	27	16	70	21	12	1112	2166	
Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kandy	2921	2437	115	248	72	17	5	20	2	7	176	1248	78	30	16	61	21	12	1224	2642	
Matale	412	343	25	29	10	1	—	2	1	1	44	230	60	28	16	55	22	13	179	406	
Nuwara Eliya	84	68	3	3	4	2	2	1	—	1	8	54	60	29	18	46	21	12	37	81	
Northern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Vavuniya	1	1	—	—	—	—	—	—	—	—	1	23	23	23	23	20	20	20	20	1	—
Southern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Galle	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Batticaloa	1	—	—	1	—	—	—	—	—	—	—	—	—	47	47	47	27	27	—	—	—
North-Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kurunegala	1066	818	60	101	49	18	3	7	—	1	82	535	60	26	17	53	20	18	360	1043	
Puttalam	33	24	1	5	3	—	—	—	—	1	22	60	28	20	16	21	16	6	83	—	
North-Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Anuradhapura	834	750	19	46	18	1	1	1	2	1	49	380	70	30	18	50	23	16	313	832	
Uva.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Badulla	185	143	11	22	7	—	—	—	—	—	12	101	71	26	18	48	20	13	81	185	
Sabaragamuwa.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Ratnapura	1608	1219	103	101	71	29	33	31	10	11	164	565	80	25	16	66	19	13	877	1606	
Kegalla	378	471	29	57	6	5	—	7	2	2	17	188	75	33	19	70	26	14	235	560	

Table IX.—Return of Births of each Nationality, in each Province and District in the Island, registered during the First Quarter of 1895.

Province and District.	All Races.			Europeans.			Burghers.			Sinhalese.			Tamil.			Immigrants.			Moors.			Malays.			Others.							
	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.	Persons.		Males.					
CEYLON ...	25,227	13,025	12,202	32	17	15	113	55	58	18,132	9,366	8,766	5,052	2,595	2,457	—	—	—	—	—	—	—	1,826	950	876	56	33	23	16	9	7	
Western	5,977	3,126	2,851	14	8	6	58	27	31	5,134	2,702	2,482	353	169	184	—	—	—	—	—	—	—	379	197	182	31	20	11	8	3	5	
Central	3,874	1,984	1,890	10	5	5	12	6	6	2,604	1,321	1,283	1,077	557	520	—	—	—	—	—	—	—	165	90	75	3	2	1	3	3	—	
Northern	2,309	1,177	1,132	—	—	—	5	4	1	13	6	7	2,132	1,077	1,055	—	—	—	—	—	—	—	159	90	69	—	—	—	—	—	—	
Southern	4,421	2,319	2,102	2	1	1	19	11	8	4,232	2,216	2,016	27	23	4	—	—	—	—	—	—	—	185	64	71	6	4	2	—	—	—	
Eastern	1,672	882	790	3	2	1	8	2	6	88	52	36	959	509	450	—	—	—	—	—	—	—	608	314	294	6	3	3	—	—	—	
North-Western	2,546	1,295	1,251	—	—	—	5	3	2	2,226	1,136	1,090	113	57	56	—	—	—	—	—	—	—	192	95	97	10	4	6	—	—	—	
North-Central	826	401	425	—	—	—	—	—	—	710	345	365	15	10	5	—	—	—	—	—	—	—	101	46	55	20	—	5	3	2	—	
Uva	1,475	746	729	3	1	2	2	—	2	1,189	594	595	231	123	108	—	—	—	—	—	—	—	45	25	—	—	—	—	—	—	—	
Sabaragamuwa	2,127	1,095	1,032	—	—	—	4	2	2	1,936	994	942	145	70	75	—	—	—	—	—	—	—	42	29	13	—	—	—	—	—	—	
Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Colombo	3,139	1,671	1,462	13	7	6	51	23	28	2,765	1,482	1,283	54	24	30	—	—	—	—	—	—	—	211	112	99	31	20	11	8	3	5	
Negombo	1,301	654	647	1	1	—	3	2	1	976	494	482	287	138	149	—	—	—	—	—	—	—	34	19	15	—	—	—	—	—	—	
Kalutara	1,543	801	742	—	—	—	4	2	2	1,393	726	667	12	7	5	—	—	—	—	—	—	—	134	66	68	—	—	—	—	—	—	
Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Kandy	2,225	1,157	1,068	7	4	3	10	5	5	1,496	777	719	594	301	293	—	—	—	—	—	—	—	113	66	47	3	2	1	2	—	—	
Mátalé	765	401	364	—	—	—	1	—	1	626	325	301	96	57	39	—	—	—	—	—	—	—	41	18	23	1	1	—	—	—	—	
Nuwara Eliya	884	426	458	3	1	2	1	1	—	482	219	263	387	199	188	—	—	—	—	—	—	—	11	6	5	—	—	—	—	—	—	
Northern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Jaffna	2,031	1,031	1,000	—	—	—	5	4	1	1	—	—	1,918	960	958	—	—	—	—	—	—	—	107	66	41	—	—	—	—	—	—	
Mannár	137	74	63	—	—	—	—	—	—	—	—	—	93	54	39	—	—	—	—	—	—	—	44	20	24	—	—	—	—	—	—	
Mullaittivú	65	34	31	—	—	—	—	—	—	—	—	—	63	83	30	—	—	—	—	—	—	—	2	1	1	—	—	—	—	—	—	
Vavuniya	76	38	38	—	—	—	—	—	—	12	5	7	58	30	28	—	—	—	—	—	—	—	6	3	3	—	—	—	—	—	—	
Southern..	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Galle	2,111	1,111	1,000	2	1	1	12	6	6	1,991	1,053	938	7	7	—	—	—	—	—	—	—	99	44	55	—	—	—	—	—	—		
Mátarai	1,650	824	726	—	—	—	5	3	2	1,504	795	709	18	14	4	—	—	—	—	—	—	—	23	12	11	—	—	—	—	—	—	
Hambantota	760	384	376	—	—	—	2	—	1	737	368	369	2	2	—	—	—	—	—	—	—	—	13	8	5	6	4	2	—	—	—	
Eastern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Batticaloa	1,493	787	706	—	—	—	7	2	5	77	47	30	844	449	395	—	—	—	—	—	—	—	565	289	276	—	—	—	—	—	—	
Trincomalee	179	95	84	3	2	1	1	—	1	11	5	6	115	60	55	—	—	—	—	—	—	—	43	25	18	6	3	3	—	—	—	
North-Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Kurunégala	1,807	918	889	—	—	—	1	—	1	1,724	875	849	11	6	5	—	—	—	—	—	—	—	69	36	33	2	1	1	—	—	—	
Puttalam	252	138	114	—	—	—	3	—	—	100	56	44	45	28	17	—	—	—	—	—	—	—	99	49	50	5	2	3	—	—	—	
Chilaw	487	239	248	—	—	—	1	—	1	402	205	197	57	23	34	—	—	—	—	—	—	—	24	10	14	3	1	2	—	—	—	
North-Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Anurádhapura	826	401	425	—	—	—	—	—	—	710	345	365	15	10	5	—	—	—	—	—	—	—	101	46	55	—	—	—	—	—	—	
Uva.	—	—	—	—	—	—	—	—	—	2	1	1	1,074	549	525	51	23	31	—	—	—	—	—	45	25	20	—	—	—	—	—	—
Badulla	1,475	746	729	3	1	2	2	—	2	1,189	594	595	231	123	108	—	—	—	—	—	—	—	6	4	2	—	—	5	3	2	—	
Sabaragamuwa.	—	—	—	—	—	—	—	—	—	2	1	1	1,074	549	525	51	23	31	—	—	—	—	—	36	25	11	—	—	—	—	—	—
Ratnapura	1,136	577	559	—	—	—	—	—	2	1	1	1,074	549	525	51	23	31	—	—	—	—	—	6	4	2	—	—	—	—	—	—	
Kégalla	991	518	473	—	—	—	—	—	2	1	1	1,074	549	525	417	91	47	44	—	—	—	—	—	36	25	11	—	—	—	—	—	—

Table X.—Return of Illegitimate Births of each Nationality, in each Province and District in the Island, registered during the First Quarter of 1895.

Province and District.	All Races.			Europeans.		Burghers.		Sinhalese.			Tamilis.			Immigrants.			Moors.			Malays.		Others.		
	Persons.	Males.	Females.	Persons.	Males.	Persons.	Males.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.	Females.	Persons.	Males.
CEYLON ...	7,023	3,603	3,418	1	—	1	—	4,967	2,550	2,417	2,005	1,031	974	—	—	—	41	18	23	—	—	—	—	—
Western	636	346	310	—	—	—	—	603	323	280	51	23	28	—	—	—	—	—	—	—	—	—	—	—
Central	1,155	603	552	1	1	—	—	895	465	430	241	129	112	—	—	—	—	—	—	—	—	—	—	—
Northern	882	440	442	—	—	—	—	7	2	5	874	438	436	—	—	—	—	—	—	—	—	—	—	—
Southern	1,223	628	594	—	—	—	—	1,203	611	592	13	11	2	—	—	—	—	—	—	—	—	—	—	—
Eastern	750	396	334	—	—	—	—	49	30	19	689	363	326	—	—	—	—	—	—	—	—	—	—	—
North-Western	700	366	334	—	—	—	—	675	353	321	20	8	11	—	—	—	—	—	—	—	—	—	—	—
North-Central	409	205	204	—	—	—	—	393	195	200	13	9	4	—	—	—	—	—	—	—	—	—	—	—
Uva	494	245	249	—	—	—	—	444	220	224	49	25	24	—	—	—	—	—	—	—	—	—	—	—
Sabaragamuwa	753	376	377	—	—	—	—	696	351	345	55	25	30	—	—	—	—	—	—	—	—	—	—	—
Western	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Colombo	380	200	180	—	—	—	—	371	196	175	7	4	3	—	—	—	—	—	—	—	—	—	—	—
Negombo	202	101	101	—	—	—	—	159	83	76	43	18	25	—	—	—	—	—	—	—	—	—	—	—
Kalutara	74	45	29	—	—	—	—	73	44	29	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Central	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kandy	697	364	333	1	—	—	—	619	269	250	173	92	81	—	—	—	—	—	—	—	—	—	—	—
Mátalé	252	140	112	—	—	—	—	227	126	101	17	11	6	—	—	—	—	—	—	—	—	—	—	—
Nuwara Eliya	206	99	107	—	—	—	—	149	70	75	51	26	25	—	—	—	—	—	—	—	—	—	—	—
Northern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Jaffna	803	402	401	—	—	—	—	—	—	—	803	402	401	—	—	—	—	—	—	—	—	—	—	—
Mannár	5	1	4	—	—	—	—	—	—	—	4	1	3	—	—	—	—	—	—	—	—	—	—	—
Mullaittivú	31	17	14	—	—	—	—	—	—	—	31	17	14	—	—	—	—	—	—	—	—	—	—	—
Vavuniya	43	20	23	—	—	—	—	7	2	5	31	17	18	—	—	—	—	—	—	—	—	—	—	—
Southern	—	—	—	—	—	—	—	—	—	—	317	156	161	1	1	—	—	—	—	—	—	—	—	—
Galle	322	160	162	—	—	—	—	495	265	230	10	8	2	—	—	—	—	—	—	—	—	—	—	—
Mátará	506	274	232	—	—	—	—	391	190	201	2	2	—	—	—	—	—	—	—	—	—	—	—	—
Hambantota	396	194	202	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Eastern	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Batticaloa	675	353	322	—	—	—	—	41	25	16	624	326	298	—	—	—	—	—	—	—	—	—	—	—
Trincomalee	75	43	32	—	—	—	—	8	5	3	65	37	28	—	—	—	—	—	—	—	—	—	—	—
North-Western	—	—	—	—	—	—	—	606	321	285	4	1	3	—	—	—	—	—	—	—	—	—	—	—
Kurunégala	614	326	288	—	—	—	—	31	17	14	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Puttalam	31	17	14	—	—	—	—	38	15	23	16	7	9	—	—	—	—	—	—	—	—	—	—	—
Chilaw	55	23	32	—	—	—	—	395	195	200	13	9	4	—	—	—	—	—	—	—	—	—	—	—
North-Central	—	—	—	—	—	—	—	443	220	224	49	25	24	—	—	—	—	—	—	—	—	—	—	—
Anurádhapura	409	205	204	—	—	—	—	296	143	153	27	9	18	—	—	—	—	—	—	—	—	—	—	—
Uva	(cc)	Badulla	494	245	249	—	—	400	208	192	28	16	12	—	—	—	—	—	—	—	—	—	—	—
Sabaragamuwa	Ratnapura	325	152	173	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Kégalla	428	224	204	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Table XI.—Deaths according to Race registered in each Month in Ceylon, and in each Province and District, in the First Quarter of 1895.

Province and District.	TOTAL.	JANUARY.						FEBRUARY.						MARCH.											
		Europeans.	Burghers.	Sinhalese.	Tamis.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamis.	Moors.	Malays.	Others.	TOTAL.	Europeans.	Burghers.	Sinhalese.	Tamis.	Moors.	Malays.	Others.	
CEYLON ...	8454	11	34	5822	1928	612	30	17	6865	10	34	4631	1656	488	30	16	6275	12	28	4269	1424	507	29	6	
Western	1780	5	26	1334	190	149	13	13	1390	4	19	1077	152	110	16	12	1247	8	19	923	146	125	22	4	
Central	1265	5	—	775	427	55	3	—	987	3	4	572	360	47	—	1	950	3	1	514	375	52	4	1	
Northern	843	2	7	777	57	—	—	—	719	3	4	667	45	—	—	—	522	2	462	58	—	—	—	—	
Southern	1457	2	1	1948	31	70	5	1	1181	3	3	1084	21	60	9	1	1048	1	3	974	18	51	1	—	
Eastern	410	1	—	21	243	138	6	1	309	3	21	187	96	2	—	—	320	4	16	191	109	—	—	—	
North-Western	1185	2	1031	80	71	1	—	974	1	817	74	77	3	2	—	—	988	—	—	849	68	71	—	—	
North-Central	319	—	262	23	33	1	—	280	—	232	16	32	—	—	—	—	203	—	—	177	4	22	—	—	
Uva	524	1	422	81	17	1	2	432	1	333	86	12	—	—	—	—	361	—	—	282	68	8	2	1	
Sabaragamuwa	721	1	622	76	22	—	—	593	—	491	93	9	—	—	—	—	636	1	532	92	11	—	—	—	
Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Colombo	960	5	25	707	110	87	13	13	808	4	18	598	96	64	16	12	742	8	16	528	93	71	22	4	
Negombo	399	1	—	309	67	22	—	—	271	1	218	41	11	—	—	—	229	1	183	38	7	—	—	—	
Kalutara	371	—	318	13	40	—	—	311	—	261	15	35	—	—	—	—	276	2	212	15	47	—	—	—	
Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kandy	750	4	—	470	232	41	3	—	607	3	4	345	219	35	—	1	508	2	1	292	177	32	3	1	
Mátalé	260	—	—	197	50	13	—	—	192	—	141	41	10	—	—	—	174	—	—	130	29	14	1	—	
Nuwara Eliya	255	1	—	108	145	1	—	—	188	—	86	100	2	—	—	—	268	1	—	92	169	6	—	—	
Northern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Jaffna	698	2	—	664	32	—	—	—	619	3	—	591	25	—	—	—	401	—	—	—	376	25	—	—	
Maanár	62	—	1	44	17	—	—	—	33	—	—	27	6	—	—	—	68	—	—	—	38	30	—	—	
Mullaítivu	41	—	—	37	4	—	—	—	24	—	1	20	3	—	—	—	18	—	—	—	18	—	—	—	
Vavuniya	42	—	6	32	4	—	—	—	43	—	3	29	11	—	—	—	35	—	2	30	3	—	—	—	
Southern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Galle	697	1	626	11	58	1	—	—	566	2	1	509	13	40	1	—	484	1	2	431	10	40	—	—	
Mátará	454	1	430	14	9	—	—	—	392	1	—	281	6	14	—	—	317	1	303	5	8	—	—	—	
Hambantota	306	—	292	6	3	4	1	313	—	2	294	2	6	8	1	247	—	—	240	3	3	1	—		
Eastern.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Batticaloa	355	—	17	216	122	—	—	—	261	2	21	145	93	—	—	—	258	3	11	144	100	—	—	—	
Trincomalee	55	1	—	4	27	16	6	1	48	1	—	42	3	2	—	—	62	1	5	47	9	—	—	—	
North-Western.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Kurnégala	874	2	823	22	26	1	—	—	673	—	632	16	25	—	—	—	736	—	—	699	10	27	—	—	
Puttalam	136	—	63	35	38	—	—	—	126	—	59	31	32	2	2	—	100	—	—	42	22	36	—	—	
Chilaw	175	—	145	23	7	—	—	—	175	1	126	27	20	1	—	—	152	—	—	108	38	8	—	—	
North-Central.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Anurádhapura	319	—	262	23	33	1	—	—	280	—	232	16	32	—	—	—	203	—	—	177	4	22	—	—	
Uva.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Badulla	524	1	422	81	17	1	2	432	—	1	333	86	12	—	—	—	361	—	—	282	68	8	2	1	
Sabaragamuwa.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ratnapura	366	—	348	16	2	—	—	—	291	—	268	21	2	—	—	—	318	—	—	294	20	4	—	—	
Kégalla	355	1	274	60	20	—	—	—	302	—	223	72	7	—	—	—	318	1	238	72	7	—	—	—	

Table XII.—Causes of Deaths registered in Ceylon, and in each Province and District, in the First Quarter of 1895.

CAUSES OF DEATH.	CEYLON.	WESTERN PROVINCE.			CENTRAL PROVINCE.			NORTHERN PROVINCE.			SOUTHERN PROVINCE.			EASTERN PROVINCE.			NORTH-WESTERN PROVINCE.		NORTH-CENT. PROV.		UVA PROV.		SABARAGAMUWA PROV.		DEATHS AMONG ALL RACES.									
		Colombo.	Negombo.	Kalutara.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Matara.	Mihintale.	Vavuniya.	Galle.	Matare.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura.	Badulla.	Rathnapura.	Kegalla.	Europeans.	Burghers.	Sigalese.	Tamils.	Moors.	Malays.	Others.				
ALL CAUSES ...	21594	2510	899	958	1865	626	711	1718	163	83	120	1747	1073	866	874	165	2283	362	502	802	1317	975	975	33	96	14722	5008	—	1607	89	39			
I. Specific, Febrile, or Zymotic diseases	11911	1139	512	469	922	373	293	1028	103	57	79	998	699	646	657	98	1216	203	267	506	771	496	459	16	35	8222	2700	—	868	62	18			
II. Parasitic diseases	782	121	80	66	102	26	8	—	—	—	—	42	6	—	—	—	—	123	7	40	8	11	34	109	—	—	52	4	1					
III. Dietetic diseases	71	1	1	—	18	6	1	—	—	—	—	—	1	3	—	—	—	3	—	—	—	33	3	1	—	1	41	25						
IV. Constitutional diseases	1544	275	73	114	107	26	25	76	7	1	8	198	101	58	82	9	177	18	30	35	48	60	71	3	11	1182	217	—	120	5	6			
V. Developmental diseases	614	150	8	23	32	5	18	26	—	—	—	62	23	9	1	5	3	3	6	—	78	28	34	1	4	332	133	—	38	4	2			
VI. Local diseases	4815	577	195	210	449	125	173	617	46	15	16	344	149	73	204	44	618	102	122	181	273	176	206	10	39	3113	1250	—	383	13	7			
VII. Violence	432	66	16	32	57	16	19	23	2	1	2	33	27	12	8	1	33	3	6	7	19	32	29	2	1	314	93	—	21	1	—			
VIII. Ill-defined and not specified causes	1525	192	17	42	178	60	174	48	6	9	15	70	67	65	72	8	110	31	11	65	84	146	66	1	5	900	483	—	121	10	5			
I.																																		
1 Miasmatic diseases	6424	490	305	196	231	154	70	919	66	48	66	334	308	473	460	71	799	165	203	348	279	219	220	8	15	4115	1664	—	580	34	8			
2 Diarrhoeal do.	6133	485	198	272	671	217	218	72	29	3	11	658	385	168	88	14	401	36	80	150	480	275	222	7	16	3972	875	—	243	12	8			
3 Malarial do.	225	146	4	—	20	—	—	—	—	—	—	1	4	1	—	—	—	14	1	2	3	9	2	15	1	3	96	87	—	32	4	2		
4 Zoogenous do.	16	2	2	—	—	—	—	—	—	—	—	3	1	—	—	—	—	1	2	1	—	—	—	—	—	—	11	5	—	—	—	—		
5 Venereal do.	15	9	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	10	4	—	—	—	—		
6 Septic do.	98	7	3	1	—	—	1	2	37	5	6	2	—	1	4	9	18	2	—	4	—	—	—	—	1	1	18	65	—	13	1	—		
II.																																		
Parasitic diseases	782	121	80	66	102	25	8	—	—	—	—	42	6	—	—	—	—	123	7	40	8	11	34	109	—	—	618	107	—	52	4	1		
III.																																		
Dietetic diseases	71	1	1	—	18	6	1	—	—	—	—	—	1	3	—	—	—	3	—	—	—	33	3	1	—	1	.41	25	—	4	—	—		
IV.																																		
Constitutional diseases	1544	275	73	114	107	26	25	76	7	1	8	198	101	58	32	9	177	18	30	35	48	60	71	3	11	1182	217	—	120	5	6			
V.																																		
Developmental diseases	514	150	6	26	32	6	18	26	—	—	—	62	23	9	1	5	3	3	6	—	78	28	34	1	4	332	133	—	38	4	2			
VI.																																		
Diseases of—																																		
1 Nervous system	1761	254	54	145	63	18	33	167	20	4	2	251	92	43	14	22	142	57	57	33	158	83	54	4	16	1208	397	—	127	7	2			
2 Organs of special sense	8	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	6	2	—	—	3	—	1		
3 Circulatory system	84	22	5	5	8	2	7	1	—	—	—	12	5	—	1	—	—	3	—	1	3	4	3	2	1	4	52	23	—	3	—	1		
4 Respiratory do.	718	189	27	4	117	18	90	113	12	6	11	11	11	1	41	9	19	6	8	7	43	7	23	2	11	286	361	—	55	1	2			
5 Digestive do.	238	38	11	9	27	7	18	29	3	2	1	19	13	7	16	1	10	4	5	2	4	8	10	1	6	118	90	—	20	3	—			
6 Lymphatic system and Ductless Glands	3	2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	—		
7 Urinary system	23	9	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
8 Reproductive system : (a) Organs of Generation	12	2	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	9	1	—	—	1	—	—		
(b) Parturition	474	40	12	19	48	14	13	6	1	—	—	26	9	11	8	4	104	11	29	34	42	12	31	1	—	377	63	—	31	1	—	1		

Table XII.—Causes of Deaths, &amp;c.—continued.

CAUSES OF DEATH.	CEYLON.	WESTERN PROVINCE.		CENTRAL PROVINCE.		NORTHERN PROVINCE.		SOUTHERN PROVINCE.		EASTERN PROVINCE.		NORTH-WESTERN PROVINCE.		NORTH-CENT. PROV.		UVA PROV.		SABARAGAMUWA PROV.		DEATHS AMONG ALL RACES.									
		Colombo.	Negombo.	Kalutara.	Matale.	Mihintale.	Vavuniya.	Galle.	Mattala.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Anuradhapura.	Pudukkotai.	Bedulla.	Ratnapura.	Kigalla.	Europeans.	Sinhalese.	Tamil.	Immigrants.	Moors.	Malays.	Others.				
Organs of Locomotion Integumentary system	3	1	—	—	25	181	70	—	16	201	10	—	—	—	—	—	17	62	83	—	305	—	—	145	—	—			
VII.	1491	69	84	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
Accident or Negligence	370	42	9	27	44	13	19	22	2	29	2	26	8	31	1	24	27	98	17	32	267	83	17	4	—	—			
Homicide	29	7	2	2	4	2	—	—	—	2	1	3	1	1	1	1	1	—	—	—	25	4	—	—	—	—			
Suicide	21	3	3	3	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16	4	2	—	—	—			
Execution	12	3	1	—	7	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6	2	—	—	—	5			
VIII.	1625	192	17	42	178	50	174	48	5	9	15	70	67	65	72	8	110	31	11	65	84	146	66	1	5	1039	305		
* Ill-defined and not specified causes	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...	...		
<i>Miasmatic Diseases.</i>																													
Smallpox	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1		
Chickenpox	11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Measles	69	17	7	2	3	2	—	—	6	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Whooping Cough	22	4	3	4	2	1	—	—	7	1	—	17	7	2	1	—	—	—	—	—	—	—	—	—	—	—	—		
Mumps	3	—	—	—	—	—	—	—	—	—	—	3	—	—	5	—	—	—	—	—	—	—	—	—	—	—	—		
Diphtheria	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
Simple ill-defined fever	5482	346	194	134	188	188	39	918	66	47	66	226	221	434	453	71	758	155	167	338	187	141	195	4	1	3321	1581		
Enteric Fever	803	119	101	56	36	16	7	—	—	—	83	77	34	1	—	—	40	8	33	6	89	76	21	3	11	583	28		
Influenza	26	3	—	—	—	—	—	—	11	—	—	4	2	—	3	—	—	—	—	2	2	1	1	1	1	7	33		
Other Miasmatic	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
<i>Diarrhoeal Diseases.</i>																													
Cholera	118	10	7	9	8	3	—	—	10	—	—	4	1	—	—	—	36	2	2	8	15	149	3	9	97	16			
Diarrhoea	3465	192	90	209	507	185	128	44	9	2	8	501	288	120	63	7	310	27	26	119	285	202	9	7	2831	474			
Dysentery	1560	283	101	60	156	29	90	28	10	1	3	153	96	48	25	7	55	9	49	29	187	73	58	4	7	1044	385		
<i>Malarial Diseases.</i>																													
Remittent Fever	100	87	—	—	—	1	—	—	—	—	—	—	—	—	—	—	5	—	—	1	—	47	9	26	20	—	2		
Ague	15	—	—	—	—	—	—	—	1	—	—	1	4	—	1	—	—	—	—	5	—	—	5	—	1	—	4		
Malarial Cachexia	107	59	4	—	18	—	—	—	—	—	—	—	—	—	—	—	8	—	—	2	—	—	39	55	10	1	—	2	
Malarial fever	3	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1	—	—	—	
<i>Zoogenous Diseases.</i>																													
Hydrophobia	13	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—	—	—	10	3	—	—	—
Cowpox and other effects of vaccination	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	1	2	—	—	—

<b>Venereal Diseases.</b>																					
Syphilis	14	8	—	—	—	—	—	1	—	—	—	—	—	—	—	—	2	—	1	—	
Gonorrhœa, Stricture of Urethra	...	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	4	—	
<b>Septic Diseases.</b>																				1	
Phagedena	1	—	1	—	—	—	—	1	6	—	—	—	—	—	—	—	—	1	—	—	
Erysipelas	10	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	2	7	—	
Pyæmia, Septicæmia	3	1	—	—	—	—	—	—	31	6	6	2	—	1	—	—	—	2	1	—	
Puerperal Fever	84	6	2	1	—	1	—	—	—	—	—	—	—	—	—	—	—	13	57	—	
<b>Parasitic Diseases.</b>																				1	
Thrush	148	6	11	—	37	—	4	—	—	—	1	—	—	—	32	3	12	—	138	5	
Worms (animal)	551	111	69	60	40	24	3	—	—	—	41	6	—	—	91	4	28	7	473	26	
Dochmias Duodenalis (Anchylostomiasis)	83	4	—	6	23	1	1	—	—	—	—	—	—	—	—	—	—	6	22	40	
<b>Dietetic Diseases.</b>																				1	
Starvation, Want of Breast Milk	69	1	—	—	18	6	1	—	—	—	—	—	—	—	3	—	3	—	33	3	
Intemperance :																		1	—	—	
Chronic Alcoholism	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Delirium Tremens...	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
<b>Constitutional Diseases.</b>																				1	
Rheumatism	133	18	5	11	15	2	3	3	—	—	19	8	7	3	—	19	—	1	113	10	
Rickets	37	2	—	—	—	—	1	2	—	—	16	7	7	2	—	—	—	25	5	—	
Cancer	55	12	—	2	3	1	1	8	—	—	2	4	—	3	4	—	—	31	18	—	
Tabes Mesenterica	2	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2	—	
Tubercular Meningitis	● (hydrocephalus) ...	3	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1	2	—	
Meningitis	618	147	22	46	55	16	12	18	2	—	1	74	27	17	4	—	68	7	8	9	
Other forms of Tuberculosis, Scrofula ...	110	5	6	1	3	—	1	7	4	—	1	3	1	—	4	2	41	5	6	14	
Anæmia, Chlorosis, Leucocythaemia ...	498	72	35	51	25	3	7	30	—	—	3	78	56	23	11	3	26	—	12	6	
Diabetes Mellitus	24	8	—	2	—	—	—	7	1	—	—	1	1	—	—	—	1	3	—	16	
Leprosy	15	8	1	—	2	—	—	1	—	—	1	—	—	1	—	—	—	—	9	4	
Elephantiasis	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Parangi	48	—	4	—	3	4	—	—	—	—	1	2	1	2	3	22	—	2	—	1	
<b>Developmental Diseases.</b>																				1	
Premature Birth	125	28	—	—	3	—	4	—	—	—	2	2	—	—	2	—	5	—	69	4	
Atelectasis	...	6	6	—	—	—	—	—	—	—	60	21	9	1	3	3	3	—	—	1	
Old Age	383	116	6	25	29	5	14	26	—	—	—	—	—	—	—	—	9	22	30	1	
<b>Nervous System.</b>																				1	
Inflammation of Brain or its Membranes ...	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Softening of Brain	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	
Apoplexy	25	4	1	—	2	—	2	5	—	—	1	—	1	—	—	13	—	1	6	11	
Paralysis	73	23	3	16	3	—	1	—	—	—	10	2	4	—	2	—	1	2	1	7	
Epilepsy	17	4	1	1	1	—	1	2	4	—	—	1	1	—	5	1	1	—	53	9	
Convulsions	38	4	—	—	6	1	2	4	—	—	9	—	1	2	1	1	1	—	13	2	
Infantile Convulsions	1502	173	48	125	38	10	27	152	19	4	2	221	89	36	11	21	129	41	53	29	146
																	3	—	82	46	
																	9	—	1062	325	
																	98	6	—	98	

Table XII.—Causes of Deaths, &c.—continued.



Table XII.—Causes of Deaths, &amp;c.—continued.

CAUSES OF DEATH.	CEYLON.	WESTERN PROVINCE.				CENTRAL PROVINCE.			NORTHERN PROVINCE.			SOUTHERN PROVINCE.			EASTERN PROVINCE.		NORTH-WESTERN PROVINCE.		NORTH CENT. PROV.		UVA PROV.		SABARAGAMUWA PROV.		DEATHS AMONG ALL RACES.					
		Colombo.	Kandy.	Matale.	Nuwara Eliya.	Jaffna.	Mannar.	Mullaitivu.	Vavuniya.	Matale.	Galle.	Hambantota.	Batticaloa.	Trincomalee.	Kurunegala.	Puttalam.	Chilaw.	Anuradhapura	Badulla.	Ratnapura.	Kegalla.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.		
Diseases of Organs of Locomotion.	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Caries Necrosis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other and undefined diseases of Organs of Locomotion	66	—	8	4	8	1	1	4	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Diseases of Integumentary System.	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Carbuncle	7	—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Phlegmon, Cellulitis	2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Ulcer, Bed sore	66	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gangrene	6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Other and undefined diseases of Integumentary System	1410	60	80	17	180	69	16	188	5	3	1	18	12	7	123	8	331	23	25	91	14	61	78	1	986	280	142	1	1	
Accident or Negligence.	163	24	5	18	16	6	11	2	1	1	1	10	16	4	1	1	12	5	3	4	8	4	15	1	137	20	5	1	1	
Fractures, Contusions	17	2	—	—	—	2	—	—	—	—	—	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Gun-shot Wounds	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Cut, Stab	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Burn, Scald	33	—	2	—	—	12	—	6	—	—	—	2	1	—	—	—	3	—	1	—	4	2	1	—	15	2	17	1	1	
Poison	9	2	—	2	—	1	—	1	15	—	—	3	1	—	—	—	5	—	1	—	8	4	1	—	8	1	1	—	—	
Drowning	61	3	—	—	5	4	1	1	16	—	—	6	4	—	—	—	2	1	1	—	2	4	1	—	28	29	3	—	—	
Suffocation	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Otherwise	.57	9	1	3	7	1	1	4	1	1	1	5	3	2	1	1	3	2	1	1	2	3	1	—	40	23	9	5	—	
Snake-bite	29	2	1	1	2	3	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	
Homicide.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Murder, Manslaughter	29	7	2	2	4	2	—	—	—	—	—	2	1	3	1	1	1	1	1	1	1	1	1	1	25	4	1	1	1	
Suicide.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Gun-shot wounds	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	2	—	—	
Cut, Stab	1	—	—	3	—	2	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3	2	—	—	—	
Hanging	14	1	—	3	—	3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Otherwise	5	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Execution.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Hanging	12	3	1	—	7	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	6	2	—	4	—	
Ill-defined and not specified Causes.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
General Dropy	546	57	7	20	59	11	29	39	5	1	1	18	24	62	5	59	13	5	41	24	49	124	19	1	334	157	—	49	3	2
Debility	722	105	4	4	92	33	116	8	7	10	8	11	36	8	3	45	15	5	20	44	49	124	19	3	369	281	60	6	3	3
Sudden deaths (causes unascertained)	2	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	1	—	—	—	
Other ill-defined and not specified Causes	252	28	6	17	26	6	28	1	—	—	—	—	44	32	18	2	—	6	3	1	4	11	—	10	8	1	1	193	44	—
Tumor	2	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Haemorrhage	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	