Government

PART I.

No. 5,324-FRIDAY, NOVEMBER 30, 1894.

REPORT ON THE HEALTH OF THE TOWN OF COLOMBO DURING THE THIRD QUARTER OF 1894.

THE health of the town of Colombo during the quarter has been less satisfactory than in the corresponding period of Measles, enteric fever, diarrhoeal diseases, phthisis, and bronchial affections—causes which specially affect the health of town populations—were specially fatal.

health of town populations—were specially fatal.

The total number of births registered during the quarter was 710, representing an annual rate of 22.0 per 1,000.

The deaths registered numbered 1,123 and corresponded to an annual rate of 34.9 per 1,000, a rate which with the exception of that for the second quarter of last year (38.9) is the highest on record.

The rate of infant mortality measured by the proportion of deaths under one year to a thousand births was equal to 389, a lower rate than in the corresponding quarter of last year (40.3)

As usual the death-rate exceeded the birth-rate, which is due mainly to the preponderance of males over females (chiefly among the Europeans, the Indian Tamils and Mohammedans), and to the presence of hospitals and jails which add to the normal mortality of the town. The death-rate this quarter was 60 per cent. in excess of the birth-rate.

The subjoined table gives the births and death and the rates of each nationality living in the Colombo Municipality in the third quarter of this year and of 1893 for the immediately preceding two quarters and the average of the corresponding

in the third quarter of this year, and of 1893 for the immediately preceding two quarters, and the average of the corresponding period in the six years 1887-92.

TABLE A.

Nationality.			Φ	Births. Deaths. Birth-rate per Mille per Annum.							Ţ.	Death-rate per Mille per Annum.											
			Population at the Census of 1891.	Average of the Third Quarters, 1887-92.	Third Quarter, 1893.	First Quarter, 1894.	Second Quarter, 1894.	Third Quarter, 1894,	Average of the Third Quarters, 1887-92	Third Quarter, 1893.	First Quarter, 1894.	Second Quarter, 1894.	Third Quarter, 1894.	Average of the Third	Third Quarter, 1893.	First Quarter, 1894.	Second Quarter, 1894.	Third Quarter, 1894.	Average of the Third Quarters 1887-92	Third Quarter, 1893.	First Quarter, 1894.	Second Quarter, 1894.	Third Quarter, 1894.
	ALL RACES		127,836	498	671	733	771	710	656	1061	1099	1110	1123	3 15.7	7 _. 20-8	23.2	24.2	22.0	20.7	32.9	34.9	34.8	34.9
Europeans tary	, including M	ili-	2,239	9	18	8	22	11	11	13	13	19	13	15.4	31.9	14.5	39.4	19.5	19.8	23.0	23.5	34·1	23.0
Burghers		•••	10,674	3 8	31	35	35	48	26	68	69	74	J	1	11.5	1	ı	}		l .	ļ	Į	1
Sinhalese	•	•••	59,962	198	234	244	262	237	247	473	502	482	516	13.5	15.5	16.5	17·5	15.7	16.9	31.3	33.9	32.2	34·1
Tamils			24,372	3 0	35	40	26	21	100	234	242	251	269	4.9	5.7	6.6	4.3	3∙4	16.1	38·1	40.3	41.3	44.1
Moors			24,428	202	306	361	379	367	231	202	214	220	203	32.9	49.7	59.9	62.2	59-6	37.7	32.8	35.5	36.1	33 ·0
Malays			3,437	14	32	33	39	20	26	42	38	37	24	17.1	36.9	38.9	45.5	23.1	30.4	4 8·5	44.8	43.2	27· 7
Others	•	•••	2,724	7	15	12	8	6	15	29	21	27	22	10.6	21.8	17-9	11.8	8.8	23 ·9	42.2	31.0	39:7	32·1

The birth and the death rates given in the above table for the Europeans, Malays, and the races classed together under the term "Others" are not accurate and are liable to constant fluctuation, owing chiefly to their population being too small for purposes of rate-calculation. Excluding the rates for these sections of the population, the lowest death-rate in the town was among the Burghers (28·2), who show an increase of 3 per 1,000 on their rate for the third quarter of last year (25·3).

The great difference in the Burgher death-rate between this year (28·2) and the last, and the period 1887-92 (9·8), is to be accounted for by imperfect registration under the old system which ceased with 1892.

(1)

ADD Rome

The Sinhalese show the next lowest death-rate (34·1), with the same increase as the Burghers (3 per 1,000) on their rate for the third quarter of last year (31·3), and then come the Moors with a rate of 33·0 (almost the same proportion as in the third quarter of last year, but less by about 5 per 1,000 than the period 1887-92, indicative of evasion of the new law) followed by the Tamils (whose death-rate is the highest in the town) with 44·1, which is an increase of 6 per 1,000 on the rate for the third quarter of 1893 (38·1). The high Tamil death-rate is probably due chiefly to the deaths among the Indian coolies who flock to this port.

The number of births and deaths of the different races in the different wards in the town, their rates per 1,000, the principal appropriate causes of death &c. are shown in the following table:—

principal zymotic causes of death, &c., are shown in the following table :--

	161	Births.							Deaths.																							
	Total Births.			C	Class.				Total Deaths.			Class.						Causes of Death.									Anı rate t Per	nual o 1000 sons ing.	under			
Name of Ward.	Population at Cer	Persons.	Males.	Females.	Europeans.	Sighalese.	Tamils.	Moors.	Malays.	Others.	Persons.	Males.	Females.	Europeans.	Burghers.	Sighalese.	Tamils.	Moors.	Malays. Others	Cholera.	Smallpox.	Measles.	Fevers.	tom	Diarrhœa and	•	_	Suicide.	Execution.	Births.	Deaths,	Deaths of Children I year.
Colombo Town	12783	6 710	371	339	11	8 23	7 21	367	20	6	1123	622	501	13	76	516	269	203	24 2	2 —	-	8	195	3	26	1 29		1	. ,	i		276
Fort and Galle Face Pettah St. Sebastian St. Paul's Kotahena New Bazaar Maradana	. 254 . 796 . 794 . 1632	$ \begin{array}{cccc} 1 & 3 \\ 3 & 3 \\ 2 & 7 \\ 5 & 16 \end{array} $	9 2 0 3 5 8	7, 33 4, 81		1 7 6 3 10 2	8	1 25 6 50 9 4 7	0 —		8 31 70 106 228 117	58 109	119		$\begin{array}{c} -7 \\ 2 \\ 6 \\ 6 \\ 15 \end{array}$	139	47 52	27 29	1	1 5		332	61		1; 56 3;	0, 1			- - -	15·6 15·4 35·0 25·8 32·4 32·0	3·5 19·5 17·0 23·4	22 35 63
Hospitals& Jails Exclusive of above Slave Island	235 136 134	22 7	73 3	3 10 38 3 13 2	5 3	7	5	$egin{array}{c c} 1 & 11 \\ 2 & 4 \\ 2 & 2 \end{array}$	5 12 7 7 5 1	7 2			8 81 8 43	- 1	19	22	29	47	3 14	2 - 6 - 7 -			5 24 27 10	 	56 56 12 26	3 –	_	1 - -		26.5	38·9 21·3 10·1	27

Measles accounted for 8 deaths (against 3 in the corresponding quarter of last year), whooping cough to 1 (against 2 in the corresponding quarter of last year), and influenza to 2 (against 4 in the corresponding quarter of last year).

Dysentery and diarrheea were fatal to 261 (263 in the corresponding quarter of last year), infantile convulsions to 126 (111 in the corresponding quarter of last year), enteric fever to 45 (8 in the corresponding quarter of last year), phthis to 97 (90 in the corresponding quarter of last year), bronchitis and pneumonia to 38 (26 in the corresponding quarter of last year), diseases of parturition to 19 (9 in the corresponding quarter of last year), premature birth to 1, old age to 17 (25 in the corresponding quarter of last year), debility to 74 (59 in the corresponding quarter of last year), and anchylostomiasis to 3 (4 in the corresponding quarter of last year).

There were 29 accidental deaths this quarter, of which 2 (Sinhalese) were attributed to fall from trees, 2 (of which 1 a European) to drowning 8 to injury at birth 2 to gunshot wounds 2 to burns and scalds 1 to poison, 1 (a Burgher) to

European) to drowning, 8 to injury at birth, 2 to gunshot wounds, 2 to burns and scalds, 1 to poison, 1 (a Burgher) to sunstroke, 1 to being run over by a cart, and 10 to other causes. One death resulted from suicide.

Two men were judicially executed this quarter.

Registrar-General's Office, Colombo, November 22, 1894.

P. ARUNÁCHALAM, Acting Registrar-General. ses of Deaths registered in the Town of Colombo during the Third Quarter of 1894.

	WARDS.												DEATES AMONG ALL RACES.							
CAUSES OF DEATH.	Colombo Town.	Fort and Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana (Hospitals and Jails).	Maradana (exclusive of above).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Siphalese.	Tamils.	Moors.	Malays.	Others,		
ALL ('AUSES	1123		31		! 	228	117	200	199	91	73	13	76	516	269	203	24	2.		
I.—Specific, Febrine, or Zymotic Diseases II.—Parasitic Diseases IV.—Constitutional Diseases V.—Developmental Diseases VI.—Local Diseases VII.—Violence VIII.—Ill-defined and not specifications	123 20 313 32		16 1 5 -9 -1	22 2 - 9 3 24 7	26	116 9 22 22 6 64 1	49 13 10 4 35 2	82 3 -31 31 15	63	40 4 -11 -28 -	30 - - 9 - 25 - 8	4 - - 2 - 5 2	33 - 1 - 25 4	201 32 68 157 10 37	147 6 1 16 3 57	91 1, 3 22 5 52 6	14 - - 7	10		
Miasmatic Diseases Diarrhœal do Malarial do Zongenous d Venereal co II.—Parasitic Diseases III.—Dieteric Diseases IV —Constitutional Diseases V.—Developmental Diseases	261 27 6 52 4	- - - - -	6 7 - 1 - 1 1 5	15 6 1 — — — 2 — 9 3	19 - - 1 - 8 - 7	65 50 - 1 - 1 - 9 22 22 6	16 32 1 - - 13 10 4	3!	11 2 11 11 11 11 11 11 11 11 11 11 11 11	27 13 - - - 4 - 11	7 20 3 - - - - - 9	2 2 - - - - - - - - - - - - -	7 25 — — — — — — — — — — — — — — — — — —	67 125 4 11 32 	$\frac{61}{63}$ $\frac{20}{2}$	51 37 3 - 11,	7	3 2		
V1. Diseases of Nervous System Do. Circulatory System Do. Respiratory System Do. Digestive System Do. Urinary System	4 2 28	<u> </u>	- 2 - 2 	-	: — 5:	3	2	30	5 4	1			12 3 6	97 6 16 14 3	1 7 4	26.	- - - -			
Do. Reproductive System:— (a) Organs of Generation (b) Parturition Do. Integumentary System	. 13	•	 i	- 	 - 	1 4 3		ì	- 8 9	; 	=	_ _ _	1 2 1			 6 4				
VII. Accident or Negligence Suicide	29	4 - -		- -	_1	- -	_ _ _	1 2	- -	_ _ _	<u>-</u>	2, - -	- 1 	. 8	10		_			
VIII. Ill-defined and not specified causes	. 84	-	1	3	10	8	3	29	14	8	8	-	2	37	29	13	2	1		
Miasmatic Diseases. Measles Whooping Gough Simple and ill-defined Fever Enteric Fever Influenza	. 142 . 46		- 5 1	_ _ _ _ _ _		1	- 12 -	- - - 4	- 12 11 1		- 3 - 4	_ _ _ _	-1 -6 -	3 1 38 25	-2 50 7	-2 40 9				
Dysenter,	مدحا		6	- 3			19 +3		- 35 23	- 7 6	1 9	-	11 14	71 54	36 27		2 5	_ _2		
Mularial Diseases. Remittent Fever Ague Malarial Cachexia	1			=	- -	-	_ _ _	1 19	-	-	- 3 -			4	15			-		
Zongenous Diseases. Hydropholia. Cowpox and other effects of Vaccinatio	—	_	-	=	-	_	_	-	-1	-	-	- :	-	1	- -	- :	-			
Venereal Diseases. Syphilis		_ - -		· —	_	1	-	2 1	-2		=		1	1 2	1		(2)			

Causes of Deaths, &c.—continued.

Causes of Deaths, w.c.—continued.																				
		WARDS.											DEATHS AMONG ALL RACES.							
CAUSES OF DEA	ATH.	Total.	Fort and Galle	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana (Hospitals and Jalis).	Maradana (exclu-	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sinhalese.	Tamils.	Moors.	Malays.	Others.	
Septic Disease Puerperal Fever			2 _	_		1									1	1			_	
Thrush Worms (animal) Dochmius Duodena is		4		- -	1 1 —	3 5 —		2 11 —	_ 	9 —	— -	- 1 -	i I :	_	4 25 3	6 	3 8 -		1 2 —	
Dietetie Diseu Starvation, want o. Breast & Chronic Alcoholism & Delirium Tremens	milk .			_ _ _		; — —	_ _			_		111		- - -	_	- -	3 — —			
Constitutional Dis Rheumatism Rickets Cancer Tabes Mesenteria Tubercular Meninitis (the Phthisis Other forms of Theorem 1000	•	98			_ _ _ _ _	- - - - - - - - - - -	1 - - - 19	8	- 3 - 1 24 1		- - - - 9	_ _ _ _ 9			2 -3 - 55 2		1 - - 15			
Anæmia, Chlorosis Leucod Diabetes Mellitus Leprosy Developmental Di	ythæmia .	1	ı] —	 			_				_ _1 _	_	-	_	2	_2	$-\frac{4}{2}$	_		
Premature Birth Atelectasis Other Congenital Defects Old Age Nervous System		17	—		_ _ _ 3		 		_ 			_	-		1 8	 	 	_	_ _ 1	
Softening of Brain Apoplexy Paralysis Epilepsy Infantile Convulsions Tetanus Mania		18 18 126 126	 - - -	- - 2 - 1 2	12	- - 16	- 3 1 41 3	2 3 18 2	-4 -1	12 12 14	- - 1 - 18 - 2	1 1 - 7 5		- 3 - 6 2 1	10 10 164 15	- 4 - 31 3	- 1 - 18 6 -	, 		
Other and undefined disease Nervous System Circulatory System Varicose veins Other and undefined disease or Circulatory System	; m.	4 t	- -		-	-	1 2	_	-	3 1]	- 2	-	_ _ 3	2 4	- -	1 3	- - -	_ _ 1	
Respiratory Syst Bronchitis Asthma Pneumonia Other and undefined disease tory System	em. 	. 17 7 16	-	_1 _1 _	7 1 -	3 1	_2 _3 _	3 1 -	-1 -8 1	- 2 2		- - - -		_3 _3	-6 -9	2 4 1	5 3 3	-	_i 	
Digestive System Qui sv Dyspepsin Hæmatemesis Diseases of Stomach Enteritis Lutessusception of Intestine Hernia Ascites Cirrhosis of Liver Other diseases of Liver Other and undefined incestive System		1 3 1 2 1 6 3							6	2			- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1							

#1 John 1 12

Causes of Deaths, &c .- continued.

		- 0	a use	5 01 .	Dea u	48, 6		·coni	mue	<i>a</i> .								
						WA	RDS.					-	DEAT	rhs A	LMON	G A	ı.R	CES.
CAUSES OF DEATH.	Total.	Fortand Galle Face.	Pettah.	St. Sebastian.	St. Paul's.	Kotahena.	New Bazaar.	Maradana (Hospitals and Jails),	Maradana (exclusive of above).	Slave Island.	Kollupitiya.	Europeans.	Burghers.	Sighalese.	Tamils.	Moors	Malaya	Others.
Diseases of Urinary System. Nephritis Bright's disease Disease of Bladder	1 -	 -	 - -	_	 - -	-	<u>-</u>			=	- 1 -	_ 	-:. 	1				<u> </u>
Diseases of Organs of Generation. Diseases of Testes, Penis, Scrotum, &c	. 1	_	<u> </u>	-		3	_		_	_	-	_	5 40 %					
Diseases of Parturition. Abortion, Miscarriage Puerperal Convulsions Other and undefined accidents of Childbirth		_ _ _	_ _ _ 1	_, _	 - - -	4	— ₂	=			- -	_		- 3 6	- 1,	- 2 - 3// 4		
Diseases of Organs of Locomotion. Caries, Necrosis	_	_		<u>-</u>				_	_	_	_	_			_	——, , , , , , , , , , , , , , , , , , ,	60,121 (41,9 , 0 (41,9 , 0	
Diseases of Integumentary System. Carbuncle Ulcer, Bed sore Other and undefined diseases of Integumentary System	5	 	- ₁	<u>-</u>	<u>-</u>		=	_ ₂	_ _ _ 9	_ - 		_ _ _		4	_	- 1 - 3	: ** *** *** ***	
Accident or Negligence. Fractures, Contusions Gun-shot wounds Burn, Scald Poison Drowning Otherwise	12 2 2 1 2 10	- - - - 2		- - - 7			_ _ _ _ _ _	8 2 1 1 -	- - - - -			- - - -		1 1 - -	3 1 - 1 5	2 - 1 - 3		
Suicide. Poison Execution.	,	-	-	-	-	$ \Big $	-	1	-	-	- -	- -	-1 -	<u> </u>	-	-	ক্ষর ক্ষর	
Hanging Ill-defined and not Specified Causes. General Dropsy Debility Other ill-defined and not specified causes	7 74 3	- - -]		10	-2 5 1	1 2 -	2 1 28	2 12	- - 8 -	2 - 6 -	_ -		. 1	28		2-4	1

PRINTED AT THE GOVERNMENT PRESS
COLOMBO