



UNESCO : Man and the Biosphere


National Committee for Sri Lanka

Publication No: 13

A CHECK - LIST OF LAND SNAILS OF SRI LANKA

by Ranjini Ratnapala & K. D. Arudpragasam

Published by the Natural Resources, Energy & Science Authority of Sri Lanka.
47/5, Maitland Place,
Colombo 7.



UNESCO: Man and the Biosphere

National Committee for Sri Lanka

Publication No: 13

A CHECK - LIST OF LAND SNAILS OF SRI LANKA

by Ranjini Ratnapala & K. D. Arudpragasam

Published by the Natural Resources, Energy & Science Authority of Sri Lanka.
47/5, Maitland Place,
Colombo 7.

Editor: Mrs. and the Director
Editorial Committee for M.B.B.
Publication for M.B.B.



A CHECK - LIST OF LAND OWNERS OF SRI LANKA
Part of the Report of the Commission

Published by the Director General of Land Services, Sri Lanka
100, Market Street
Colombo 3.

A Check-list of Land Snails of Sri Lanka

By

RANJINI RATNAPALA & K. D. ARUDPRAGASAM

INTRODUCTION

There is no published check list of the land snails of Sri Lanka. They have been described along with the terrestrial snails of India, Burma, Nepal etc. in three volumes on Mollusca which form part of the Fauna of British India Series. These three volumes still remain our standard source of reference on terrestrial gastropods. They record 12 families, 38 genera and 241 species including 23 varieties, from Sri Lanka. Subsequent to the publication of these volumes our land snails have received very little attention and recent publications on them have been extremely scarce.

The present check list puts together, for the first time the families, genera and species of land snails occurring in Sri Lanka. The classification of snails followed in Fauna of British India has undergone considerable change with the alteration of many family and generic names. Therefore they have been re-arranged according to the schemes of classification of Pulmonata and Prosobranchia by Zilch (1960) and Wenz (1944) respectively. The check list includes 23 families, 54 genera and 266 species and 22 varieties of land snails.

Sri Lanka is the only recorded locality of the species and genera of land snails marked with an asterisk in this check list.

LIST OF GENERA

- | | |
|------------------|-------------------|
| 1. Streptaxis | 28. Oligospira |
| 2. Ptychotrema | 29. Planispira |
| 3. Cryptozona | 30. Beddomea |
| 4. Hemiplecta | 31. Bradybaena |
| 5. Ravana | 32. Plectotropis |
| 6. Euplecta | 33. Clausilia |
| 7. Ratnadvipia | 34. Achatina |
| 8. Mariaella | 35. Subulina |
| 9. Satiella | 36. Opeas |
| 10. Sitala | 37. Zootecus |
| 11. Macrochlamys | 38. Glessula |
| 12. Microcystina | 39. Digoniaxis |
| 13. Kaliella | 40. Succinea |
| 14. Eurychlamys | 41. Vaginulus |
| 15. Trochomorpha | 42. Leptopoma |
| 16. Thysanota | 43. Japonia |
| 17. Philalanka | 44. Leptopomoides |
| 18. Ruthvenia | 45. Micraulax |
| 19. Corilla | 46. Scabrina |
| 20. Papisoma | 47. Theobaldius |
| 21. Pyramidula | 48. Cyclophorus |
| 22. Ena | 49. Aulopoma |
| 23. Rachis | 50. Pterocyclus |
| 24. Pupoides | 51. Cyathopoma |
| 25. Pupilla | 52. Tortulosa |
| 26. Gastrocopta | 53. Nicida |
| 27. Acavus | 54. Tuncatella |

A CHECK LIST OF THE LAND SNAILS OF SRI LANKA

PHYLUM	—	MOLLUSCA		
CLASS	—	GASTROPODA		
SUBCLASS	—	PULMONATA		
ORDER	—	STYLOMMATOPHORA		
SERIES	—	STREPTAXACEA		
FAMILY	—	STREPTAXIDAE		
SUBFAMILY	—	STREPTAXINAE		
Genus	—	STREPTAXIS Gray, 1837		
		<i>*S. layardinaus</i> Benson	..	3 : 5
		<i>*S. peroteti</i> Petit	..	3 : 10
		<i>*S. cingalensis</i> Benson	..	3 : 12
		<i>*S. gracilis</i> Collett	..	3 : 13
		<i>*S. ravanae</i> Blanford	..	3 : 13
SUBFAMILY	—	ENNEINAE		
Genus	—	PTYCHOTREMA (Morch) I. Pfeiffer, 1853		
Subgenus	—	Ennea H & A Adams, 1855		
		<i>P. (Ennea) bicolor</i> Hutton	..	3 : 19
		<i>P. (Ennea) planguncula</i> Benson	..	3 : 23
SERIES	—	ARIOPHANTACEA		
FAMILY	—	ARIOPHANTIDAE		
SUBFAMILY	—	ARIOPHANTINAE		
Genus	—	CRYPTOZONA Morch, 1872		
Subgenus	—	Nilgiria Godwin—Austen, 1888		
		<i>C (Nilgiria) semirugata</i> Beck	..	3 : 35
		<i>*C (Nilgiria) novella</i> Pfeiffer	..	3 : 37
		<i>*C (Nilgiria) ceraria</i> Benson	..	3 : 37
Subgenus	—	Xestina Pfeiffer, 1878		
		<i>C (Xestina) bistrialis</i> Beck	..	3 : 39
		<i>*C (Xestina) ceylanica</i> Blanford	..	3 : 39
		<i>*C (Xestina) taprobanensis</i> Blanford	..	3 : 39
		<i>*C (Xestina) cyix</i> Blanford	..	3 : 39
Genus	—	HEMIPLECTA Albers, 1850	..	3 : 39
		<i>*H. chenui</i> Pfeiffer	..	3 : 44
		<i>*H. juliana</i> Gray	..	3 : 44
		<i>*H. ganoma</i> Pfeiffer	..	3 : 44
Genus	—	RAVANA Godwin—Austen, 1901		
		<i>R. politissima</i> Pfeiffer	..	3 : 51
Genus	—	EUPLECTA Semper 1870		
		<i>E. subopaca</i> Pfeiffer	..	3 : 65
		<i>*E. layardi</i> Pfeiffer	..	3 : 55
		<i>E. semidecussata</i> Pfeiffer	..	3 : 57
		<i>*E. rosamonda</i> Benson	..	3 : 58
		<i>E. travencorica</i> Benson	..	3 : 58
		<i>E. praeminens</i> Blanford	..	3 : 59
		<i>E. indica</i> Pfeiffer	..	3 : 60
		<i>E. albizonata</i> Dohrn	..	3 : 61
		<i>*E. emiliana</i> Pfeiffer	..	3 : 61
		<i>*E. laevis</i> Blanford	..	3 : 62
		<i>*E. binoyaensis</i> Godwin - Austen	..	3 : 62
		<i>*E. verrucula</i> Pfeiffer	..	3 : 63

	* <i>E. prestoni</i> Godwin - Austen	..	3	:	64
	* <i>E. scobinoides</i> Sykes	..	3	:	64
	* <i>E. gardneri</i> Pfeiffer	..	3	:	64
	* <i>E. partita</i> Pfeiffer	..	3	:	65
	* <i>E. trimeni</i> Jousseaume	..	3	:	66
	<i>E. aceducta</i> Benson	..	3	:	67
	** <i>E. isabellina</i> Pfeiffer	..	3	:	68
	* <i>E. colletti</i> Sykes	..	3	:	68
	* <i>E. hyphasma</i> (Pfeiffer)	..	3	:	69
	* <i>E. turritella</i> (H. Adams)	..	3	:	70
	* <i>E. phidias</i> (Thorp)	..	3	:	71
	* <i>E. concavospira</i> (Pfeiffer)	..	3	:	71
Genus	— RATNADVIPIA Godwin - Austen, 1899				
	* <i>R. irridians</i> Pfeiffer	..	3	:	76
	* <i>R. edgariana</i> Benson	..	3	:	76
SUBFAMILY	— GIRASIINAE				
Genus	— MARIAELLA Gray, 1855				
	* <i>M. dussumieri</i> Gray	..	3	:	205
SUBFAMILY	— DURGELLINAE				
Genus	— SATELLA Godwin Austen, 1908				
	* <i>S. membranacea</i> Benson	..	3	:	224
Genus	— SITALA H. Adams, 1865				
	* <i>S. phyllophila</i> Benson	..	3	:	232
	* <i>S. (?) pyramidalis</i> Sykes	..	3	:	232
	* <i>S. (?) operiens</i> Sykes	..	3	:	232
SUBFAMILY	— MACROCHLAMYDINAE				
Genus	— MACROCHLAMYS, Benson, 1832				
	<i>M. indica</i> Godwin - Austen	..	3	:	95
	* <i>M. umbrina</i> Pfeiffer	..	3	:	134
	* <i>M. nepas</i> Pfeiffer	..	3	:	134
	<i>M. woodiana</i> Pfeiffer	..	3	:	135
	<i>M. vilipensa</i> Benson	..	3	:	137
	* <i>M. perfucata</i> Benson	..	3	:	138
	* <i>M. tratansensis</i> Jousseaume	..	3	:	138
	* <i>M. kandiensis</i> Godwin - Austen	..	3	:	139
Genus	— MICROCYSTINA Morch, 1872				
	* <i>M. bintemensis</i> Godwin - Austen	..	3	:	256
	* <i>M. lita</i> Sykes	..	3	:	257
SUBFAMILY	— SESARINAE				
Genus	— KALIELLA Blandford, 1863				
	<i>K. barrakporensis</i> Pfeiffer	..	3	:	258
	* <i>K. salicensis</i> Godwin - Austen	..	3	:	262
	* <i>K. colletti</i> Sykes	..	3	:	263
	* <i>K. delectabilis</i> Sykes	..	3	:	273
	* <i>K. leithiana</i> Godwin - Austen	..	3	:	273
FAMILY	— EUCONULIDAE				
SUBFAMILY	— EUCONULINAE				

Genus	— EURYCHLAMYS Godwin - Austen 1899		
	* <i>E. regulata</i> Benson	..	3 : 190
FAMILY	— TROCHOMORPHIDAE		
Genus	— TROCHOMORPHA Albers, 1850		
	* <i>T. galerus</i> Benson	..	4 : 5
	* <i>T. hyptiocyclos</i> Benson	..	4 : 5
SERIES	— ENDODONTACEA		
FAMILY	— ENDODONTIDAE		
SUBFAMILY	— ENDODONTINAE		
Genus	— THYSANOTA Albers, 1880		
	* <i>T. eumita</i> Sykes	..	4 : 12
	* <i>T. hispida</i> Sykes	..	4 : 13
	* <i>T. elegans</i> Preston	..	4 : 13
Genus	— PHILALANKA Godwin - Austen, 1898		
	* <i>P. secessa</i> Godwin - Austen,	..	4 : 19
	* <i>P. (?) liratulula</i> Pfeiffer	..	4 : 16
	* <i>P. (?) lamcabensis</i> Jousseume	..	4 : 18
	* <i>P. trifilosa</i> Pfeiffer	..	4 : 21
	* <i>(?) mononema</i> Benson	..	4 : 21
	* <i>P. thwaitesi</i> Pfeiffer	..	4 : 23
	* <i>Var. suavis</i> Jousseume	..	4 : 23
	* <i>P. depressa</i> Preston	..	4 : 24
	* <i>P. circumsculpta</i> Sykes	..	4 : 24
	* <i>P. (?) sinhila</i> Godwin - Austen	..	4 : 25
Genus	— RUTHVENIA Gude, 1911		
	* <i>R. clathratula</i> Pfeiffer	..	4 : 28
	* <i>Var. compressa</i> Sykes	..	4 : 30
	* <i>R. caliginosa</i> Sykes	..	4 : 30
	* <i>R. biciliata</i> Pfeiffer	..	4 : 31
SERIES	— POLYGYRACEA		
FAMILY	— CORILLIDAE		
Genus	— CORILLA H & A Adams, 1855		
	* <i>C. adamsi</i> Gude	..	4 : 56
	* <i>Var. hinidunensis</i> Nevill	..	4 : 57
	* <i>C. beklomeae</i> (Hanley)	..	4 : 57
	* <i>C. gudei</i> Sykes	..	4 : 60
	* <i>C. humberti</i> Brot.	..	4 : 61
	* <i>C. fryae</i> Gude	..	4 : 64
	* <i>C. carabinata</i> (Ferussac)	..	4 : 67
	* <i>C. colletti</i> Sykes	..	4 : 69
	* <i>C. erronea</i> Albers	..	4 : 66
	<i>C. erronea</i> , <i>Var. eronella</i> , Gude	..	4 : 67
	* <i>C. lesleyae</i> Barnacle	..	1 : 95
	<i>C. odontophora</i> , Benson	..	4 : 62
SERIES	— PUPILLACEA		
FAMILY	— VALLONIIDAE		
SUBFAMILY	— ACANTHINULINAE		
Genus	— PUPISOMA Stoltzka, 1873		
	* <i>P. miccyla</i> Benson	..	4 : 38
	* <i>P. longstaffae</i> Godwin Austen	..	4 : 39

FAMILY	— PYRAMIDULIDAE		
Genus	— PYRAMIDULA Fitzinger, 1833		
	* <i>P. (?) halyi</i> Jousseau	..	4 : 44
FAMILY	— ENIDAE		
SUBFAMILY	— ENINAE		
Genus	— ENA (leach) Turton, 1831)		
	* <i>E. proletaria</i> Pfeiffer	..	4 : 232
	* <i>E. stalix</i> Benson	..	4 : 233
	* <i>E. panos</i> Benson	..	4 : 234
SUBFAMILY	— CERASTUINAE		
Genus	— RACHIS Albers, 1850		
Genus	— RACHIS Albers, 1850		
	(= <i>Rachisellus</i> Bourguignat, 1889)		
	* <i>R. adumbratus</i> (Pfeiffer)	..	4 : 272
	<i>R. pulcher</i> (Gray)	..	4 : 276
	<i>R. punctatus</i> (Anton)	..	4 : 277
FAMILY	— PUPILLIDAE		
SUBFAMILY	— PUPILLINAE		
Genus	— PUPOIDES Pfeiffer, 1854		
	<i>P. coenopictus</i> Hutton	..	4 : 259
Genus	— PUPILLA Fleming 1828		
	<i>P. cinghalensis</i> Gude	..	4 : 286
	<i>P. muscerda</i> Benson	..	4 : 286
FAMILY	— CHONDRINIDAE		
SUBFAMILY	— GASTROCOPTINAE		
Genus	— GASTROCOPTA Wollaston 1878		
	(= BIFIDARIA Sterki 1891)		
	<i>G. mimula</i> Benson	..	4 : 292
SERIES	— ACAVACEA		
FAMILY	— ACAVIDAE		
SUBFAMILY	— ACAVINAE		
Genus	— ACAVUS Montfort, 1810		
	* <i>A. haemastoma</i> Linne	..	4 : 45
	*Var. <i>melanotragus</i> Born	..	4 : 46
	*Var. <i>conus</i> Pilsbry	..	4 : 47
	*Var. <i>concolor</i> Pilsbry	..	4 : 47
	* <i>A. fastosus</i> Albers	..	4 : 47
	* <i>A. prosperus</i> Albers	..	4 : 48
	* <i>A. phoenix</i> Pfeiffer	..	4 : 49
	* <i>A. superbus</i> Pfeiffer	..	4 : 50
	*Var. <i>grevillei</i> Pfeiffer	..	4 : 50
	* <i>A. roseolabiatus</i> Nevill	..	2 : 130
*Genus	— OLIGOSPIRA Ancey, 1887		
	* <i>O. waltomi</i> (Reeve)	..	2 : 130
	*Var. <i>polei</i> (Collett)	..	2 : 130
	* <i>O. skinneri</i> (Reveeve)	..	2 : 130
SERIES	— HELICACEA		
FAMILY	— CAMAENIDAE		
SUBFAMILY	— CAMAENINAE		

Genus	— PLANISPIRA Beck 1837		
	<i>P. fallaciosa</i> (Ferussac)	..	4 : 157
	<i>P. vittata</i> Muller	..	4 : 169
	Var. <i>albina</i> Grateloup	..	4 : 165
FAMILY	— CAMAENIDAE		
SUBFAMILY	— CAMAENIDAE		
Genus	— BEDDOMEA G. Nevill, 1878		
	* <i>B. ceylanicus</i> (Pfeiffer)	..	8 : 622
	* <i>B. trifasciatus</i> (Gmelin)	..	4 : 187
	*Var. <i>rufoptica</i> (Benson)	..	4 : 188
	* <i>B. albizonatus</i> (Reeve)	..	4 : 189
	*Var. <i>simoni</i> (Jousseanme)	..	4 : 190
	* <i>B. intermedius</i> (Pfeiffer)	..	4 : 191
FAMILY	— BRADYBAENIDAE		
Genus	— BRADYBAENA Beck, 1837		
	(= EULOTA Hartmann, 1843)		
	<i>B. similis</i> (Ferussac)	..	4 : 200
Genus	— AEGISTA Albers 1850		
Subgenus	— PLECTOTROPIS Von Martens, 1860		
	A. (<i>Plectotropis</i>) <i>huttoni</i> Pfeiffer	..	4 : 212
	*Var. <i>radleyi</i> Jousseau		
SERIES	— CLAUSILIACEA		
FAMILY	— CLAUSILIIDAE		
SUBFAMILY	— CLAUSILIINAE		
Genus	— PHAEDUSA H & A ADAMS, 1855		
	* <i>P. ceylanica</i> Benson	..	4 : 309
SERIES	— ACHATINACEA		
FAMILY	— ACHATINIDAE		
Genus	— ACHATINA Lamarck 1799		
	<i>A. fulica</i> Ferussac	..	4 : 340
FAMILY	— SUBULINIDAE		
SUBFAMILY	— SUBULININAE		
Genus	— SUBULINA Beck, 1837		
	<i>S. octona</i> Bruguiere	..	4 : 341
Genus	— OPEAS Albers, 1850		
	<i>O. gracile</i> (Hutton)	..	4 : 355
	*Var. <i>panayaensis</i> Pfeiffer	..	4 : 357
	* <i>O. prestoni</i> ; Sykes	..	4 : 358
	* <i>O. mariae</i> Jousseau	..	4 : 359
	* <i>O. layardi</i> Benson	..	4 : 360
	* <i>O. sykesi</i> Pilsbry	..	4 : 361
	* <i>O. (?) pussilus</i> H. Adams	..	4 : 361
SUBFAMILY	— RUMININAE		
Genus	— ZOOTECUS Westerlund, 1887		
	<i>Z. insularis</i> (Ehrenberg)	..	4 : 367
FAMILY	— FERUSSACIDAE		
Genus	— GLESSULA Von Martens, 1860		
	* <i>G. ceylanica</i> Pfeiffer	..	4 : 403
	* <i>G. inornata</i> Pfeiffer	..	4 : 395
	*Var. <i>minor</i> Beddome	..	4 : 396
	* <i>G. lankana</i> Pilabry	..	4 : 396
	* <i>G. reynelli</i>	..	4 : 397
	Var. <i>immitis</i>	..	4 : 398

	* <i>G. pallens</i> Beddome	..	4	:	399
	* <i>G. prestoni</i>	..	4	:	400
	* <i>G. parabilis</i> Benson	..	4	:	402
	* <i>S. punctogallana</i> Pfeiffer	..	4	:	403
	* <i>G. nitens</i> Gray	..	4	:	404
	* <i>G. fulgens</i> Pfeiffer	..	4	:	405
	* <i>G. panaetha</i> Benson	..	4	:	406
	* <i>G. serena</i> Benson	..	4	:	406
	* <i>G. sinhila</i> Preston	..	4	:	407
	* <i>G. layardi</i> Pilsbry	..	4	:	407
	<i>G. deshayesi</i> Pfeiffer	..	4	:	404
	* <i>G. pachycheila</i> Benson	..	4	:	409
	*Var. <i>taprobanica</i> Pilsbry	..	4	:	409
	* <i>G. veruina</i> Benson	..	4	:	413
	<i>G. sattaraensis</i> Pfeiffer	..	4	:	432
	<i>G. capillacea</i> Pfeiffer	..	4	:	432
	* <i>G. collettae</i> Sykes	..	4	:	433
	<i>G. pussila</i> Beddome	..	4	:	436
	* <i>G. simoni</i> Jousseau	..	4	:	444
Genus	— DIGONIAXIS Jousseau 1889				
	* <i>D. cingalensis</i> Benson	..	4	:	444
SERIES	— SUCCINEACEA				
FAMILY	— SUCCINEIDAE				
SUBFAMILY	— SUCCINEINAE				
Genus	— SUCCINEA Draparnaud, 1801				
	<i>S. ceylanica</i> Pfeiffer	..	4	:	456
SERIES	— SOLEOLIFERA				
FAMILY	— VAGINULIDAE				
Genus	— VAGINULUS Ferussac 1821				
	* <i>V. templetoni</i> Humbert	..	4	:	484
	* <i>V. maculatus</i> Templeton	..	4	:	485
	* <i>V. reticulatus</i> Westerlund	..	4	:	487
SUBCLASS	— PROSOBRANCHIA				
ORDER	— MEGAGASTROPODA				
SERIES	— ARCHITAENIOGLOSSA				
FAMILY	— CYCLOPHORIDAE				
SUBFAMILY	— CYCLOPHORINAE				
Genus	— LEPTOPOMA Pfeiffer 1847				
Subgenus	— Leptopoma H & A Adams, 1855				
	* <i>L. (Leptopoma) semiclausum</i> Pfeiffer	..	5	:	1
	* <i>L. (Leptopoma) taprobanensis</i> Preston	..	5	:	2
Subgenus	— TROCHOLEPTOPOMA Kobelt & Mollendorff, 1897				
	* <i>L. (Trocholeptopoma) apicatum</i> Benson	..	5	:	2
	* <i>L. (Trocholeptopoma) elatum</i> Pfeiffer	..	5	:	4
Genus	— JAPONIA Gould, 1859				
	* <i>J. binoyae</i> Sykes	..	5	:	6
	* <i>J. occulta</i> Sykes	..	5	:	9
	* <i>J. vesca</i> Sykes	..	5	:	13
Genus	— LEPTOPOMOIDES Nevill 1878				
	<i>L. halophilus</i> Benson	..	5	:	20
	* <i>L. conulus</i> Pfeiffer	..	5	:	19
	* <i>L. flammeus</i> Pfeiffer	..	5	:	19
	* <i>L. orophilus</i> Benson	..	5	:	20
	* <i>L. poecilus</i> Pfeiffer	..	5	:	21

Genus	— MICRAULAX Theobald, 1876		
	<i>M. coeloconus</i> Benson	..	5 : 22
Genus	— SCABRINA Blanford 1863		
	* <i>S. brounae</i> Sykes	..	5 : 27
Genus	— THEOBALDIUS Nevill, 1878		
	* <i>T. annulatus</i> Pfeiffer	..	5 : 31
	* <i>T. bairdi</i> Pfeiffer	..	5 : 32
	* <i>T. cadiscus</i> Benson	..	5 : 33
	* <i>T. cratera</i> Benson	..	5 : 33
	* <i>T. cytopoma</i> Benson	..	5 : 34
	* <i>T. layardi</i> H. Adams	..	5 : 35
	* <i>T. liliputianus</i> Preston	..	5 : 36
	* <i>T. loxostoma</i> Pfeiffer	..	5 : 36
	* <i>T. parapsis</i> Benson	..	5 : 39
	* <i>T. parma</i> Benson	..	5 : 39
	* <i>T. subplicatus</i> Beddome	..	5 : 43
	* <i>T. thwaitesi</i> Pfeiffer	..	5 : 44
Genus	— CYCLOPHORUS Montfort, 1810		
Subgenus	— <i>Litostylus</i> Kobelt & Mollendorff 1897		
	<i>C. (Litostylus) involvulus</i> Muller	..	5 : 47
	* <i>C. (Litostylus) ceylanicus</i> Pfeiffer	..	5 : 46
	* <i>C. (Litostylus) liratula</i> Preston	..	5 : 49
	* <i>C. (Litostylus) menkeanus</i> Philipps	..	5 : 49
Subgenus	— <i>Annularia</i> Schumacher 1817		
	* <i>C. (Salpingophorus) alabastrianus</i> Pfeiffer	..	5 : 69
	<i>C. (Salpingophorus) punctatus</i> Grateloup	..	5 : 89
*Genus	— AULOPOMA Troschel, 1847		
	* <i>A. hofmeisteri</i> Troschel	..	5 : 96
	* <i>A. grande</i> Pfeiffer	..	5 : 95
	* <i>A. helichium</i> Chemnitz	..	5 : 95
	* <i>A. itieri</i> Guerin	..	5 : 96
	* <i>A. sphaeroideum</i> Dohrn	..	5 : 97
Genus	— PTEROCYCLUS Benson 1832		
	* <i>P. bifrons</i> Pfeiffer	..	5 : 99
	<i>P. bilabiatus</i> Sowerby	..	5 : 100
	*Var. <i>conica</i> Nevill	..	5 : 100
	* <i>P. cingalensis</i> Benson	..	5 : 102
	<i>P. cumingi</i> Pfeiffer	..	5 : 103
	* <i>P. troscheli</i> Benson	..	5 : 111
Genus	— CYATHOPOMA W & H Blanford 1861		
Subgenus	— <i>Cyathopoma</i> W & H Blanford 1861		
	* <i>C. (Cyathopoma) artatum</i> Sykes	..	5 : 132
	<i>C. (Cyathopoma) album</i> Beddome	..	5 : 131
	* <i>C. (Cyathopoma) leptoponita</i> Sykes	..	5 : 138
	* <i>C. (Cyathopoma) mariae</i> Jousseume	..	5 : 138
	* <i>C. (Cyathopoma) prestoni</i> Sykes	..	5 : 140
Subgenus	— <i>Jerdonia</i> W & H Blanford 1861		
	* <i>C. (Jerdonia) ceylanicum</i> Beddome	..	5 : 145
	* <i>C. (Jerdonia) colletti</i> Sykes	..	5 : 146

* <i>C. (Jerdonia) conoideum</i> Sykes	..	5	:	146
* <i>C. (Jerdonia) innocens</i> Sykes	..	5	:	147
* <i>C. (Jerdonia) ogdeniamum</i> Preston	..	5	:	150
* <i>C. (Jerdonia) perconoideum</i> Preston	..	5	:	150
* <i>C. (Jerdonia) serendibense</i> Prestona	..	5	:	151
* <i>C. (Jerdonia) turbinatum</i> Sykes	..	5	:	152
* <i>C. (Jerdonia) uvaense</i> Preston	..	5	:	153

SUBFAMILY — PUPININAE
 Genus — TORTULOSA Gray, 1847
 Subgenus — Eucataulus Kobelt, 1902

* <i>T. auwea</i> Pfeiffer	..	5	:	173
* <i>T. austeniana</i> Benson	..	5	:	174
* <i>T. blanfordi</i> Dohrn	..	5	:	174
* <i>T. colletti</i> Sykes	..	5	:	176
* <i>T. congener</i> Sykes	..	5	:	177
* <i>T. connectens</i> Fulton	..	5	:	177
* <i>T. cumingi</i> Pfeiffer	..	5	:	178
* <i>T. decora</i> Benson	..	5	:	179
* <i>T. duplicata</i> Pfeiffer	..	5	:	179
* <i>T. eurytrema</i> Pfeiffer	..	5	:	180
* <i>T. greeni</i> Sykes	..	5	:	180
* <i>T. robusta</i> Fulton	..	5	:	181
* <i>T. recurvata</i> (Pfeiffer)	..	6	:	27
* <i>T. haemastoma</i> Pfeiffer	..	5	:	181
* <i>T. layardi</i> Pfeiffer	..	5	:	182
* <i>T. marginata</i> Pfeiffer	..	5	:	183
*Var. <i>crenulata</i> Fulton	..	5	:	183
*Var. <i>notata</i> Sykes	..	5	:	183
* <i>T. nevillei</i> Sykes	..	5	:	194
*Var. <i>flaveola</i> Fulton	..	5	:	184
* <i>T. nietneri</i> Nevill	..	5	:	184
* <i>T. caperata</i> Collett	..	5	:	185
* <i>T. unicolor</i> Collett	..	5	:	185
* <i>T. prestoni</i> Sykes	..	5	:	185
* <i>T. pyramidata</i> Pfeiffer	..	5	:	186
* <i>T. rugosa</i> Fulton	..	5	:	187
* <i>T. smithi</i> Sykes	..	5	:	187
* <i>T. sykesi</i> Fulton	..	5	:	188
* <i>T. templemani</i> Pfeiffer	..	5	:	188
* <i>T. thwaitesi</i> Pfeiffer	..	5	:	198

SUBFAMILY — DIPLOMMATININAE
 Genus — NICIDA Blanford, 1868

* <i>N. catathymia</i> Sykes	..	5	:	290
* <i>N. ceylanica</i> Beddome	..	5	:	291
* <i>N. delectabilis</i> Perston	..	5	:	291
* <i>N. lankaensis</i> Preston	..	5	:	292
* <i>N. pedronis</i> Beddome	..	5	:	294
* <i>N. prestoni</i> Beddome	..	5	:	295

SERIES — RISSOACEA
 FAMILY — TRUNCATELLIDAE
 SUBFAMILY — TRUNCATELLINAE
 Genus — TRUNCATELLA Risso, 1826

* <i>T. ceylanica</i> Pfeiffer	..	5	:	36
--------------------------------	----	---	---	----

REFERENCE

1. BARNACLE, G. A. S. (1956) — A new species of *Corilla* from Ceylon, *J. Conch. London*. Vol. 24 : 95-96, pl. 4
2. ————— (1962) — Notes on the Genus *Acavus*. Montfort, *J. Conch* Vol. 25 : 128-132.
3. BLANFORD, W. T. & GODWIN (1908) — Mollusca, Testacellidae & Zonitidae : Fauna of British India. AUSTEN, H. H.
4. GUDE, G. K. (1914) — Mollusca Vol. II, Trochomorphidae, Janellidae, Fauna of British India Series.
5. ————— (1921) — Mollusca Vol. III, Land Operculates, Fauna of British India Series.
6. SATYAMURTI, S. T. (1960) — Land and Fresh Water Mollusca in the collection of the Madras Museum. Bull. Madras Govt. Mus. New. Ser. Nat. Hist. Sec.
7. WENZ, W. (1938 — 1944) — Handbuch der Palaozoologie, Band 6, Gastropoda Teil 1 : Allgemeiner Teil und Prosobranchia.
8. ZILCH, A. (1959 — 1960) — Handbuch der Palaozoologie Band 6, Gastropoda Teil 2, Euthyneura.

