

HORTUS ZEYLANICUS. X

A

CLASSIFIED LIST OF THE PLANTS,
BOTH NATIVE AND EXOTIC,

GROWING IN THE

ROYAL BOTANIC GARDENS, PÉRÁDENIYA,
CEYLON.

COMPILED BY

HENRY TRIMEN, M.B., F.L.S.,

Director.



Price One Rupee.

COLOMBO :

GEORGE J. A. SKEEN, GOVERNMENT PRINTER, CEYLON.

1888.

Cf.
T 73.

INTRODUCTORY NOTE.



WITH the exception of a "List of Plants suitable for Distribution," issued eight or nine years ago, and containing between 1,300 and 1,400 names arranged according to their uses, the present is the first attempt to give a Catalogue of the contents of the Pérádeniya Botanic Gardens. I should, therefore, wish it to be considered as provisional only, and am fully conscious of its imperfection as a complete record of this rich collection. A considerable number of species, which still remain to be determined, cannot be entered : these are mostly trees and shrubs of other climates which have never flowered here, and of which the history and origin are lost. The correct identification of a good many others remains in doubt, and the list generally suffers from the unavoidable drawback of want of access to a large Botanical and Horticultural Library, so often essential to a right decision on matters of nomenclature. It will, however, probably be conceded that to wait until all doubts could be settled, and so delay indefinitely a work so much needed as the present, would be a less desirable course in the public interest than to print it forthwith in a somewhat incomplete condition.

The following Catalogue, then, which is brought up to the end of 1886, contains the names and native countries of all the Flowering Plants and Ferns, &c., growing in the Royal Botanic Gardens, Pérádeniya, so far as I have been able to ascertain them. There are also included the few additional

ones to be found in the Experimental Gardens at Henaratgoda and Anurádhapura, or planted in and about Colombo and Kandy. It thus comprehends all foreign plants in cultivation in Ceylon up to the elevation of about 2,000 ft., but not those cultivated only in the Botanic Garden at Hakgala or elsewhere in the hills.

I have also included in their places, distinguished from the exotic species by the prefix of an asterisk, all the native indigenous plants of Ceylon, even the commonest, growing in the Gardens at Pérádeniya. Most of these have been conveyed to the Gardens from other parts of Ceylon, but some are wild (not cultivated) here. These last are very generally weeds; and under the same category must be classed also a good many introduced foreign species. With regard to the more ornamental of our native plants of small size, such as Orchids, Ferns, &c., it is not possible to have the list constantly accurate, as the stock of these is continually varying.*

A good many plants have had to be included as growing in the Gardens which cannot be said to flourish here—indeed some of them barely exist: such are mostly species from dry warm-temperate or sub-tropical countries, to which our constantly damp hot climate is quite unsuited. Many of the favourite garden and greenhouse flowers of England are of this character, and do not repay cultivation here, though some succeed well in the hill districts.

The Catalogue is arranged in accordance with Bentham and Hooker's "*Genera Plantarum*," the standard English book on Systematic Botany; and very few synonyms have been given. In the first column the species are recorded under each genus in alphabetical order, and the botanical name is followed by the Sinhalese, English, or other vernacular

* A complete list of the native flora of Ceylon will be found in my "Systematic Catalogue," published by the Royal Asiatic Society of Ceylon in 1885. The names employed in the present Catalogue are almost invariably those there adopted.

names, when the plant possesses any. In the second column the general character of the plant is indicated by the following abbreviations :—

<i>T.</i> = Tree.	<i>A.</i> = Annual.
<i>S.</i> = Shrub.	<i>Par.</i> = Parasitic.
<i>Cl.</i> = Climber.	<i>Ep.</i> = Epiphytic.
<i>W.Cl.</i> = Woody climber.	<i>Aq.</i> = Aquatic.
<i>P.</i> = Herbaceous perennial.	

In the third column is given the country or region to which the plant is native. Here the following abbreviations are used :—

<i>C.</i> = Ceylon.
<i>Nat.</i> = Naturalised, not native.
<i>Cult.</i> = Cultivated, not wild.
<i>(W.)</i> = Wild in Pêrádeniya Garden ; usually a weed.
<i>(V.)</i> = A culinary vegetable or curry stuff.

The dates within brackets appended to many of the exotic species are those of the first ascertained introduction of the plant into Ceylon. I regret that these indications are not more generally given, but the Garden records have afforded but little information on this interesting subject. All acquisitions since 1880, however, are dated. Of early introductions I have been able to obtain but scanty notices, the most important being records which exist for 1678, 1802, 1824, and 1846, of some of the foreign plants growing in the Island at those periods.

H. T.

Pêrádeniya, December, 1887.

CORRECTIONS.

- Page 18, line 24, for "*Martinellii, Martin,*" read "*Martini, (Planch.)*."
 „ 19, „ 17, for "*Hiem*" read "*Hiern.*"
 „ 21, „ 1, for "*LEGUMINOSÆ*" read "*LEGUMINOSÆ.*"
 „ 23, „ 2 from bottom, for "*B.*" read "*Cl.*"
 „ 39, „ 13 „ for "*capillaccum*" read "*capillaceum.*"
 „ 39, „ 14 „ for "*FÆNICULUM*" read "*FÆNICULUM.*"
 „ 41, „ 7 „ for "*OPPHIORRHIZA*" read "*OPPHIORRHIZA.*"
 „ 58, „ 11, for "*Gloximia*" read "*Gloxinia.*"
 „ 60, „ 11 from bottom, for "*Ecuada*" read "*Ecuador.*"
 „ 62, „ 13, for "*carnes*" read "*carnea.*"
 „ 62, „ 8 from bottom, for "*N. laxiflora*" read "*H. laxiflora.*"
 „ 62, „ 7 „ for "*N. purpurea*" read "*H. purpurea.*"
 „ 63, „ 4, for "*L. nodiflora*" read "**L. nodiflora.*"
 „ 79, „ 16 from bottom, for "*DENDROBRUM*" read "*DENDROBIUM.*"
 „ 87, „ 12 „ for "*vicolor*" read "*bicolor.*"

CLASSIFIED LIST.

DICOTYLEDONES.

Polypetalæ Thalamifloræ.

RANUNCULACEÆ.

NARAVELIA.

- °N. zeylanica, DC. *Nara-wel* ... W. Cl. ... C., India, Malay Pen.

DILLENIACEÆ.

DELIMA.

- °D. sarmentosa, L. *Korasa-wel* ... W. Cl. ... C., Assam, Malay Pen.

ACROTREMA.

- °A. lyratum, Thw. ... P. ... Ceylon only
 °A. Thwaitesii, Hk. f. & Th. ... P. ... Id.
 °A. uniflorum, Hk. ... P. ... Id.
 °A. Walkeri, Wight ... P. ... Id.

And other native species and varieties.

SCHUMACHERIA.

- °S. castaneæfolia, Vahl. *Kekiri-wara* W. Cl. ... Ceylon only

WORMIA.

- °W. triquetra, Rottb. *Diya-para* ... T. ... Ceylon only
 W. Burbidgei, Hk. f. ... T. ... N. Borneo (1882)

DILLENIA.

- °D. indica, L. *Honda-para* ... T. ... C., India, Malaya
 °D. retusa, Thunb. *Goða-para* ... T. ... Ceylon only

MAGNOLIACEÆ.

TALAUMA.

- T. Hodgsoni, Hk. f. & Th. ... T. ... E. Himalaya (1882)
 T. mutabilis, Bl. ... S. or T. ... Malaya
 T. pumila, Bl. ... S. or T. ... Java, China (1855)

MAGNOLIA.

- M. grandiflora, L. ... T. ... S. United States, Amer.
 (1850)
 M. sphenocarpa, Roxb. ... T. ... E. Himalaya, &c.

MICHELIA.

- M. Champaca, *L. Sapu, Champak T.* ... India ; semi-naturalised in C.
 M. fuscata, *Bl.* ... S. ... Java (Before 1824)
 °M. nilagirica, *Zenk. Wal-sapu, Walburuta* ... T. ... C., S. India

KADSURA.

- °K. Wightiana, *Arn.* ... W. Cl. ... C., Malabar

ANONACEÆ.

UVARIA.

- U. purpurea, *Bl.* ... W. Cl. ... Java
 °U. zeylanica, *L. Palu-kan* ... W. Cl. ... C., S. India

CYATHOCALYX.

- °C. zeylanicus, *Champ. Kekala* ... T. ... C., Malabar

ARTABOTRYS.

- °A. zeylanicus, *Hk. f. & Th. Petikawel* ... W. Cl. ... C., S. India

CANANGA.

- C. odorata, *Hk. f. & Th. Kananga, Ilang-ilang* ... T. ... Burma, Java, Philippines

UNONA.

- U. discolor, *Vahl.* ...
 Var. bracteata, *Bl.* ... W. Cl. ... Java (1884)
 Var. lævigata, *Bl.* ... W. Cl. ... India, Malaya, China
 °U. zeylanica, *Hk. f. & Th.* ... S. ... Ceylon only

POLYALTHIA.

- °P. coffæoides, *Bedd.* ... S. or T. ... C., S. India
 P. littoralis, (*Bl.*) ... S. ... Java (1880)
 °P. longifolia, *Bedd.* ... T. ... C., S. India
 °P. suberosa, *Bedd. Kalati* ... S. or T. ... C., India

ANAXAGOREA.

- °A. luzonensis, *A. Gray* ... S. ... C., Malay Pen., Philippines

GONIOTHALAMUS.

- °G. Gardneri, *Hk. f. & Th.* ... S. ... Ceylon only

MITREPHORA.

- °M. Heyneana, *Thw.* ... S. ... C., S. India

ANONA.

- A. muricata, *Dun. Soursop* ... T. ... W. Indies (Before 1824)
 A. palustris, *L. Alligator apple* ... T. ... W. Indies (1880)
 A. reticulata, *L. Bullock's heart* ... T. ... Trop. America (Before 1804)
 A. squamosa, *L. Custard apple* ... T. ... Trop. America (Before 1678)

XYLOPIA.

- *X. nigricans, *Hk. f. & Th.* ... T. ... Ceylon only
 *X. parviflora, *Hk. f. & Th.* *Netaw T.* ... Id.

MILIUSA.

- *M. indica, *Lesch.* ... S. ... C., S. India

BOCAGEA.

- B. (*Oxandra*) *virgata*, (*Rich.*).
Lancewood ... T. ... Jamaica, Cuba (1883)

MENISPERMACEÆ.

TINOSPORA.

- *T. cordifolia, *Miers.* *Rasa-kinda* ... W. Cl. ... C., India, Burma (W.)
 T. *crispa*, *Miers.* *Titta-kinda* ... Cl. ... E. Bengal, Malaya ;
 nat. in C.
 *T. malabarica, *Miers.* *Bu-kinda* ... W. Cl. ... C., India

ANAMIRTA.

- *A. paniculata, *Colebr.* *Titta-wel*,
 "*Cocculus indicus*" ... W. Cl. ... C., India, Malay Is.

COCCULUS.

- *C. macrocarpus, *W. & A.* ... W. Cl. ... C., S. India, China (W.)
 C. ovalifolius, *DC.* ... Cl. ... Java (1884)

STEPHANIA.

- *S. hernandifolia, *Walp.* *Lunuketiya-wel* ... H. Cl. ... C., Tropical Asia, and
 Africa

CISSAMPELOS.

- *C. Pareira, *L.* *Diya-mitta* ... H. Cl. ... C., Tropics generally
 (W.)

CYCLEA.

- *C. Burmanni, *Miers.* *Kesi-pissay* ... H. Cl. ... C., S. India

NYMPHÆACEÆ.

NYMPHÆA.

- *N. Lotus, *L.* *Olu* ... Aq. ... C., India, Java, Trop.
 Africa

PAPAVERACEÆ.

PAPAVER.

- P. somniferum, *L.* *Opium poppy* ... A. ... Mediterranean region

ARGEMONE.

- A. grandiflora, *Sweet* ... A. ... Mexico
 A. mexicana, *L.* ... A. ... Tropical and warm
 America ; nat. in C.

CRUCIFERÆ.

NASTURTIIUM.

- N. officinale, *Br.* *Watercress* ... P. ... Trop. Europe and Asia
 (V.) (Before 1824)

COCHLEARIA.

- C. Armoracia, *L.* *Horse-radish* ... P. ... E. Europe (V.) (Before
 1824)

BRASSICA.

- B. juncea*, *Hk.f. & Th. Aba, Mustard* *A.* ... Asia, cult.; nat. in C. (W.)
- B. oleracea*, *L. Cabbage* ... *A.* ... Europe (V.)
- Var. *caulo-rapa*, *DC. Knol-kohl* *A.* ... Europe, W. Siberia (V.)

LEPIDIUM.

- L. sativum*, *L. Garden cress* ... *A.* ... Persia? (V.) (Before 1824)

SENEBIERA.

- S. didyma*, *Pers.* *A.* ... S. America? (W.)

RAPHANUS.

- R. sativus*, *L. Radish* ... *A.* ... W. Temp. Asia (V.) (Before 1824)

CAPPARIDÆ.

CLEOME.

- C. aspera*, *Koen.* *A.* ... C., India (W.)
- C. gigantea*, *L.* *A.* ... N. America
- C. monophylla*, *L.* *A.* ... C., India, Trop. Africa
- C. viscosa*, *L. Wal-aba* *A.* ... C., Tropics generally (W.)

GYNANDROPSIS.

- G. pentaphylla*, *L. Wēla* ... *A.* ... C., Tropics generally

CRATÆVA.

- C. Roxburghii*, *Br. Lumu-warana T.* ... *C.*, India, Trop. Africa

CAPPARIS.

- C. Moonii*, *Wight* *W. Cl.* *C.*, W. India
- C. pedunculosa*, *Wall* *S.* *C.*, S. India
- C. Roxburghii*, *DC.* *W. Cl.* Id.
- C. zeylanica*, *L.* *S.* Id.

VIOLACEÆ.

VIOLA.

- V. odorata*, *L. Sweet violet* ... *P.* ... Europe, N. & W. Asia, N. Africa
- V. Patrinii*, *DC.* *P.* ... C., Trop. Asia, Japan
- V. tricolor*, *L. Pansy, Heartsease* ... *A.* ... Europe, W. Asia, N. Africa
- Several garden varieties.

IONIDIUM.

- I. suffruticosum*, *Ging.* ... *S.* ... C., Trop. Asia, Africa, and Australia

BIXACEÆ.

COCHLOSPERMUM.

- C. Gossypium*, *DC. Kinihiriya, Ela-imbul* *T.* ... India; semi-nat. in C. (Before 1678)

BIXA.

B. Orellana, *L. Kaha, Annatto* ... S. or T. ... Trop. America

ONCOBA.

O. spinosa, *Forsk.* ... S. ... Trop. Africa, Arabia (1883)

SCOLOPIA.

°S. crenata, *Clos. Kapu-kenda* ... T. ... C., S. India, Philippines, China

Var. acuminata, *Clos.* ... T. ... Id.

°S. Gaertneri, *Thw. Kapu-kurundu*... T. ... Ceylon only

ERYTHROSPERMUM.

°E. phytolaccoides, *Gardn.* ... T. ... Ceylon only

FLACOURTIA.

F. inermis, *Roxb. Lovi-lovi* ... T. ... Malay Pen., Sumatra

°F. Ramontchi, *L'Herit. Uguressa*... T. ... C., India, Malaya, China

Var. Cataphracta, *Roxb. Rata uguressa* ... T. ... Malay Is.

ABERIA.

°A. Gardneri, *Clos. Ket-embilla* ... T. ... Ceylon only

A. caffra, *Hk. f. & Harv. Kei apple* S. or T. ... Natal (1884)

GYNOCARDIA.

G. odorata, *Br. Chaulmoogra* ... T. ... Sikkim, Burma (1881)

TRICHADENIA.

°T. zeylanica, *Thw. Titta, Tolol* ... T. ... Ceylon only

TARAKTOGENOS.

T. Blumei, *Hassk.* ... T. ... Java

HYDNOCARPUS.

°H. venenata, *Gaertn. Makulu* ... T. ... Ceylon only

PITTOSPORACEÆ.

PITTOSPORUM.

P. melanospermum, *F.M.* ... T. ... Queensland (1882)

P. timorense, *Bl.* ... T. ... Timor (1884)

P. undulatum, *Vent.* ... T. ... N. S. Wales, Victoria (1881)

°P. zeylanicum, *Wight. Ketiya* ... T. ... Ceylon only

CITRIOBATUS.

C. pauciflorus, *Cunn.* ... T. ... Queensland

POLYGALACEÆ.

POLYGALA.

°P. chinensis, *L.* ... P. ... C., Trop. Asia, Australia

°P. sibirica, *L.* ... P. ... C., India, China, Siberia, Japan

SECURIDACA.

- S. volubilis*, *L.* *W. Cl.* ...Tropical S. America
(1859)

CARYOPHYLLACEÆ.

DIANTHUS.

- D. barbatus*, *L.* *Sweet William* ... *P.* S. Europe
D. chinensis, *L.* *Chinese pink* ... *A. or B.* China
D. Caryophyllus, *L.* *Carnation* ... *A.* Europe, W. Asia
Several garden varieties.

SILENE.

- S. Armeria*, *L.* *A.* Europe (W.)

DRYMARIA.

- °*D. cordata*, *Willd.* *A.* ...C., Tropics generally
(W.)

PORTULACACEÆ.

PORTULACA.

- P. grandiflora*, *Camb.* *A.* Brazil
°*P. oleracea*, *L.* *Genda-kola*, *Purs-*
lane *A.* ...C., all warm regions
(W.)
°*P. quadrifida*, *L.* *Hingenda-kola* ... *A.* ...C., Trop. Asia and
Africa (W.)
°*P. tuberosa*, *Roxb.* *U'rugenda* ... *P.* C., India

TALINUM.

- T. patens*, *Willd.* *P.* ...W. Indies, Tropical
America

HYPERICACEÆ.

CRATOXYLON.

- C. sumatranum*, *Bl.* *T.* Sumatra

HARONGA.

- H. paniculata*, *Spach.* *T.* ...Trop. Africa, Mauri-
tius, Madagascar

GUTTIFERÆ.

CLUSIA.

- C. rosea*, *L.* *T.* W. Indies (1866)

GARCINIA.

- °*G. Cambogia*, *Desr.* *Goraka* ... *T.* C., W. India
G. cornea, *L.* *T.* India, Malaya
G. dulcis, *Kurz.* *T.* Moluccas (1882)
°*G. echinocarpa*, *Thu.* *Madol* ... *T.* Ceylon only
G. indica, *Chois.* *Brindall* ... *T.* W. India (1884)
G. Kydia, *Roxb.* *T.* India
G. Livingstonei, *T. And.* ... *T.* ...E. Trop. Africa (1873)
G. Mangostana, *L.* *Mangosteen* ... *T.* ...Malay Islands (About
1800)
G. Morella, *Desr.* *Gokatu*, *Gamboge* *T.* ... C., India, Malay Pen.
°*G. spicata*, *Hk. f.* *Ela-gokatu* ... *T.* C., S. India

- °G. *terpnohylla*, *Thw. Kokatiya* ... T. ... Ceylon only
 G. *Xanthochymus*, *Hk. f. Cochinchinensis* ... T. ... S. India, E. Bengal,
goraka... ... T. ... Malay Pen. (Before
 1824)

OCHROCARPUS.

- O. *longifolius*, *B. & Hk. f.* ... T. ... S. India (1885)

CALOPHYLLUM.

- C. *angustifolium*, *Roxb.?* ... T. ... Penang
 °C. *bracteatum*, *Thw. Walu-kina* ... T. ... Ceylon only
 °C. *Burmanni*, *Wight. Guru-kina* ... T. ... Id.
 °C. *Inophyllum*, *L. Domba* ... T. ... C., Trop. Asia, Aus-
 tralia, Polynesia
 C. *polyanthum*, *Willd.* ... T. ... Khasya (1884)
 °C. *spectabile*, *Willd. Domba-kina* T. ... C., India, Malaya, Fiji
 °C. *tomentosum*, *Wight. Kina* ... T. ... C., W. India

KAYEA.

- °K. *stylosa*, *Thw. Suwanda* ... T. ... Ceylon only

MESUA.

- °M. *ferrea*, *L. Na, Iron wood* ... T. ... C., India
 Var. *pulchella*, *Pl. & Tr.* ... T. ... Ceylon only

MAMMEA.

- M. *americana*, *L. Mammee apple*... T. ... W. Indies (Before
 1824)

TERNSTROMIACEÆ.

MARGRAVIA.

- M. *umbellata*, *L.* ... Cl. ... Venezuela, W. Indies
 (1883)

CAMELLIA.

- C. *Thea*, *Link. Tea* ... T. ... Assam, Cachar (1839)
 Var. *chinensis*, *L. (sp.). China tea* S. ... China, &c., cult. (Be-
 fore 1824)

EURYA.

- °E. *japonica*, *Thunb. Neya-dasse,*
Wild tea ... S. ... C., India, Malaya,
 China, &c.

DIPTEROCARPACEÆ.

DIPTEROCARPUS.

- D. *alatus*, *Roxb.* ... T. ... Malaya Pen., E. Bengal
 (1880)
 °D. *glandulosus*, *Thw. Dorana* ... T. ... Ceylon only
 °H. *hispidus*, *Thw. Bu-hora* ... T. ... Id.
 °D. *zeylanicus*, *Thw. Hora* ... T. ... Id.

ANCISTROCLADUS.

- °A. *Vahlilii*, *Arn. Gona-wel* ... W. Cl. ... Ceylon only

VATICA.

- °V. *Roxburghiana*, *Bl Mendora* ... T. ... C., S. India

SHOREA.			
°S. brevipetiolaris, <i>Thw.</i>	... T.	...	Ceylon only
°S. lissophylla, <i>Thw.</i>	... T.	...	Id.
°S. oblongifolia, <i>Thw.</i>	... T.	...	Id.
°S. reticulata, <i>Thw.</i>	... T.	...	Id.
S. robusta, <i>Roxb. Sal</i>	... T.	...N. and Central India (1880)	
S. selanica, <i>Bl.</i>	... T.	... Moluccas, Amboyna	
°S. stipularis, <i>Thw.</i>	... T.	...	Ceylon only
HOPEA.			
°H. jucunda, <i>Thw.</i>	... T.	...	Ceylon only
DOONA.			
°D. macrophylla, <i>Thw. Honda-beraliya</i>	... T.	...	Id.
°D. nervosa, <i>Thw.</i>	... T.	...	Id.
°D. ovalifolia, <i>Thw.</i>	... T.	...	Id.
°D. zeylanica, <i>Thw. Dun</i>	... T.	...	Id.
VATERIA.			
°V. acuminata, <i>Hayne. Hal</i>	... T.	...	Ceylon only
°V. zeylanica, <i>Wight ?</i>	... T.	...	Id.
MONOPORANDRA.			
°M. cordifolia, <i>Thw.</i>	... T.	...	Ceylon only
MALVACEÆ.			
ALTHÆA.			
A. rosea, <i>Cav. Hollyhock</i>	... P.	...E. Mediterranean (Before 1824)	
MALVA.			
M. mauritiana, <i>L. Garden mallow</i>	P.	...	Mediterranean
SIDA.			
°S. carpinifolia, <i>L.</i>	... P.	...C., Tropics generally (W.)	
°S. cordifolia, <i>L.</i>	... P.	... C., Tropics generally	
°S. humilis, <i>Willd. Bevila</i>	... P.	...C., Tropics generally (W.)	
°S. rhombifolia, <i>L. Kotikan-bevila</i>	P.	... C., Tropics generally	
WISSADULA.			
W. Leschenaultiana, <i>Mast.</i>	... P.	...Trop. America ? ; nat. in C.	
°W. zeylanica, <i>Medik. Kiri-kaju</i>	... P.	...C. (perhaps only nat.), Malaya ? Tropical America	
KYDIA.			
K. calycina, <i>Roxb. Pulé</i>	... T.	...	India, Burma (1880)
ABUTILON.			
°A. asiaticum, <i>G. Don. Anoda</i>	... P.	...	C., Tropics generally
°A. graveolens, <i>W. & A.</i>	... P.	...C., Trop. Asia, Australia	

A. striatum, *Dicks.* ... S. ... Brazil (1855)
Several florists' varieties.

URENA.

°*U. lobata*, *L. Pattu-epala* ... P. ...C., Tropics generally
(W.)

°*U. sinuata*, *L. Hin-epala* ... P. ... Id.

PAVONIA.

P. Mackoyana, *Hort. Bull.* ... S. ... Brazil (1881)

°*P. zeylanica*, *Cav.* ... P. ...C., India, Trop. Africa,
Mauritius

GOETHEA.

C. strictiflora, *Hk.* ... S. ... Brazil (Before 1864)

MALVAVISCUS.

M. arboreus, *Cav.* ... S. ...Mexico, W. Indies
(1852)

M. multiflorus, *Spach.* (*Pavonia*
Wiotii, *Hort.*) ... S. ... Brazil (1881)

JULOSTYLIS.

°*J. angustifolius*, *Thw.* ... T. ... Ceylon only

DICELLOSTYLES.

°*D. axillaris*, *Benth.* ... T. ... Ceylon only

HIBISCUS.

°*H. angulosus*, *Mast. Kapu-kinissa* P. ... C., S. India

°*H. collinus*, *Roxb.* ... T. ... Id.

H. elatus, *Sw. Mountain mahoe*,
Cuba bast ... T. ... W. Indies (1881)

H. esculentus, *L. Banjakai* ... A. ... Trop. Africa (V.)

°*H. furcatus*, *Roxb. Napiritta* ... P. ...C., Tropical Asia and
Africa

H. liliiflorus, *Cav.* ... S. ... Mascarene Is. (1886)

H. mutabilis, *L.* ... T. ... China (Before 1824)

H. Rosa-sinensis, *L. Shoe-flower* ... S. ... India, &c., cult.

Very many garden varieties.

H. Sabdariffa, *L. Rozelle* ... A. ...Cult. in Tropics gener-
ally (V.)

H. schizopetalus, *Hk. f.* ... S. ... E. Trop. Africa

H. syriacus, *L.* ... S. ...India, &c., cult. (1872)

°*H. vitifolius*, *L.* ... P. ...C., Tropical Asia and
Africa

THESPESIA.

°*T. Lampas*, *Dalz. & Gibs.* ... S. or T. ...C., Tropical Asia and
Africa

°*T. populnea*, *Corr. Suriya, Tulip*
tree ... T. ...C., Tropical Asia and
Africa, Pacific Is.

GOSSYPIUM.

G. barbadense, *L. Sea island cotton* P. ... W. Indies, cult. (Before 1824)

Var. acuminatum, *Roxb. (sp.)*.

Peruvian cotton ... P. ... —

G. herbaceum, *L. Indian cotton* ... P. ... India, cult. (Before 1678)

Var. hirsutum, *L. (sp.)*. *New*

Orleans cotton ... P. ... —

ADANSONIA.

A. digitata, *L. Baobab* ... T. ... Trop. Africa

PACHIRA.

P. aquatica, *Aubl.?* ... T. ... Trop. America (1884)

BOMBAX.

°B. malabaricum, *DC. Kaṭu-imbul, Red cotton tree* ... T. ... C., India, Malaya

ERIODENDRON.

°E. anfractuosum, *DC. Imbul, White cotton tree* ... T. ... C., India, Tropical America

OCHROMA.

O. Lagopus, *Sw. Down tree* ... T. ... W. Indies (1884)

CULLENIA.

°C. excelsa, *Wight. Kaṭu-boda, Wild durian* ... T. ... C., Malabar

DURIO.

D. zibethinus, *L. Durian* ... T. ... Malay Is. (About 1850)

STERCULIACEÆ.

STERCULIA.

S. acerifolia, *A. Cunn. Flame tree* T. ... N. S. Wales (1882)

S. coccinea, *Roxb.* ... T. ... Silhet, Malay Pen.

°S. colorata, *Roxb.* ... T. ... C., India

S. diversifolia, *G. Don* ... T. ... N. S. Wales (1882)

°S. fœtida, *L. Telambu* ... T. ... C., India, Malaya, Trop. Africa

°S. guttata, *Roxb.* ... T. ... C., India, Malay Pen.

S. lurida, *F. M.* ... T. ... N. S. Wales (1884)

S. quadrifida, *Br.* ... T. ... Queensland (1886)

S. ramiflora, *Benth.* ... T. ... N. Australia (1882)

S. rupestris, *Benth. Bottle tree* ... T. ... Queensland (1883)

°S. Thwaitesii, *Mast.* ... T. ... Ceylon only

S. villosa, *Roxb.* ... T. ... India

COLA.

C. acuminata, *R. Br. Cola nut* ... T. ... W. Trop. Africa (1879)

HERITIERA.

- °H. littoralis, *Dryand. Epana* ... T. ... C., E. Tropics generally
 H. Fomes, *Buch.* ... T. ... E. Bengal, Malaya (1884)

REEVESIA.

- R. thyrsoidea, *Lindl.* ... T. ... China (1883)

KLEINHOVIA.

- K. hospita, *L.* ... T. ... Trop. Asia and Africa (Before 1824)

HELICTERES.

- °H. Isora, *L. Liniya* ... S. ... C., India, Java
 H. viscida, *Bl.* ... S. ... Java

PTEROSPERMUM.

- P. acerifolium, *Lam.* ... T. ... Concan, Tenasserim (1852)
 P. semisagittatum, *Ham.* ... T. ... Assam (1884)

- °P. suberifolium, *Lam. Velanga* ... T. ... C., India

DOMBEYA.

- D. Dregeana, *Sond.* ... S. ... Cape of Good Hope
 D. Mastersii, *Hk.* ... S. ... Trop. Africa (1884)

PENTAPETES.

- P. phoenicea, *L.* ... A. ... India

MELOCHIA.

- °M. corchorifolia, *L.* ... P. ... C., Tropics generally (W.)
 M. velutina, *Bedd.* ... T. ... India, Malaya

WALTHERIA.

- °W. indica, *L.* ... P. ... C., Tropics generally

ABROMA.

- A. augusta, *L.* ... S. ... India, Java (Before 1824)

THEOBROMA.

- T. bicolor, *H. & Bonpl.* ... T. ... New Grenada (1886)
 T. Cacao, *L. Cacao, Chocolate* ... T. ... Tropical S. America (About 1819)

GUAZUMA.

- G. tomentosa, *Kunth.* ... T. ... Trop. America, Java, and India, cult. (Before 1824)

BUETTNERIA.

- B. heterophylla, *Hk.* ... W. Cl. ... Madagascar

TILIACEÆ.

PITYRANTHE.

- °P. verrucosa, *Thw. Dik-wenna* ... T. ... Ceylon only

BERRYA.

- °B. Ammonilla, *Roxb. Hal-milla,*
Trincomalee wood T. ... C., Malabar, Malay
Pen.

GREWIA.

- °G. columnaris, *Sm.* S. ... C., India, Java, Trop.
Africa
°G. Microcos, *L. Keliya* S. ... C., India, Malaya
G. caffra, *Meisn.* S. or T. ... Trop. Africa and Natal
(1886)

COLUMBIA.

- C. javanica, *Bl.* T. Java

TRIUMFETTA.

- °T. rhomboidea, *Jacq. Epala* P. ... C., E. Tropics gener-
ally (W.)

CORCHORUS.

- °C. olitorius, *L.* A. ... C., Tropics generally

RHOPALOCARPUS.

- R. lucidus, *Boj.* T. ... Madagascar (1852)

ELEOCARPUS.

- °E. amœnus, *Thw.* T. ... C., S. India
E. edulis, *T. & B.* T. ... Amboyna, New Guinea
E. lanceolatus, (*Hassk.*) T. ... Java (1882)
°E. serratus, *L. Weralu, Wild olive* T. C., India, Java
°E. subvillosus, *Arn. Gal-weralu* ... T. Ceylon only

LINACEÆ.

LINUM.

- L. usitatissimum, *L. Flax, Linseed* A. Caucasus ; cult. in all
temperate and warm
countries

REINWARDTIA.

- R. trigyna, *Planch.* S. India
R. tetragyna, *Planch.* S. India (1856)

ERYTHROXYLON.

- E. Coca, *L. Coca, Cuca* S. ... Peru & Bolivia (1870)
E. hypericifolium, *Lam.* S. Mauritius
°E. monogynum, *Roxb.* S. C., India

MALPIGHIACEÆ.

BYRSONIMA.

- B. ligustrifolia, *Juss* S. Brazil

MALPIGHIA.

- M. coccifera, *L.* S. ... Trop. America (Before
1845)
M. glabra, *L.* S. ... Trop. America
M. puniceifolia, *L.* S. ... Trop. America (1870)
M. urens, *L.* S. ... W. Indies (1881)

GALPHIMIA.

G. glauca, Cav. ... S. ... Mexico (1883)

STIGMAPHYLLUM.

S. convolvulifolium, Juss. ... W. Cl. ... Brazil

HIPTAGE.

°*H. Madablota*, Gaertn. ... W. Cl. ... C., India, Malaya, China

ZYGOPHYLLACEÆ.

GUAIAACUM.

G. officinale, L. *Lignum vite* ... T. ... W. Indies, Venezuela (1882)

GERANIACEÆ.

PELARGONIUM.

P. capitatum, Ait. *Scented geranium* S. ... S. Africa (Before 1824)

P. inquinans, Ait. *Scarlet geranium* S. ... S. Africa (Before 1824)

TROPÆOLUM.

T. majus, L. *Garden nasturtium* ... H. Cl. ... Peru (Before 1824)

OXALIS.

°*O. corniculata*, L. ... P. ... C., all warm countries (W.)

O. latifolia, H. B. K. ... P. ... Mexico (W.)

O. violacea, L. ? ... P. ... United States ; nat. in C. (W.)

BIOPHYTUM.

°*B. sensitivum*, DC. ... P. ... C., Tropics generally (W.)

°*B. intermedium*, Wight ... P. ... Ceylon only

AVERRHOA.

A. Bilimbi, L. *Blimbing* ... T. ... India, cult. only (Before 1678)

A. Carambola, L. *Kámarangá* ... T. ... India, cult. only (Before 1678)

IMPATIENS.

°*I. appendiculata*, Arn. ... P. ... Ceylon only

°*I. Balsamina*, L. ... A. ... C., India, Malaya, China

And garden varieties.

°*I. cornigera*, Arn. ... P. ... Ceylon only

°*I. flaccida*, Arn. *Kúḍalu-mal* ... P. ... C., Malabar (W.)

°*I. glandulifera*, Arn. ... P. ... Ceylon only

°*I. Henslowiana*, Arn. ... P. ... C., Malabar

°*I. Hookeriana*, Arn. ... P. ... Ceylon only

°*I. oppositifolia*, L. ... P. ... C., S. India

°*I. repens*, Moon. *Gal-demaṭa* ... P. ... Ceylon only

I. Sultani, Hk. f. ... P. ... Zanzibar (1883)

RUTACEÆ.

ERYTHROCHITON.

E. brasiliensis, Planch. ... S. ... Brazil

RAVENIA.			
R. spectabilis, <i>Nees</i> S.	Cuba (1850)
RUTA.			
R. graveolens, <i>L. Rue</i> P.	S. Europe (V.)
CALODENDRON.			
C. capense, <i>Thumb. Wild chestnut of the Cape</i> T.	...Cape of Good Hope (1880)
ZANTHOXYLUM.			
Z. Budrunga, <i>Wall</i> T.	... Assam, &c.
TODDALIA.			
°T. aculeata, <i>Pers. Kuḍu-miris</i>	...	W. Cl.	...C., Malaya, E. Bengal, China
T. (Vepris) lanceolata, (<i>Juss.</i>)	...	S. or T.	...S. Africa, Mauritius (1886)
ACRONYCHIA.			
A. Baueri, <i>Schott</i> T.	Queensland (1880)
°A. laurifolia, <i>Bl. Ankenda</i> T.	C., India, Malaya
GLYCOSMIS.			
°G. pentaphylla, <i>Corr. Doḍaṅ-paṇḍ</i>	T. or S.	...	C., E. Tropics
MURRAYA.			
°M. exotica, <i>L. Èṭṭériya</i>	...	T. or S.	C., E. Tropics
°M. Koenigii, <i>Spreng. Karapincha, Curry leaf</i> T.	... C., India
TRIPHASIA.			
T. trifoliata, <i>DC.</i> S.	China, India, cult.
LIMONIA.			
°L. alata, <i>W. & A. Tumpat-kuruṇḍu</i>	T.	...	C., S. India
CLAUSENA.			
°C. indica, <i>Oliv. Miḡoṅ-karapincha</i>	S. or T.	...	C., W. India
C. Wampi, <i>Blanco. Wampi</i> T.	China (About 1802)
PARAMIGNYA.			
°P. monophylla, <i>Wright. Wellan-giriya</i> W. Cl.	... C., India
ATALANTIA.			
°A. missionis, <i>Oliv. Pamburu</i> T.	...C., S. India
°A. monophylla, <i>DC.</i> S. or T.	... C., India
CITRUS.			
C. Aurantium, <i>L. Sweet orange</i> T.	...N.W. India
Var. sinensis, <i>Willd. Mandarin orange</i> T.	China (1847)
Var. vulgaris, <i>Risso. Seville orange</i> T.	...N.W. India
C. Decumana, <i>Willd. Pumelo, Jambola, Raṭaṇaraṅ</i> T.	Java, Polynesia

- C. *Limonellus*, Hassk. *Lime, Dehi* T. Trop. Asia ?
 Var. *Papeda*, Miq. (*sp.*) (? C.
Hystrix, DC.). *Tubercled lime,*
Kaffre lime, Kudalu-dehi,
Gada-dehi T. Malay Is.
 C. *Limonum*, Risso. *Lemon* ... T. N.W. India
 C. *medica*, L. *Citron, Nataran* ... T. N. India

FERONIA.

- °F. *elephantum*, Corr. *Divul, Wood-*
apple T. C., India

ÆGLE.

- Æ. *Marmelos*, Corr. *Bael* ... T. India (Before 1678)

SIMARUBACEÆ.

QUASSIA.

- Q. *amara*, L. *Surinam quassia* ... S. or T. ... Guiana (About 1853)

AILANTUS.

- °A. *malabarica*, DC. *Kumbalu* ... T. ... C., S. India, Coch
 China

- A. *moluccana*, DC. T. Moluccas (1882)

SAMADERA.

- °S. *indica*, L. *Samadara* ... T. C., S. India

BRUCEA.

- B. *sumatrana*, Roxb. S. ... Assam, Malaya, S.
 China, &c. ; nat.
 in C.

PICRÆNA.

- P. *excelsa*, Lindl. *True quassia,*
Bitter wood T. W. Indies (1885)

OCHNACEÆ.

OCHNA.

- °O. *squarrosa*, L. *Wal-kera* ... T. C., India, Burma

GOMPHIA.

- °G. *angustifolia*, Vahl. *Bô-kera* ... T. ... C., S. India, Malay
 Pen.

BURSERACEÆ.

BALSAMODENDRUM.

- B. *Roxburghii*, Arn. S. or T. E. Bengal (1883)

CANARIUM.

- C. *bengalense*, Roxb. T. Silhet (1881)

- C. *commune*, L. *Java almond* ... T. Malaya (Before 1824)

- C. *Mehebethene*, Gaertn. ... T. Moluccas (1886)

- C. *strictum*, Roxb. T. S. India (1871)

- °C. *zeylanicum*, Bl. *Kekuna* ... T. Ceylon only

FILICIUM.

- °F. *decipiens*, Thw. *Pehimbiya* ... T. C., W. India

MELIACEÆ.

MUNRONIA.

- °M. pumila, *Wight*. *Bin-kohomba* ... S. ... Ceylon only

MELIA.

- M. Azedarach, *L.* *Bead tree, Indian lilac* T. ... Persia. &c. (Before 1824)

- °M. dubia, *Cav.* *Lunu-midella* ... T. ... C., Trop. Asia, Africa, and Australia

AZADIRACHTA.

- °A. indica, *A. Juss.* *Kohomba, Margosa* T. ... C., India

DYSOXYLUM.

- °D. binectariferum, *Hk. f.* ... T. ... C., Assam, S. India

SANDORICUM.

- S. indicum, *Cav.* *Santol, Kachapi*... T. ... Malaya (1852)

AGLAIÆ.

- A. odorata, *Lour.* S. or T. ... Malaya, China

- *A. Roxburghiana, *Miq.* ... T. ... C., Malaya, S. India

LANSIUM.

- L. domesticum, *Jack.* *Dookha, Langsat* T. ... Malaya Is. (1869)

AMOORA.

- A. aphanomixis, *T. & B.* ... T. ... Java (1884)

- A. decandra, *Hiern.* ... T. ... Nepal, Malaya Pen. (1881)

- °A. Rohituka, *W. & A.* *Hingul* ... T. ... C., India, Malaya

GUAREA.

- G. sp. T. ... —

WALSURA.

- °W. Gardneri, *Thw.* ... T. ... Ceylon only

- °W. Piscidia, *Roxb.* *Kiri-kõn* ... T. ... C., Malabar

CARAPA.

- C. guianensis, *Aubl.* ... T. ... Trop. Amer., W. Trop. Africa

SWIETENIA.

- S. Mahogani, *L.* *Mahogany* ... T. ... Cent. America (Before 1843)

CHICKRASSIA.

- °C. tabularis, *A. Juss.* *Hulax-hik*... T. ... C., W. India, Malacca

CEDRELA.

- C. odorata, *L.* *Sweet cedar* ... T. ... W. Indies, Mexico (1884)

- C. serrulata, *Miq.* ... T. ... Sumatra (1871)

- C. *Toona, Roxb. Red cedar, Indian mahogany* ... T. ... India, Java, N. Australia (1852)
 Var. *serrata, Royle (sp.)* ... T. ... Himalaya

CHLOROXYLON.

- *C. *Swietenia, DC. Buruta, Satin-wood* ... T. ... C., W. India

OLACINEÆ.

STROMBOSIA.

- °S. *zeylanica, Gardn.* ... T. ... C., W. India

LASIANThERA.

- °L. *apicalis, Thw. Urukau* ... T. ... C., Borneo

GOMPHANDRA.

- °G. *axillaris, Wall* ... S. ... C., Silhet, W. India

GONOCARYUM.

- G. *pyriforme, Scheff.* ... T. ... New Guinea, Amboyna (1875)

MAPPIA.

- °M. *ovata, Miers. Gandapána* ... S. ... C., S. India

ILICINEÆ.

ILEX.

- I. *paraguayensis, St. Hil. Yerba-maté, Paraguay tea* ... S. ... Paraguay (1882)

CELASTRACEÆ.

EUONYMUS.

- E. *Sieboldianus. Paich-cha wood* ... T. ... China (1882)

CATHA.

- C. *edulis, Forsk. Kát* ... S. ... Arabia, E. Trop. Africa (1882)

PLEUROSTYLIA.

- °P. *Wightii, W. & A. Piyari* ... T. ... C., W. India, Mascarene Is.

CELASTRUS.

- °C. *paniculata, Willd. Duhudu* ... W. Cl. ... C., India, Malaya

GYMNOSPORIA.

- °G. *emarginata, Roth.* ... S. ... C., S. India

KURRIMIA.

- °K. *zeylanica, Arn. Et-heraliya, Pelap* ... T. ... Ceylon only

ELÆODENDRON.

- E. *sp.* ... T. ... —

SALACIA.

- °S. *reticulata, Wight. Himbutu-wel* ... W. Cl. ... C., W. India

RHAMNACEÆ.

ZIZYPHUS.

- Z. glabrata*, *Heyne*, var. ... *T.* ... E. Bengal, S. India
Z. horrida, *Roth.* *S.* ... S. India
 °*Z. Jujuba*, *Lam. Masan, Jujube* ... *T.* ...C., India, Trop. Africa,
 &c.
 °*Z. xylopyra*, *Willd.* *S.* ... C., India
Z. sp. *T.* ... —

VENTILAGO.

- **V. maderaspatana*, *Gaertn.* ... *W. Cl.* ... C., S. India, Java

GOUANIA.

- G. domingensis*, *L. Chaw-stick of*
Jamaica *W. Cl.* ...Trop. Amer., W. Indies
 (1884)
 °*G. microcarpa*, *DC.* *W. Cl.* ... C., W. India, Malaya

AMPELIDÆ.

VITIS (includes CISSUS).

- V. discolor*, *Dalz.* *Cl.* ...E. Bengal, Burma,
 Java (1856)
 °*V. lanceolaria*, *Wall* *W. Cl.* ...C., Assam, S. India,
 Malay Pen.
V. Lindeni, (*Lem.*) *Cl.* ... Columbia (1873)
 °*V. lonchiphylla*, *Laws.* *Cl.* ... Ceylon only (W.)
V. Martinellii, *Martin. Tuberosus-*
rooteā vine. *S.* ... Cochin China (1883)
 °*V. pallida*, *W. & A.* *W. Cl.* ...C., S. India, Trop.
 Africa (W.)
 **V. quadrangularis*, *Wall. Hirēssa Cl.* ...C., India, Java, E
 Trop. Africa
V. vinifera, *L. Grape vine* *W. Cl.* ...Mediterranean, West
 Temp. Asia

LEEÆ.

- °*L. sambucina*, *Willd. Gurulla* ... *S.* ... C., Trop. Asia (W.)
L. sanguinea, *Wall* *S.* ... Burma (1884)

SAPINDACEÆ.

CARDIOSPERMUM.

- °*C. Helicacabum*, *L. Penela-wel* ... *Cl.* ... C., Tropics generally
 (W.)

PAULLINIA.

- P. caracasana*, *Jacq.* *W. Cl.* ... Trop. S. America
 (1882)
P. pinnata, *L.* *W. Cl.* ... Trop. America, W.
 Trop. Africa (1883)

DIPLOGLOTTIS.

- D. Cunninghamii*, *Hk. f.* *T.* ... Queensland (1883)

HEMIGYROSA.

- *H. canescens, *Thw.* T. ... C., Burma, S. India
 *H. trichocarpa, *Thw.* T.C., S. India

ALLOPHYLUS.

- *A. Cobbe, *Bl. Kobbé* ... S. ... C., Trop. Asia
 *A. zeylanicus, *L.* S. or T.... C., E. Bengal

CUPANIA.

- C. (*Blighia*) *sapida*, (*Koen.*) *Akee*
of Jamaica T. ...W. Trop. Africa (Be-
 fore 1824)

SCHLEICHERA.

- *S. trijuga, *Willd. Kón, Ceylon oak* T. ... C., India, Java

GLENIEA.

- *G. zeylanica, *Hk. f.*, var. *unijuga*,
Thw. T. ... Ceylon only

SAPINDUS.

- *S. erectus, *Hiem.* S. ... Ceylon only
 *S. laurifolius, *Vahl. Kaha-penela*... T.C., S. India
 S. saponaria, *L. Soap-berry* ... T. ... Jamaica (1881)

NEPHELIUM.

- N. lappaceum, *L. Rambutan* ... T. ...Malay Is. (Before 1824)
 N. Litchi, *W. & A. Litchi* ... T. ...S. China (About 1802)
 *N. Longana, *Camb. Mora* ... T. ...C., S. India, E. Bengal

POMETIA.

- *P. eximia, *Hk. Gal-mora* ... T. ... C., Malaya
 P. pinnata, *Forst. Dawa (Fiji)* ... T. ... Pacific Is.

HARPULLIA.

- *H. cupanioides, *Roxb.* T. ... C., S. India, Malaya
 H. pendula, *Planch. Tulip wood*
of Australia T. ... Queensland (1883)

ÆSCULUS.

- Æ. punduana, *Wall* T. ... Assam, Burma (1884)

TURPINIA.

- *T. pomifera, *DC. Kankumbala* ... T. ... C., India, China

DODONÆA.

- *D. viscosa, *L.* S. ... C., all hot countries

SABIACEÆ.

MELIOSMA.

- *M. simplicifolia, *Walp. Elbedda*... T. C., India

ANACARDIACEÆ.

RHUS.

- R. glabra, *L.* S. or T. ... N. America (1885)
 R. rhodanthema, *F.M.* ... T. ... Queensland (1880)
 R. rufa, *T. & B.* T. ... Menado

SORINDEIA.			
<i>S. madagascariensis, Th.</i>	... T.	...	E. Trop. Africa, Madagascar
MANGIFERA.			
<i>M. indica, L. Mango, Amba</i>	... T.	...	India
<i>M. sylvatica, Roxb.</i>	... T.	...	Sikkim, Khasia (1881)
<i>M. zeylanica, Hk. f. Etamba</i>	... T.	...	Ceylon only
ANACARDIUM.			
<i>A. occidentale, L. Cashew nut</i>	... T.	...	W. Indies, Trop. America (Before 1878)
SCHINUS.			
<i>S. terebinthinifolius, Raddi. West Indian mastic</i>	... T.	...	Brazil (1884)
EUROSCHINUS.			
<i>E. falcatus, Hk. f.</i>	... T.	...	Queensland
ODINA.			
<i>O. Woodier, Roxb. Hik</i>	... T.	...	C., India, Burma
SEMECARPUS.			
<i>S. Anacardium, L. f. Ink nut, Marking nut</i>	... T.	...	India, Malay Is., N. Australia
<i>S. Gardneri, Thw. Badulla</i>	... T.	...	Ceylon only
<i>S. marginata, Thw.</i>	... S.	...	Id.
<i>S. Moonii, Thw.</i>	... T.	...	Id.
<i>S. pubescens, Thw.</i>	... T.	...	Id.
<i>S. subpeltata, Thw.</i>	... T.	...	Id.
NOTHOPEGIA.			
<i>N. Colebrookiana, Bl. Bala</i>	... T.	...	C., S. India
SPONDIAS.			
<i>S. mangifera, Willd. Embarella, Hog plum</i>	... T.	...	C., Trop. Asia
SCLEROCARYA.			
<i>S. caffra, Sond.</i>	... T.	...	Natal (1883)
HARPEPHYLLUM.			
<i>H. caffrum, Bernh. Kaffir plum</i>	... T.	...	S. Africa (1884)
MORINGEÆ.			
MORINGA.			
<i>M. pterygosperma, Gaertn. Murunga, Horse-radish tree</i>	... T.	...	N. India (Before 1678)

Polypetalæ Calycifloræ.

CONNARACEÆ.

ROUREA.

<i>R. commutata, Planch...</i>	... S.	...	E. Bengal, Burma, China (1884)
--------------------------------	--------	-----	--------------------------------

LEGUMINOSÆ.

1.—Papilionaceæ.

CROTALARIA.

- °C. ferruginea, *Grah.* ... P. ...C., Assam, Philippines
 C. incana, *L.* ... S. ... Malay Is., Trop. Africa
 and America; nat.
 in C. (W.)
 °C. juncea, *L. Hana, San hemp* ... S. ...C., India, Malaya,
 Australia
 °C. laburnifolia, *L. Yak-bériya* ... S. ... C., India, Malaya
 C. pseudo-eriosema, *Vatke* ... P. ... E. Trop. Africa (W.)
 °C. verrucosa, *L. Nil-andana-hiriyá* P. ... C., Tropics generally

CYAMOPSIS.

- C. psoraleoides, *DC.* ... A. ... India, cult.

PSORALEA.

- °P. corylifolia, *L.* ... A. ... C., India

INDIGOFERA.

- I. Anil, *L. West Indian indigo* ... S. ... W. Indies; nat. in C.
 I. arborea, *Roxb.* ... T. ... India
 I. atropurpurea, *Roxb.*... S. or T. ... India (1850)
 °I. galegoides, *DC.* ... S. ... C., E. Bengal, Malaya
 °I. subulata, *Vahl.* ... S. ... C., Tropics generally
 I. tinctoria, *L. Nilawari, Indigo* ... S. ... W. Trop. Africa, India;
 nat. in C. (Before
 1678)
 °I. trita, *L. f.* ... S. ... C., E. Tropics

TEPHROSIA.

- T. candida, *DC.* ... S. ... Assam, Burma, Malaya
 (1852)
 T. purpurea, *Pers. Pila* ... P. ... C., Tropics generally
 T. tinctoria, *Pers. Alu-pila* ... S. ... C., India
 °T. villosa, *Pers. Bú-pila* ... P. ...C., India, Trop. Africa,
 &c.

MUNDULEA.

- °M. suberosa, *Benth.* ... S. or T. ...C., India, Trop. Africa

MILLETTIA.

- M. atropurpurea, *Benth.* ... T. ... Malay Pen., Sumatra
 (1884)
 M. caffra, *Meisn.* ... T. ... Natal (1886)
 M. megasperma, *F.M.* ... W. Cl. ... Queensland (1882)
 M. racemosa, *Benth.* ... W. Cl. ... S. India (1881)

SESBANIA.

- °S. ægyptiaca, *Pers.* ... S. ...C., E. Tropics generally

- S. (*Agati*) *grandiflora*, Pers. *Ka-turu-murunga* T. ...E. Tropics generally, cult.
- BRYA.**
- B. *Ebenus*, DC. *Jamaica ebony* ... S. or T... W. Indies (1884)
- ORMOCARPUM.**
- O. *glabrum*, T. & B. T. ... Celebes (1873)
- HERMINIERA.**
- H. *Elaphroxylon*, G. & P. *Ambash*, *Pith tree of the Nile* T. ... Trop. Africa (1881)
- ARACHIS.**
- A. *hypogæa*, L. *Ground nut* A. ...Brazil probably (Before 1824)
- DESMODIUM.**
- D. *cajanefolium*, DC. S. ...Trop. America; nat. in C.
- *D. *gyrans*, DC. *Telegraph plant* ... S. ... C., India, Malaya
- *D. *gyroides*, DC. S. ... Id.
- *D. *polycarpum*, DC. S. ...C., Trop. Asia & Africa (W.)
- *D. *triflorum*, DC. *Hin-undu-piyali* P. ...C., Tropics generally (W.)
- *D. *triquetrum*, DC. *Baloliya* ... S. ...C., India, China, &c. (W.)
- *D. *umbellatum*, DC. S. ...C., Malaya, Polynesia, Mascarene Is.
- PSEUDARTHRIA.**
- *P. *viscida*, W. & A. P. ...C., India, Timor (W.)
- URARIA.**
- *U. *picta*, Desf. P. ... C., E. Tropics
- LOUREA.**
- L. *vespertilionis*, Desv. A. ...Tropics generally (Before 1824)
- CICER.**
- C. *arietinum*, L. *Kaḍala*, *Chick-pea*, *Gram of North India* A. ... Asia Minor (V.)
- VICIA.**
- V. *Faba*, L. *Broad bean* A. ...W. Asia, N. Africa? (V.)
- LENS.**
- L. *esculenta*, Moench. *Lentil* A. ... Asia Minor? (V.)
- PISUM.**
- P. *sativum*, L. *Pea* A. ... Persia, N. India (V.)

ABRUS.

- °A. *preparatorius*, L. *Olinda-wel*,
Indian liquorice ... W. Cl. ... C., Tropics generally

CENTROSÆMA.

- C. *Plumieri*, Benth. ... A. ... W. Indies; nat. in C.
(W.)

CLITORIA.

- C. *cajanæfolia*, Benth. ... P. ... Malaya, Trop. America
°C. *ternatea*, L. *Nil-katarolu* ... Cl. ... C., Tropics generally
(W.)

GLYCINE.

- G. *hispida*, Moench. *Soy bean*, Japan
pea ... T. ... China and Japan (1882)

ERYTHRINA.

- E. *caffra*, Thunb. ... T. ... S. Africa (1886)
°E. *indica*, L. *Erabadu* ... T. ... C., India, Malaya, Poly-
nesia
Var. *picta*, L. (*sp.*) ... T. ... Moluccas (1871)
E. *lithosperma*, Bl. *Dadap minjak*
(*Java*) ... T. ... Java, cult.
°E. *ovalifolia*, Roxb. *Yak-erabadu* T. ... C., India, Malaya, Poly-
nesia
E. *speciosa*, Andr. *Coral bean* ... T. ... W. Indies, Tropical
America (1883)
E. *umbrosa*, H.B.K. *Bois immor-
telle*, *Madre de cacao* ... T. ... Trop. S. America
(1881)
E. *velutina*, Willd. ... T. ... Trop. S. America and
W. Indies (1881)
E. *vespertilio*, Benth. ... T. ... Queensland (1867)
E. *sp.* ... T. ... Trop. America (1881)

MUCUNA.

- °M. *atropurpurea*, DC. ... W. Cl. ... C., India, Malacca
°M. *gigantea*, DC. ... W. Cl. ... C., India, Malaya, Poly-
nesia
°M. *pruriens*, DC. *Achariya-pala*,
Covitch ... Cl. ... C., Tropics generally

CANAVALLIA.

- °C. *ensiformis*, DC. *Wal-awara* ... Cl. ... C., Tropics generally
(V.)

PHYSOSTIGMA.

- P. *venenatum*, Balf. *Calabar bean* W. Cl. ... W. Trop. Africa

PHASEOLUS.

- °P. *calcaratus*, Roxb. ... P. ... C., India, Malaya (W.)
P. *lunatus*, L. *Mé-karal*, *Curry
bean* ... B. ... Brazil? cult. through-
out Tropics (V.)

- °P. Mungo, *L. Mun-eta, Green gram A.* ...C., India, throughout Tropics, cult. (V.)
 Var. radiatus, L. (sp.) ... —
 Var. Max, Roxb. (sp.). Mun-mé, Black gram ... —
 °P. semierectus, *L.* ... P. ...C., India, Malaya, Trop. America
P. vulgaris, L. Bónchi, Haricot or French bean ... A. ...Native country quite unknown (V.)
- VIGNA.
- V. Catiang, Engl.* ... A. ... E. Tropics (V.)
- PSOPHOCARPUS.
- P. tetragonolobus, DC. Daradambala* ... A. ... Burma (V.)
- DOLICHOS.
- °D. biflorus, *L. Kollu, Horse gram A.* ...C., E. Tropics generally (V.)
 °D. Lablab, *L.* ... A. or P. C., E. Tropics generally (V.)
- CAJANUS.
- C. indicus, Spreng. Raja-tóra, Pigeon pea, Dhal (India)* ... S. ...Trop. Africa; cult. throughout Tropics (Before 1678) (V.)
- FLEMINGIA.
- °F. strobilifera, *R. Br. Hampilla*... S. ...C., E. Tropics generally
- DALBERGIA.
- D. armata, E. M.* ... T. ... Natal (1886)
D. frondosa, Roxb. ... T. ... C., India
D. latifolia, Roxb. ... T. ... India (Before 1824)
D. Melanoxyton, G. & P. ... S. or T. ... Trop. Africa
D. Sissoo, Roxb. Sissoo ... T. ...N. and Central India, Afghanistan (1842)
- PTEROCARPUS.
- P. echinatus, Pers.* ... T. ... Philippine Is. (1882)
P. indicus, Willd. Padowk (Burma) T. ... India, Malaya, China
 °P. Marsupium, *Roxb. Gammalu* ... T. ... C., India
P. santalinus, L. f. Red Sanders ... T. ... India (1880)
P. saxatilis, Hassk. ... T. ... Amboyna (1884)
- PLATYMISCIUM.
- P. polystachyum, Benth.* ... T. ... Panama (1870)

CAMOENSIA.

C. maxima, *Welw.* *W. Cl.* ... *W. Trop. Africa* (1883)

TOLUIFERA (Myroxylon).

T. Balsamum, *L. Balsam of Tolu* *T.* ... *Venezuela, New Granada* (1870)

T. Pereirae, *Baill., Balsam of Peru* *T.* ... *San Salvador* (1861)

BARKLYA.

B. syringæfolia, *F. M.* ... *T.* ... *Queensland* (1873)

2.—Cæsalpinieæ.

PELTOPHORUM.

P. dasyrrhachis, *Kurz.* ... *T.* ... *Sumatra* (1873)

°*P. ferrugineum*, *Benth* ... *T.* ... *C., Malaya, N. Australia*

P. Linnæi, *Benth. Braziletto wood* *T.* ... *Jamaica* (1883)

CÆSALPINIA.

C. arborea, *Zoll.* *T.* ... *Java* (1884)

°*C. Bonduc*, *Roxb. Kumburu-wel...* *W. Cl.* ... *C., India, Malaya, Polynesia, W. Indies*

C. Bonducella, *Flem.* *W. Cl.* ... *India, Tropics generally*

C. coriaria, *Thunb. Divi-divi* ... *T.* ... *Central America, W. Indies*

C. ferrea, *Mart.* *T.* ... *Brazil* (1883)

C. minax, *Hance* *W. Cl.* ... *S. China* (1885)

°*C. Nuga. Ait. Diya-wawuleṭṭiya* ... *W. Cl.* ... *C., E. Tropics generally*

C. pulcherrima, *Sw. Peacock flower* *T.* ... *Cult. throughout Tropics (Before 1824)*

C. Sappan, L. Sappan ... *T.* ... *India, Malaya (Before 1678)*

HEMATOXYLON.

H. campechianum, *L. Logwood* ... *T.* ... *Yucatan* (1845)

GLEDITSCHIA.

G. sinensis, *L.* *T.* ... *China (Before 1824)*

ACROCARPUS.

A. fraxinifolius, *Wight* ... *T.* ... *S. India, Sikkim, Sumatra*

WAGATEA.

W. spicata, *Dalz.* *W. Cl.* ... *W. India* (1884)

COLVILLEA.

C. sp. *T.* ... *Hort. Calcutta* (1886)

POINCIANA.

P. regia, *Boj. Flamboyante* ... *T.* ... *Madagascar (Before 1841)*

SCHIZOLOBIUM.

S. excelsum, *Vog.* *T.* ... *Brazil* (1872)

PARKINSONIA.

P. aculeata, *L.* *T.* ... Trop. America (Before 1824)

CASSIA.

- C. acutifolia*, *Del.* *Alexandrian*
senna *A.* ... Nubia, &c. (1853)
- C. alata*, *L.* *Raṭa-tóra* *S.* ... Tropics generally ; nat. in C.
- C. angustifolia*, *Vahl.* *Bombay and Tinnevely senna* *S.* ... S. Arabia, E. Tropical Africa
- °*C. auriculata*, *L.* *Ranawará* *S.* C., India
- C. bacillaris*, *L. f.* *T.* ... Trop. America (1873)
- C. bicapsularis*, *L.* *S.* ... Trop. America (Before 1824)
- C. biflora*, *L. ?* *S.* ... Trop. America, West Indies
- C. corymbosa*, *L.* *T.* ... S. Brazil, Bolivia (1881)
- °*C. Fistula*, *L.* *Eḥḗla. Indian laburnum* *T.* ... C., India, Malaya, China
- C. glauca* *L.* *T.* Trop. Asia
- C. grandis*, *L. f.* *Horse cassia* *T.* ... Trop. America (1850)
- C. hirsuta*, *L.* *S.* ... Trop. America
- C. lævigata*, *Willd.* *S.* ... Trop. America ; nat. in C.
- °*C. marginata*, *Roxb.* *Ratu-wa* *T.* C., S. India
- °*C. mimosoides*, *L.* *Bin-siyambalá* *S.* *S.* ... C., Tropics generally (W.)
- C. multijuga*, *Rich* *T.* ... Trop. America (1851)
- C. nodosa*, *Ham.* *T.* ... E. Bengal, Malaya (1850)
- C. occidentalis*, *L.* *Peti-tóra* *A.* ... C., Tropics generally (W.)
- °*C. siamea*, *Lam.* *Wa* *T.* C., India, Malaya
- °*C. Tora*, *L.* *Peni-tóra* *A.* C., Tropics generally

CERATONIA.

C. Siliqua, *L.* *Carob, Locust bean* *T.* E. Mediterranean

BAUHINIA.

- B. acuminata*, *L.* *S.* ... India, Malaya, China (Before 1824)
- Var. *sumatrana*, *T. & B.* *S.* ... Sumatra (1884)
- °*B. anguina*, *Roxb.* *W. Cl.* C., India
- B. corymbosa*, *Roxb.* *W. Cl.* China
- B. diphylla*, *Ham.* *W. Cl.* ... Malay Peninsula (1844)
- B. Hookeri*, *F. M.* *T.* ... Queensland (1883)
- B. purpurea*, *L.* *T.* ... India, Penang, China

Several varieties.

- °B. racemosa, *Lam. Mayila* ... T. ...C., India, Malaya, China
 B. Richardiana, *DC.* ... T. ... Cayenne (1883)
 °B. tomentosa, *L. Kaha-petan* ... T. ...C., Tropical Asia, and Africa
 B. variegata, *L.* ... T. ... India, China
 B. Vahlia, *W. & A.* ... W. Cl. ...N. & Cent. India (1880)
- BROWNEA.
- B. Ariza, *Benth.* ... T. ...Trop. America (1884)
 B. coccinea, *L.* ... T. ... Venezuela (1849)
 B. grandiceps, *Jacq.* ... T. ... Venezuela (1870)
 And hybrids.
- LYSIDICE.
- L. rhodostegia, *Hance* ... T. ... S. China (1882)
- AMHERSTIA.
- A. nobilis, *Wall* ... T. ...Malacca, Tenasserim (1860)
- AFZELIA.
- A. amboinensis, (*Thouars*) ... T. ... Malay Is. (1882)
- HUMBOLDTIA.
- °H. laurifolia, *Vahl. Gal-karanda*... S. ...C., S. India
- PAHUDIA.
- P. javanica, *Miq.* ... T. ... Malay Is. (1871)
- TAMARINDUS.
- T. indica, *L. Siyambalá, Tamarind* ... T. ...Trop. Africa; nat. in C.
- HYMENÆA.
- H. Courbaril, *L. Locust tree of W. Indies* ... T. ... W. Indies (1882)
- TRACHYLOBIUM.
- T. verrucosum, *Oliv.* ... T. ...Trop. Africa, Madagascar
- MANILTOA.
- M. gemmipara, *Scheff.* ... T. ... New Guinea (1886)
- SARACA.
- S. declinata, *Jack* ... S. ... Java (1870)
- °S. indica, *L. (Jonesia Asoka, Rozb.) Diya-ratambalá* ... T. ...C., S. India (Before 1824)
- DETARIUM.
- D. senegalense, *Gmel.* ... T. ... Trop. Africa (1885)
- COPAIFERA.
- C. officinalis, *L. Copaiba* ... T. ...Cent. America, Trinidad (1880)
- HARDWICKIA.
- H. pinnata, *Rozb.* ... T. ... S. India (1871)

CYNOMETRA.

- C. cauliflora, *L. Nam-nam* ... T. ... India, Malaya (Before 1678)
 *C. ramiflora, *L. Gal-mendéra* ... T. ... C., India, Malaya

DIMORPHANDRA.

- D. Mora, *Benth. Mora* ... T. ... British Guiana (1881)

3.—Mimoseæ.

PARKIA.

- P. biglandulosa, *W. & A.* ... T. ... Malaya
 P. Roxburghii, *G. Don* ... T. ... Assam, Burma, Malaya

ENTADA.

- *E. scandens, *Benth. Pus-wel* ... W. Cl. ... C., all the Tropics

ADENANTHERA.

- *A. bicolor, *Moon. Mas-mora* ... T. ... C., Malacca
 A. microsperma, *T. & B.* ... T. ... Java (1884)
 *A. pavonina, *L. Madutiya* ... T. ... C., Trop. Asia

PROSOPIS.

- P. juliflora, *DC., var. glandulosa, Torr. Algaroba, Mesquit bean, Cashaw (Jamaica)* ... S. ... Sub-trop. S. America (1880)

DESMANTHUS.

- D. virgatus, *Willd.* ... S. ... Trop. America; nat. in C.

MIMOSA.

- M latispinosa, *Lam.* ... S. ... Madagascar
 M. pudica, *L. Sensitive plant* ... S. ... Brazil, &c.; nat in C. (W.) (Before 1804)

LEUCÆNA.

- L. glauca, *Benth.* ... T. ... Trop. America; nat. in C. (Before 1824)

ACACIA.

- A. Catechu, *Willd.* ... T. ... N. India, Burma (1881)
 A. Farnesiana, *Willd.* ... S. ... Tropics generally; nat. in C.
 *A. planifrons, *W. & A. Umbrella tree* ... T. ... C., S. India
 A. Kraussiana, *Meisn.* ... S. ... Natal (1886)
 *A. Suma, *Kurz.* ... T. ... C., India
 A. sphaerocephala, *Cham. & Schl.* ... T. ... Central America
 A. torulosa, *Benth.* ... S. or T. ... Trop. Australia

CALLIANDRA.

- C; brevipes, *Benth.* ... S. ... Brazil
 C. Guildingii, *Benth.* ... S. ... Trop. America, W. Indies (1880)

<i>C. hæmatocephala</i> , <i>Hassk.</i>	... S.	... Native country unknown (1873)
<i>C. Tweedii</i> , <i>Benth.</i> , var. <i>Sancti Pauli</i> , <i>Hassk.</i> S.	... S. America
ALBIZZIA.		
° <i>A. amara</i> , <i>Boiv.</i> T.	... C., India, Trop. Africa
° <i>A. Lebbek</i> , <i>Benth.</i> <i>Mara</i> T.	... C., E. Tropics generally
<i>A. lucida</i> , <i>Benth.</i> T.	... E. Bengal, Malay Peninsula
° <i>A. odoratissima</i> , <i>Benth.</i> <i>Sûriya-mâra</i> T.	... C., India, Malacca
<i>A. moluccana</i> , <i>Miq.</i> T.	... Java, Moluccas (1880)
<i>A. paludosa</i> , <i>Hort.</i> , <i>Calc.</i> (= ? <i>Pithecolobium fragrans</i> , <i>Benth.</i>) T.	... Origin unknown (1880)
<i>A. procera</i> , <i>Benth.</i> T.	... India, Malaya, Philippines
° <i>A. stipulata</i> , <i>Borr.</i> <i>Kabal-mâra</i> T.	... C., E. Bengal, Malaya
PITHECOLOBIUM.		
° <i>P. bigeminum</i> , <i>Benth.</i> <i>Kalaṭiya</i> T.	... C., India, Malaya
<i>P. cauliflorum</i> , <i>Mart.</i> ? T.	... Trop. S. America
<i>P. dulce</i> , <i>Benth.</i> <i>Madras thorn</i> T.	... Trop. S. America (Before 1824)
<i>P. Saman</i> , <i>Benth.</i> <i>Ruin tree</i> , <i>Guango</i> T.	... Trop. S. America (About 1851)
ENTEROLOBIUM.		
<i>E. cyclocarpum</i> , <i>Grisib.</i> T.	... Jamaica, Venezuela (1884)
ROSACEÆ.		
CHRYSOBALANUS.		
<i>C. Icaico</i> , <i>L.</i> <i>Coco plum</i> T.	... Trop. America and Africa (1881)
PRUNUS.		
<i>P. Cerasus</i> , <i>L.</i> <i>Cherry</i> T.	... Asia Minor, Europe
<i>P. persica</i> , <i>B. & Hk. f.</i> <i>Peach</i> T.	... China
PYGEUM.		
° <i>P. zeylanicum</i> , <i>Gaertn.</i> <i>Kankumbal-kotiya</i> T.	... Ceylon only
QUILLAIA.		
<i>Q. saponaria</i> , <i>Mol.</i> <i>Soap bark</i> T.	... Chili (1883)
FRAGARIA.		
<i>F. vesca</i> , <i>L.</i> <i>Strawberry</i> P.	... Himalaya, W. Asia, Europe
RUBUS.		
<i>R. rosæfolius</i> , <i>Sm.</i> S.	... E. Himalayas, Burma, Java (Before 1824)
ROSA.		
<i>R. centifolia</i> , <i>L.</i> <i>Cabbage rose</i> S.	... Asia Minor

R. indica, L.	Indian rose, Tea rose, &c.	... S.	China
	Many garden varieties.				
R. rubiginosa, L.	Sweet briar	... S.	...	Europe, Central Asia	
	PYRUS.				
P. communis, L.	Pear	... T.	...	Persia, Europe	
	PHOTINIA.				
P. (Eriobotrya) japonica, (Lindl.) Loquat T.	...	Japan, China (Before 1804)	
SAXIFRAGACEÆ.					
	SAXIFRAGA.				
S. sarmentosa, L. f. P.	...	China, Japan	
	HYDRANGEA.				
H. hortensis, DC.	Garden hydran- gea	... S.	...	Japan	
	BREXIA.				
B. madagascariensis, Ker. T.	...	Madagascar	
B. spinosa, Lindl. T.	...	Madagascar (1853)	
CRASSULACEÆ.					
	BRYOPHYLLUM.				
B. calycinum, Salisb. P.	...	Africa? nat. in C.	
	KALANCHOE.				
K. grandiflora, W. & A. P.	...	S. India	
	SEDUM.				
S. chrysastrum, Hance P.	...	China (1869)	
HAMAMELIDÆ.					
	BUCKLANDIA.				
B. populifolia, Br. T.	...	Nepal, Khasya, Malaya (1830)	
RHIZOPHORACEÆ.					
	CARALLIA.				
°C. integerrima, DC.	Dawaça	... T.	...	C., India, Malaya, China, Australia	
	WEIHEA.				
°W. zeylanica, Baill.	Kannu	... S.C., S. India	
	ANISOPHYLLEA.				
°A. zeylanica, Benth.	Weli-piyana.	... T.	...	Ceylon only	
COMBRETACEÆ.					
	TERMINALIA.				
°T. Belerica, Roxb.	Bulu	... T.	...	C., India, Malaya (1884)	
	Var. laurinoides, T. & B.				
T. Catappa, L.	Koçumba, Indian almond	... T.	...	Malaya	
°T. glabra, W. & A.	Kumbuk	... T.	...	C., India	
T. melanocarpum, F. M. T.	...	Queensland (1883)	

°T. parviflora, <i>Thw.</i>	<i>Hampalanda</i> ...	T.	...	Ceylon only
T. sp.	T.	—

COMBRETUM.

C. erythrophyllum, <i>Sond.</i>	...	T.	...	S. Africa (1886)
C. grandiflorum, <i>Don.</i>	...	W. Cl.	...	W. Trop. Africa
C. purpureum, <i>Vahl.</i>	...	W. Cl.	...	Madagascar (1885)
C. sp.	W. Cl.	—

QUISQUALIS.

Q. indica, <i>L.</i>	W. Cl.	...	S. India, Malaya
----------------------	-----	-----	--------	-----	------------------

MYRTACEÆ.

CALLISTEMON.

C. lanceolatus, <i>DC.</i>	...	T.	...	E. Australia	
C. rigidus, <i>Br.</i>	<i>Bottle-brush tree</i>	...	T.	...	N. S. Wales

MELALEUCA.

M. Leucadendron, <i>L.</i>	<i>Tea-tree of</i>	Australia
	<i>Australia</i>	...	T.
M. minor, <i>Sm.</i>	<i>Cajuput-oil tree</i>	...	T.	...	Amboyna, Celebes (Before 1843)

EUCALYPTUS.

E. alba, <i>Reinw.</i>	T.	...	Timor, N. Australia (1884)
E. calophylla, <i>Br.</i>	T.	...	W. Australia (1881)
E. diversicolor, <i>F. M.</i>	<i>Karri</i>	...	T.	...	Id.
E. Leucoxydon, <i>F. M.</i>	<i>Iron bark</i>	T.	...	Australia (1881)
E. maculata, <i>Hk.</i> , var. <i>citriodora</i> , <i>Hk. Lemon-scented gum tree</i>	T.	...	N. S. Wales, Queensland (1870)
E. sp.	T.	...	Australia (1870)

PSIDIUM.

P. Guyava, <i>L.</i>	<i>Guava, Péra</i>	...	S.	...	Trop. America; nat. in C. (Before 1678)
P. Cattleyanum, <i>Sab.</i>	<i>Calcutta guava</i>	...	T.	...	Trop. America

MYRTUS.

M. communis, <i>L.</i>	<i>Myrtle</i>	...	S.	...	Mediterranean (Before 1824)
------------------------	---------------	-----	----	-----	-----------------------------

PIMENTA.

P. acris, <i>W. & A.</i>	<i>Bay-berry</i>	...	T.	...	W. Indies, Venezuela
P. officinalis, <i>Lindl.</i>	<i>Allspice, Pimento</i>	...	T.	...	Central America, W. Indies (Before 1804)

EUGENIA.

°E. amoena, <i>Thw.</i>	T.	...	Ceylon only
°E. aquea, <i>Burm.</i>	<i>Wal-jambu</i>	...	T.	...	C., Burma
°E. assimilis, <i>Duth.</i>	T.	...	Ceylon only
E. brasiliensis, <i>Lam.?</i>	<i>Brazil cherry</i>	...	T.	...	Brazil

•E. caryophyllæa, <i>Wight. Daṅ</i>	... T.	...	C., S. India, Borneo
E. caryophyllata, <i>Willd. Clove</i>	... T. Moluccas
E. cotinifolia, <i>Jacq., var.</i>	... T. Mauritius
•E. Gardneri, <i>Duth. Dambu</i>	... T. C., S. India
•E. grandis, <i>Wight</i>	... T.	...	C., India, Malaya
•E. hemispherica, <i>Wight</i>	... T.C., S. India
E. insignis, <i>Thw.</i>	... T.	...	Ceylon only
E. Jambos, <i>L. Jambu, Rose apple</i>	T.	...E.	Bengal, Malaya (Before 1678)
E. javanica, <i>Lam. Wax jambu</i>	... T. Malaya
E. malaccensis, <i>L. Malay apple</i>	... T.Malay Is.(Before1678)
•E. micrantha, <i>Duth.</i>	... T.	...	Ceylon only
•E. Mooniana, <i>Wight. Pinibaru</i>	.. S.C., S. India
•E. Neesiana, <i>Wight. Panu-kéra</i>	... T.	...	Ceylon only
•E. olivifolia, <i>Duth.</i>	... T. Id.
•E. operculata, <i>Roxb. Baṅa-domba</i>	T.	...C.,	India, Malaya, S. China
•E. rivulorum, <i>Thw.</i>	... T.	...	Ceylon only
•E. terpnophylla, <i>Thw.</i>	... T. Id.
•E. Thwaitesii, <i>Duth.</i>	... T. Id.
•E. xanthocarpa, <i>Thw.</i>	... S. Id.
E. sp.	... T.	...	Sikkim (1884)

And several undetermined species.

BARRINGTONIA.

•B. acutangula, <i>Gaertn. Ela-midella</i>	T.	...	C., India, Malaya
•B. racemosa, <i>Bl. Diya-midella</i>	... T.	...C.,	India, Malaya, Polynesia
•B. speciosa, <i>L. Mudilla</i>	... T.	...C.,	Malaya, Polynesia, Australia
B. sp.	... T. Fiji

CAREYA.

•C. arborea, <i>Gaertn. Kahaṅa</i>	... T. C., India
------------------------------------	--------	-----	---------------

GUSTAVIA.

G. augusta, <i>L.</i>	... T.Trop. America (1884?)
-----------------------	--------	-----	--------------------------

GRIAS.

G. cauliflora, <i>L. Anchovy pear</i>	... T. W. Indies (1850)
---------------------------------------	--------	-----	----------------------

COUROUPITA.

C. guianensis, <i>Aubl. Cannon-ball tree</i>	... T.Trop. S. America (1881)
--	--------	-----	----------------------------

BERTHOLLETIA.

B. excelsa, <i>H. & Bonpl. Brazil-nut</i>	T.Trop.S. America(1880)
---	----	-----	--------------------------

NAPOLEONA.

N. imperialis, <i>Beauv.</i>	... S.W. Trop. Africa (1850)
------------------------------	--------	-----	---------------------------

MELASTOMACEÆ.**HEERIA.**

H. macrostachya, *Triana* ... *P.* ... Mexico (1855)

PLEROMA.

P. macranthum, *Hk. f. (Lasiandra, Seem.)* *S.* ... Brazil

OSBECKIA.

**O. aspera*, *Bl. Bôwiya* ... *S.* ... C., S. India
 **O. rubicunda*, *Arn.* ... *S.* ... Ceylon only
 **O. octandra*, *DC.* ... *S.* ... C., S. India

MELASTOMA.

**M. malabathricum*, *L. Maha-bô-viyya* *S.* ... C., India
M. polyanthum, *Bl.* ... *S.* ... Malaya, N. Australia

SONERILA.

**S. affinis*, *Arn.* ... *P.* ... Ceylon only
S. argentea ... *P.* ... Hort. Linden (1884)
 **S. Gardneri*, *Thw., var. firma* ... *P.* ... Ceylon only
 **S. Guneratnei*, *Trim.* ... *P.* ... Id.
 **S. lanceolata*, *Thw.* ... *P.* ... Id.
S. margaritacea, *Lindl.* ... *P.* ... Java ? (1884)
 **S. rhombifolia*, *Thw.* ... *P.* ... Ceylon only
 **S. robusta*, *Arn.* ... *P.* ... Id.

And other native species.

PHYLLAGATHIS.

P. gymnantha, *Korth.* ... *S.* ... Borneo (1883)
P. rotundifolia, *Bl.* ... *S.* ... Malacca, Sumatra (1883)

BERTOLONIA.

B. marmorata, *Naud., var. superba*... *P.* ... Brazil (1884)
B. vittata *P.* ... Hort. Calcutta (1884)

MEDINILLA.

M. magnifica, *Lindl. & Paxt.* ... *S.* ... Luzon
M. speciosa, *Bl.* ... *S.* ... Malaya (1856)
M. Teysmanni, *Miq.* ... *S.* ... Java (1875)

MICONIA.

M. pulverulenta, *R. & P.* ... *T.* ... Peru

BLAKEA.

B. trinervia, *L.* ... *S.* ... Jamaica (1882)

MEMECYLON.

**M. angustifolium*, *Wight* ... *S.* ... C., S. India
 **M. capitellatum*, *L. Dodan-kaha*... *S.* ... C., S. India ?
 **M. edule*, *Roxb., var. ovatum*, *Sm. Dedi-kaha* ... *S.* ... C., Malay Pen.
 Var. *leucanthum*, *Thw.* ... *S.* ... Ceylon only

*M. ellipticum, <i>Thw.</i> S. ...	Ceylon only
*M. fuscescens, <i>Thw.</i> S. Id.
*M. Hookeri, <i>Thw. Kevitiya-kéra</i> ... S. Id.
*M. lævigatum, <i>Bl., var. sylvaticum,</i> <i>Thw.</i> S. C., Malaya
*M. umbellatum, <i>Burm. Kora-kaha</i> S. or T. ...	Ceylon only
*M. varians, <i>Thw.</i> S. Id.
MOURIRIA.	
M. guianensis, <i>Aubl.</i> S. ...	Guiana (1886)

LYTHRACEÆ.

WOODFORDIA.

*W. floribunda, <i>Sal. Malita</i> ... S. ...	C., India, Trop. Africa
---	-------------------------

CUPHEA.

C. elegans, <i>Hort.</i> P. ...	Hort. Calcutta (1883)
C. ignea, <i>Hort.</i> P. ...	Trop. America
C. jorullensis, <i>Kunth. (C. eminens,</i> <i>Lind.)</i> P. ...	Mexico (1884)
C. miniata, <i>Brongn</i> P. ...	Mexico (1885)
C. purpurea, <i>Hort.</i> P. ...	Trop. America

NESEÆ.

N. salicifolia, <i>H.B.K.</i> S. Mexico
---	------------

LAFOENSIA.

L. Vandelliana, <i>DC.</i> T. ...	Brazil (1856)
--	---------------

LAWSONIA.

*L. alba, <i>Lam. Henna, Tree migno-</i> <i>nette</i> S. or T. ...	N. E. India, Arabia
--	---------------------

LAGERSTRÆMIA.

*L. Flos-reginæ, <i>Retz. Muruta</i> ... T. ...	C., India, Malaya
L. hexaptera, <i>Miq.</i> T. ...	Malacca, Celebes
L. indica, <i>L.</i> T. China, India ? (Before 1824)
L. lanceolata, <i>Wall</i> T. Malabar

DUABANGA.

D. moluccana, <i>Bl.</i> T. ...	Moluccas (1852)
--	-----------------

PUNICA.

P. Granatum, <i>L. Pomegranate</i> ... S. Persia, Beluchistan, N. W. India
---	---

Var. nana fl. pleno.

AXINANDRA.

*A. zeylanica, <i>Thw. Kékiri-wará</i> ... T. ...	Ceylon only
---	-------------

ONAGRACEÆ.

JUSSIÆA.

*J. repens, <i>L. Beru-diyaniilla</i> ... Aq. ...	C., Tropics generally
*J. suffruticosa, <i>L.</i> P. ...	Id.

HAUYA.

- H. elegans*, *Moc. & Sess.* ... *T.* ... Mexico

SAMYDACEÆ.

CASEARIA.

- **C. esculenta*, *Roxb.* *Wal-waraká S. or T.* ... *C.*, Malabar, Malay Pen.

HOMALIUM.

- **H. zeylanicum*, *Benth.* *Liyar* ... *T.* ... *C.*, Malabar

TURNERACEÆ.

TURNERA.

- T. trioniflora*, *Sims.* ... *P.* ... Trop. America (Before 1845)
T. ulmifolia, *L.* ... *P.* ... W. Indies ; nat. in C. (W.)

PASSIFLORACEÆ.

PASSIFLORA.

- P. cœrulea*, *L.*, var. *Passion-flower Cl.* ... Brazil (Before 1824)
P. edulis, *Sim.* *Sweet cup* ... *Cl.* ... Brazil
P. fœtida, *Cuv.* ... *H. Cl.* ... Tropics generally ; nat. in C. (1824) (W.)
P. holosericea, *L.* ... *W. Cl.* ... S. America (1885)
P. laurifolia, *L.* *Water lemon* ... *W. Cl.* ... Brazil, W. Indies (Before 1824)
P. quadrangularis, *L.* *Granadilla* ... *Cl.* ... Tropical America, W. Indies
P. racemosa, *L.*, var. ... *Cl.* ... Brazil
P. Raddeana, *DC.* ... *Cl.* ... S. Brazil (1855)
P. serratifolia, *L.* ... *Cl.* ... Trop. America (1885)
P. suberosa, *L.* ... *H. Cl.* ... Tropics generally ; nat. in C. (1824) (W.)
P. trifasciata, *Lem.* ... *Cl.* ... N. Brazil (1871)
P. vitifolia, *H.B.K.* *Scarlet passion-flower* ... *Cl.* ... Central America

MODECCA.

- **M. palmata*, *Lam.* *Hondala* ... *Cl.* ... *C.*, India

CARICA.

- C. (Vasconcellia) cauliflora*, *Jacq.* ... *T.* ... Mexico
C. cundinamarcensis, *Hk. f.* *Mountain papaw* ... *T.* ... Columbia (1880)
C. Papaya, *L.* *Papaw* ... *T.* ... Central America, W. Indies (Before 1678)

CUCURBITACEÆ.

HODGSONIA.

- H. heteroclita*, *Hk. f. & Th.* ... *W. Cl.* ... Assam, Burma, Malacca (1883)

TRICHOSANTHES.

- T. anamalayana, *Bedd.*? ... *W. Cl.* ... S. India
 T. anguina, *L. Patola, Snake-gourd Cl.* ... China, Malaya (V.)
 •T. cucumerina, *L. Dummella* ... *Cl.* ... C., India, Malaya (V.)
 •T. palmata, *Roxb. Titta-hondula*... *Cl.* ...C., India, China, Malaya, &c.
 T. villosa, *Bl.* ... *Cl.* ... Java (1873)

LAGENARIA.

- L. vulgaris, *Sér. Diya-labu, Bottle-gourd* *Cl.* ...All the Tropics, cult. (V.)

LUFFA.

- L. acutangula, *Roxb. Veṭa-kola* ... *Cl.* ... C., India, Malaya
 •L. ægyptiaca, *Mill. Niyan-veṭa-kola, Loofah (W. Africa)* ... *Cl.* ... Id. (V.)

BENINCASA.

- B. cerifera, *Cav. Alu-puhul, Ash pumpkin* *Cl.* ... E. Tropics, cult. (V.)

MOMORDICA.

- M. Charantia, *L. Kariwila* ... *Cl.* ...C., E. Tropics generally (V.)

CUCUMIS.

- C. Melo, *L. Raṭa-komaḍu, Melon*... *A.* ...India, Beluchistan, Guinea (V.)
 C. sativus, *L. Raṭa-keḱiri, Cucumber* *A.* ...N. India (V.) (Before 1824)

CITRULLUS.

- C. vulgaris, *Schrad. Komaḍu, Water melon* *A.* ... Trop. Africa

CUCURBITA.

- C. maxima, *Duch. Gourd* ... *A.* ...Tropics generally, cult. (V.)
 C. moschata, *Duch. Raṭa-labu, Musk melon* *A.* ... Id. Native country unknown (V.)
 C. Pepo, *L. Pumpkin, Vegetable marrow* *A.* ... N. America (V.)

SECHIUM.

- S. edule, *Sw. Chocho, Chayote* ... *Cl.* ...Central America (1884) (V.)

BEGONIACEÆ.

BEGONIA.

- B. amabilis *P.* ... Hort. Linden (1884)
 B. barbata, *Wall.* *P.* ... Burma (1884)
 B. boliviensis, *DC.* *P.* ... Bolivia
 •B. cordifolia, *Thw.* *P.* ... Ceylon only
 B. fuchsoides, *Hook.* *S.* ... New Grenada

B. heracleifolia, <i>Cham. & Schl.</i> ...	P.	Mexico
B. humilis, <i>Dryand</i> ...	A.	W. Indies (W.)
B. hydrocotylifolia, <i>Hook.</i> ...	P.	Mexico (1859)
*B. malabarica, <i>Lam.</i> ...	P.	C., Malabar
B. manicata, <i>Brongn</i> ...	S.	Mexico (1846)
B. platanifolia, <i>Gmel.</i> ...	S.	Brazil (1856)
B. Rex, <i>Putz.</i> ...	P.	Assam
B. rubro-venia, <i>Hook.</i> ...	P.	Sikkim, Khasya (1883)
B. sanguinea, <i>Ruddi</i> ...	S.	Brazil
*B. Thwaitesii, <i>Hook.</i> ...	P.	Ceylon only
B. tomentosa, <i>Schott.</i> ...	S.	Brazil (1884)
B. ulmifolia, <i>Willd.</i> ...	P.	Tropical S. America (1882)
B. vitifolia, <i>Schott.</i> ...	S.	Brazil
B. xanthina, <i>Hook.</i> ..	P.	Assam
B. sp. (Apcar's) ...	P.	Hort. Calcutta (1884)

And many garden and hybrid varieties.

CACTACEÆ.

MAMILLARIA.

M. centricirra, <i>Lem.</i> ...	P.	Trop. America (1880)
---------------------------------	----	-----	-----	----------------------

CEREUS.

O. grandiflorus, <i>Mill.</i> <i>Night-flowering cactus</i> ...	S.	W. Indies
C. Jamacaru, <i>DC.</i> ...	S.	Brazil (1880)
C. peruvianus, <i>DC.</i> <i>Torch thistle</i> ...	T.	Peru, &c.
C. serpentinus, <i>Lag.</i> ...	S.	Trop. America
C. triangularis, <i>Haw.</i> ...	W. Cl.	Mexico, W. India (Before 1824)

PHYLLOCACTUS.

P. crenatus, <i>Walp.</i> ...	S.	Honduras
-------------------------------	----	-----	-----	----------

EPIPHYLLUM.

E. truncatum, <i>Haw.</i> ...	S.	Brazil
-------------------------------	----	-----	-----	--------

RHIPSALIS.

*R. Cassytha, <i>Gaertn.</i> ...	Ep.	C., Mauritius, S. Africa, Trop. S. America (W.)
R. rhombea, <i>Pfeiff.</i> ...	S.	Trop. America (1880)

NOPALEA.

N. cochinelifer, <i>Salm-Dyck.</i> <i>Cochineal cactus</i> ...	S.	Mexico (Before 1824)
--	----	-----	-----	----------------------

OPUNTIA.

O. Dillenii, <i>Haw.</i> <i>Common cactus</i> ...	S.	Mexico; nat. in C. (Before 1824)
---	----	-----	-----	----------------------------------

PERESKIA.

<i>P. aculeata</i> , Plum.	West Indian			
<i>gooseberry</i>	S. W. Indies
<i>P. Bleo</i> , DC.	W. Cl. ...	New Grenada

FICOIDEÆ.

MESEMBRYANTHEMUM.

<i>M. cordifolium</i> , L. f.	...	P.	...	Cape of Good Hope
-------------------------------	-----	----	-----	-------------------

MOLLUGO.

* <i>M. Cerviana</i> , L.	<i>Patpādagan</i>	...	A.	... C., E. Tropics (W.)
* <i>M. Spergula</i> , Ser.	A.	... C., E. Tropics

UMBELLIFERÆ.

HYDROCOTYLE.

* <i>H. asiatica</i> , L.	<i>Hin-goṭu-kola</i>	...	P.	...C., Tropics generally (W.)
* <i>H. javanica</i> , Thunb.	<i>Muha-goṭu-kola</i>	P.	...	C., E. Tropics (W.)

ERYNGIUM.

<i>E. fœtidum</i> , L.	A. or B...	Tropical S. America, W. Indies (W.)
------------------------	-----	-----	------------	-------------------------------------

ARRACACIA.

<i>A. esculenta</i> , DC.	<i>Arracacha</i>	...	P.	... Andes (1884) (V.)
---------------------------	------------------	-----	----	-----------------------

APIUM.

<i>A. graveolens</i> , L.	<i>Celery</i>	...	B.	... Europe, N. Africa, W. Asia (V.)
---------------------------	---------------	-----	----	-------------------------------------

CARUM.

<i>C. ajowan</i> , DC.	A.	... Persia, N. India (V.)
<i>C. Carui</i> , L.	<i>Caraway</i>	...	A.	... Europe, N. & W. Asia (V.)

PETROSELINUM.

<i>P. sativum</i> , Hoffm.	<i>Parsley</i>	...	B.	...S. Europe, Mediterranean (V.)
----------------------------	----------------	-----	----	----------------------------------

FÆNICULUM.

<i>F. capillaccum</i> , Gil.	<i>Fennel</i>	...	A.	... Europe (V.)
------------------------------	---------------	-----	----	-----------------

CORIANDRUM.

<i>C. sativum</i> , L.	<i>Coriander</i>	...	A.	... Mediterranean (V.)
------------------------	------------------	-----	----	------------------------

DAUCUS.

<i>D. Carota</i> , L.	<i>Carrot</i>	A. or B...	Europe, N. Africa, and Asia (V.)
-----------------------	-------------------	-----	------------	----------------------------------

ARALIACEÆ.

ARALIA.

<i>A. elegantissima</i> , Hort. Bull.	...	S. Pacific Is.
<i>A. filicifolia</i> , Hort.	...	S.	...	Pacific Is. (1880)
<i>A. Guilfoylei</i> , F.M.	...	S.	...	Pacific Is. (1873)
<i>A. maculata</i> , Hort. Bull.	...	S.	...	Pacific Is. (1880)
<i>A. reticulata</i> , Thunb.	...	T.New Caledonia (1884)

And other garden varieties.

PANAX.

<i>P. cochleatum</i> , DC. S.	...	Java, Moluccas
<i>P. elegans</i> , F.M. S.	...	E. Australia (1883)
<i>P. fruticosum</i> , L. S.	...	India and Malaya, cult.
<i>P. obtusum</i> , Bl. S.	...	Java (1883)
<i>P. plumosum</i> S.	...	Hort. Calcutta (1883)
<i>P. tricochleatum</i> , Miq. S.	...	Sumatra (1883)

FATSIA.

<i>F. papyrifera</i> , (Hook.) <i>Rice-paper</i> <i>plant</i> S.	...	Formosa (1856)
--	--------	-----	----------------

HEPTAPLEURUM.

° <i>H. emarginatum</i> , Seem. S.	...	Ceylon only
° <i>H. stellatum</i> , Gaertn. <i>Itta</i> S. or T.	...	C., S. India

TREVESIA.

<i>T. moluccana</i> , Miq. T.	...	Moluccas (1871)
<i>T. novo-guineensis</i> , Scheff. T.	...	New Guinea (1881)
<i>T. palmata</i> , Vis. T.	...	Sikkim, E. Bengal, Malay Pen.

BRASSAIA.

<i>B. actinophylla</i> , Endl. T.	...	Queensland (1873)
------------------------------------	--------	-----	-------------------

HETEROPANAX.

<i>H. fragrans</i> , Seem. T.	...	Bengal, Burma, China, Java
--------------------------------	--------	-----	-------------------------------

HEDERA.

<i>H. Helix</i> , L. <i>Ivy</i> W. Cl.	...	Temperate and warm regions of N. Hemisphere
-------------------------------------	------------	-----	--

TUPIDANTHUS.

<i>T. calyptratus</i> , Hk. f. & Th. T.	...	E. Bengal (1884)
--	--------	-----	------------------

Gamopetalæ.

CAPRIFOLIACEÆ.

LONICERA.

<i>L. macrantha</i> , DC. ? W. Cl.	...	N. India, China
<i>L. multiflora</i> , Champ. W. Cl.	...	China

RUBIACEÆ.

SARCOCEPHALUS.

° <i>S. cordatus</i> , Miq. <i>Bak-mi</i> T.	...	C., Malaya, N. Australia
§. <i>esculentus</i> , Afz. <i>Sierra Leone</i> <i>peach, Doundaké</i> S. or T.	...	W. Trop. Africa (1883)
<i>S. undulatus</i> , Roxb. T.	...	Hort. Calcutta (1850)
<i>S. sp.</i> T.	...	Java

STEPHEGYNE.

- °S. parvifolia, *Korth. Hēlamba* ... T. C., India

UNCARIA.

- °U. dasyoneura, *Korth., var. Thwaitesii, Hk. f.* W. Cl. Ceylon only
 U. pilosa, *Roxb.* W. Cl. E. Bengal, Malaya

CINCHONA.

- C. Calisaya, *Wedd. Yellow bark* ... T. ... Peru, Bolivia (1861)
 C. succirubra, *Pav. Red bark* ... T. ... Ecuador (1861)

HYMENODICTYON.

- H. excelsum, *Wall* T. ... India, Malaya (1884)

MANETTIA.

- M. cordifolia, *Mart.* Cl. Brazil

EXOSTEMMA.

- E. caribbæum, *R. & S. Jamaica bark* S. W. Indies (1886)

PORTLANDIA.

- P. grandiflora, *L.* S. Jamaica

POGONOPUS.

- P. (Howardia) caracasensis, (*Wedd.*) S. ... Venezuela, Panama (1883)

RONDELETIA.

- R. odorata, *Jacq.* S. ... Mexico, Cuba (1855)
 R. speciosa, *Paxt.* S. W. Indies

WENDLANDIA.

- °W. Notoniana, *Wall. Rawan-idala* T. or S.... .. C., India
 W. paniculata, *DC.* T. E. Bengal, Malaya

PENTAS.

- P. carnea, *Benth.* P. ... Trop. Africa, Arabia (1853)

HEDYOTIS.

- °H. auricularia, *L. Geṭa-kola* ... P. ... C., E. Tropics (W.)
 °H. fruticosa, *L.* S. C., S. India
 °H. nodulosa, *Arn.* P. Ceylon only

OLDENLANDIA.

- °O. corymbosa, *L.* A. ... C., Tropics generally (W.)
 O. crystallina, *Roxb.* A. ... India, Java (W.)
 °O. paniculata, *L.* A. ... C., E. Tropics

OPPHIORRHIZA.

- °O. Mungos, *L. Dat-keṭiya* ... P. ... C., India, Malaya (W.)
 °O. pectinata, *Arn.* P. C., S. India

MUSSËNDA.

- °M. frondosa, *L. Mussenda* ... S. ... C., India, Malay Is. (W.)
 M. luteola, *Del.* S. ... Trop. Africa (1884)

ACRANTHERA.			
*A. zeylanica, Arn. P.	... Ceylon only
HAMELIA.			
H. patens, Sw. S.	...S. America, W. Indies (1850)
HOFFMANNIA. (Higginsia.)			
H. Gheisbechtii, Hk. f. P.	... New Grenada (1884)
H. Ortgiesii P.	... Trop. America (1866)
POSOQUERIA.			
P. longiflora, Aubl. T.	... Guiana
BURCHELLIA.			
B. capensis, Br. Buffeldoorn of the Cape S.	... S. Africa (1886)
MACROSPHYRA.			
M. longistyla, Hk. f. W. Cl.	...W. Trop. Africa (1850)
WEBERA.			
*W. corymbosa, Willd. Tarana S. or T.	... C., India, Java
RANDIA.			
*R. dumetorum, Lam. Kukuraman T. C., E. Tropics
*R. Gardneri, Hk. f. Atakétiya T.	... Ceylon only
R. macrantha, DC. S.	... W. Trop. Africa
GARDENIA.			
G. campanulata, (Roxb.) S.	... India
G. citriodora S.	... Hort. Veitch (1882)
G. florida, L. Cape jasmine S.	...China, Japan (Before 1824)
G. globosa, Hochst. S. or T.	... Natal (1886)
*G. latifolia, Ait. Galis S. or T.	... C., India
G. megasperma, F. M. S.	... N. Australia (1882)
G. (Rothmannia) sp. S.	—
OXYANTHUS.			
O. natalensis, Sond. S.	... Natal (1886)
O. tubiflorus, DC. S.	... W. Trop. Africa
NARGEDIA.			
*N. macrocarpa, Bedd. S.	... Ceylon only
DIPLOSPORA.			
*D. Dalzellii, Hk. f. T.	... Ceylon only
KNOXIA.			
*K. corymbosa, Willd. A.	... C., E. Tropics
CHIOCOCCA.			
C. racemosa, L. S.	... W. Indies (1885)
CANTHIUM.			
*C. didymum, Roxb. T.	... C., India, Malaya
*C. Rheedii, DC. S.	... C., India

VANGUERIA.

V. edulis, *Comm.* *Voa-vanga* ... T. ... Madagascar (1853)

IXORA.

- I. alba, *Roxb.* ... S. ... China (1883)
 °I. coccinea, *L.* *Ratambalá* ... S. or T. ... C., India
 Var. flor. luteis ... S. ... Ceylon only?
 I. Colei ... S. ... Hort. Veitch (1882)
 I. Fraseri ... S. ... Hort. Kew (1885)
 I. javanica, *DC.* ... S. ... Java (1855)
 I. odorata, *Hk.* ... S. ... Madagascar, E. Trop.
 Africa (1850)
 °I. parviflora, *Vahl.* *Maha-ratambalá* T. ... C., India
 I. Pilgrimi ... S. ... Hort. Kew (1883)
 I. rosea, *Wall* ... S. ... Khasia (Before 1824)
 I. villosa, *Roxb.*? ... S. ... Assam, Burma, &c.

And other florists' forms.

PAVETTA.

- °P. angustifolia, *Thw.* ... S. ... Ceylon only
 °P. Gleniei, *Thw.* ... T. ... Id.
 °P. indica, *L.* *Pávattá* ... S. ... C., India
 P. natalensis, *Sond.* ... S. ... Natal (1883)
 P. lanceolata, *Eckl.* ... S. ... S. Africa (1886)

COFFEA.

- C. arabica, *L.* *Coffee* ... S. ... Trop. Africa (About
 1690)
 Var. angustifolia, Hort. Bog. ... S. ... Menado, cult. (1880)
 Var. "Maragogipe." ... S. ... Brazil, cult. (1884)
 C. liberica, *Hiern.* *Liberian Coffee* T. ... W. Trop. Africa (1873)
 °C. travancorensis, *W. & A.* *Gas-
 pichcha* ... S. ... C., Travancore

MORINDA.

- °M. citrifolia, *L.* *Ahu* ... T. ... C., E. Tropics
 °M. umbellata, *L.* *Kiri-wel* ... W. Cl. ... C., E. Tropics, Japan

PSYCHOTRIA.

- P. aurantiaca, (*Miq.*), *var. lutescens*,
 Hort. Bog. ... S. ... Java (1860)
 P. expansa, *Bl.* ... S. ... Java (1884)
 P. malayana, *Jack.* ... S. ... Penang, Java
 °P. Thwaitesii, *Hk. f.* ... S. ... C., India
 P. sp. ... S. ... Java?

PALICOUREA.

- C. (Rhodostoma) *gardenioides*,
 (*Schdw.*) ... S. ... Mexico

CEPHAELIS.

- C. Ipecacuanha, *DC.* *Ipecacuanha* S. ... Brazil (1848 & 1866)

LASIANTHUS.					
°L. strigosus, <i>Wight</i>	S.	...	Ceylon only
HAMILTONIA.					
H. suaveolens, <i>Roxb.</i>	S.	...	India (1883)
SAPROSMA.					
°S. zeylanicum, <i>Bedd.</i>	S. C., India
SERISSA.					
S. foetida, <i>Comm.</i> , fl. pleno.	S.	...	China ? (Before 1824)
SPERMACOCE.					
S. verticillata, <i>L.</i>	P.	...	W. Indies, Tropical America
COMPOSITÆ.					
VERNONIA.					
°V. arborea, <i>Ham.</i>	T.	...	C., India, Malaya
V. celebica, <i>DC.</i>	S. or T. Celebes
°V. cinerea, <i>Less.</i> <i>Monara-kudim-</i> <i>biya</i>	P.	...	C., Tropics generally (W.)
°V. Hookeriana, <i>Arn.</i>	P.	...	Ceylon only
°V. zeylanica, <i>Less.</i> <i>Pupula</i>	P.	...	Ceylon only (W.)
AGERATUM.					
A. conyzoides, <i>L.</i> <i>White-weed</i>	A.	...	Nat. in C. and Tropics generally (W.)
ELEPHANTOPUS.					
°E. scaber, <i>L.</i> <i>Et-adi</i>	P.	...	C., Tropics generally (W.)
EUPATORIUM.					
E. Ayapana, <i>Vent.</i> <i>Ayapána</i>	P. Brazil
E. ianthinum, <i>B. & Hk. f.</i>	P.	...	St. Catherine Is. (Before 1864)
E. paniculatum ?	P.	...	Hort. Madras (1883)
MIKANIA.					
M. Guaco, <i>Bonpl.</i>	H. Cl.	...	Trop. America (1884)
M. pulverulenta	Cl.	...	Trop. America (1881)
M. scandens, <i>Willd.</i>	Cl.	...	Assam, Malaya, Trop. America
DICHROCEPHALA.					
°D. latifolia, <i>DC.</i>	A.	...	C., Trop. Asia, and Africa
CALLISTEPHUS.					
C. chinensis, <i>Nees.</i> <i>China aster</i>	A.	...	E. Asia (Before 1824)
ASTER.					
A. Amellus, <i>L.</i>	P.	...	Europe, W. Asia
ERIGERON.					
E. linifolius, <i>Willd.</i>	A.	...	Nat. in C.; Mediterranean, Asia Minor (W.)

MICROGLOSSA.			
°M. zeylanica, <i>Benth.</i> S.	...	C., Travancore
HELICHRYSUM.			
H. bracteatum, <i>Willd.</i> A. Australia
LAGASCEA.			
L. mollis, <i>Cav.</i> A.	...Cent. America (1852)	(W.)
SIEGESBECKIA.			
°S. orientalis, <i>L.</i> A.	...C., all hot countries	(W.)
POLYMNIA.			
P. Uvedalia, <i>L.</i> P.Mexico, &c.
MELAMPODIUM.			
M. divaricatum, <i>DC.</i> A.	...	Trop. America
ZINNIA.			
Z. elegans, <i>Jacq.</i> A. Mexico
ECLIPTA.			
°E. erecta, <i>L. Kikirindi</i> A.	...C., all the Tropics	(W.)
BLAINVILLEA.			
°B. latifolia, <i>DC.</i> A.	...C., all the Tropics	(W.)
TITHONIA.			
T. diversifolia, <i>A. Gray</i> P.	...California, Mexico	(1851) (W.)
HELIANTHUS.			
H. annuus, <i>L. Sunflower</i> A.	...W. United States (Be-	fore 1824)
H. argophyllus, <i>Torr.</i> A.	...	Texas (About 1860)
H. tuberosus, <i>L. Jerusalem arti-</i> <i>choke</i> P.	...N. America (V.) (Be-	fore 1824)
SPILANTHES.			
°S. Acmella, <i>L. Akmella</i> A.	...C., all hot countries	(W.)
S. oleracea, <i>Jacq. Toothache plant</i> A.	India (1846)
COREOPSIS. (Includes CALLIOPSIS.)			
C. bicolor, (<i>Rchb.</i>) A.N. America
C. tinctoria, <i>Nutt.</i> A. Id.
And several garden varieties.			
DAHLIA.			
D. variabilis, <i>Desf. Dahlia</i> P. Mexico
COSMOS.			
C. bipinnatus, <i>Cav.</i> A.	...	Mexico (W.)
C. sulphureus, <i>Cav.</i> A. Id.
BIDENS.			
°B. pilosa, <i>L. Spanish needle</i> A.	...C., all warm countries	(W.)

GALINSOGA.				
G. parviflora, Cav.	A.	... Peru (W.)
TRIDAX.				
T. procumbens, L.	P.	... S. America (W.)
TAGETES.				
T. erecta, L. African marigold	A.	... Mexico
Several varieties.				
GAILLARDIA.				
G. picta, Sweet	A. or P.	... Texas (1847)
G. Lorentziana	A.	... Temp. S. America
ACHILLEA.				
A. Millefolium, L. Yarrow	P.	...Europe, Temp. Asia, and America
CHRYSANTHEMUM.				
C. indicum, L.	P.	...China, India, &c. ; cult. always (Before 1678)
C. sinense, Sab. Garden chrysanthemum	P.	...Japan ; cult. in China
Many garden varieties.				
MATRICARIA.				
M. Parthenium, L. Fever-few	P.	... S. Europe
CROSSOSTEPHIUM.				
S. artemisioides, Less.	P.	... S. China, Manila
ARTEMISIA.				
°A. vulgaris, L., var. indica	P.	...C., India, Temp. Europe, and Asia (W.)
GYNURA.				
G. aurantiaca, DC.	P.	...Malay Archipelago (1884)
G. bicolor, DC.	P.	... Malaya
°G. lycopersicifolia, DC.	P.	...C., S. India
G. pseudo-china, DC. Ala-bét, China-mul	P.	... China
EMILIA.				
°E. sonchifolia, DC.	A.	...C., Trop. Asia, and Africa (W.)
NOTONIA.				
N. corymbosa, DC.	P.	... S. India
°N. grandiflora, DC.	P.	...C., S. India
SENECIO.				
S. Kämpferi, DC. (Farfugium grande, Lindl.)	P.	...N. China, Japan (1885)
S. macroglossus, Hk. Ivy-leaved groundsel	Cl.	... S. Africa (1875)
°S. scandens, Don	Cl.	... C., India, China

CALENDULA.			
C. officinalis, <i>L. Marigold</i>	... A.	...S.	Europe (Before 1824)
CYNARA.			
C. Scolymus, <i>L. Artichoke</i>	... P.	...	Mediterranean (V.)
CENTAUREA.			
C. Cyanus, <i>L. Corn cockle</i>	... A.	...	Europe
CARTHAMUS.			
C. tinctorius, <i>L. Safflower</i>	... A.	...	Arabia
STIFFTIA.			
C. chrysantha, <i>Mik.</i>	... S.	...	Brazil
CICHORIUM.			
C. Endivia, <i>Willd. Endive</i>	... A.	...	Mediterranean (V.)
LACTUCA.			
L. sativa, <i>L. Lettuce</i>	... A.	...	Mediterranean, Abyssinia (V.)
SONCHUS.			
S. oleraceus, <i>L. Sow thistle</i>	... A.	...	Temperate and warm countries (W.)
GOODENOVIÆ.			
SCÆVOLA.			
°S. Koenigii, <i>Vahl. Taccada</i>	... S.	...	C., E. Tropics
CAMPANULACEÆ.			
SIPHOCAMPYLUS.			
S. tovariensis, (<i>Planch.</i>)	... S.	...	Venezuela (1866 ?)
ISOTOMA.			
I. longiflora, <i>Prest.</i>	... P.	...	W. Indies (W.)
LOBELIA.			
°L. affinis, <i>Wall</i>	... A.	...	C., India, S. China (W.)
°L. excelsa, <i>Lesch. Ras-ni</i>	... P.	...	C., S. India
L. radicans, <i>Thunb.</i>	... A.	...	Khasya, China, Japan, Java (1885)
L. splendens, <i>Willd.</i>	... P.	...	Mexico
ERICACEÆ.			
RHODODENDRON. (Includes AZALEA.)			
R. indicum, (<i>Sweet</i>)	... S.	...	China
R. sinensis, (<i>Sweet</i>)	... S.	...	Id.
PLUMBAGINEÆ.			
PLUMBAGO.			
P. capensis, <i>Thunb.</i>	... P.	...	S. Africa
P. coccinea, <i>Boiss. Rat-nitul</i>	... P.	...	India, cult.
°P. zeylanica, <i>L. Ela-nitul</i>	... P.	...	C., E. Tropics

MYRSINÆ.

EMBELIA.

- °E. Ribes, *Burm. Wel-embilla* ... W. Cl. ... C., India, Malaya, S. China

ARDISIA.

- A. amboinensis, *Scheff.?* ... S. ... Amboyna
 A. crenata, *Roxb.* ... S. ... Malaya, China, Japan (1852)
 °A. Gardneri, *Clarke* ... S. ... Ceylon only
 °A. humilis, *Vahl. Bulu-dan* ... S. ... C., India, Malaya, China
 A. involucrata, *Kurz.* ... S. ... Sikkim (1883)
 °A. Missionis, *Wall* ... S. ... Ceylon only
 °A. Moonii, *Clarke. Lunu-dan* ... S. ... Id.
 A. Oliveri, *Mast.* ... S. ... Costa Rica (1886)
 A. solanacea, *Roxb.* ... S. ... India
 A. sp. ... S. ... Penang (1882)

And other undetermined species.

CLAVIJA.

- C. ornata, *D. Don* ... S. ... Trop. S. America (1850)

JACQUINIA.

- J. aristata, *Jacq.* ... S. ... W. Indies, Venezuela

SAPOTACEÆ.

CHRYSOPHYLLUM.

- C. Cainito, *L. Star apple* ... T. ... W. Indies (About 1802)
 C. imperiale, *Benth. (Theophrasta imp., Hort.)* ... T. ... Brazil (1865?)
 C. oliviforme, *Lam. Date plum* ... T. ... W. Indies (Before 1844)
 °C. Roxburghii, *G. Don. Lāvulu* ... T. ... C., Assam, Malaya

LUCUMA.

- L. mammosa, *Gaertn. f. Mammee sapota (Jamaica)* ... T. ... Montserrat (1884)

ACHRAS.

- A. Sapota, *L. Sapodilla* ... T. ... Trop. America (About 1802)

DICHOPSIS (= Palaquium).

- °D. grandis, *Benth. Kiri-hembiliya* T. ... Ceylon only
 D. Gutta, *Benth. & Trim. Gutta percha, G. taban merak* ... T. ... Malay Pen. (1869)
 Var. oblongifolia, *De Vriese* ... T. ... Malaya
 D. Maingayi, *Clarke. Gutta taban simpoo* ... T. ... Malay Pen. (1882)
 D. pustulata, *(Pierre.) Gutta taban putih* ... T. ... Id.

BASSIA.

- B. butyracea, *Roxb. Butter tree* ... T. ... Trop. Himalaya (1884)
 B latifolia, *Roxb. Mahwa* ... T. ... Central India

- °B. longifolia, *L. Mi* T. C., Malabar
 °B. nerifolia, *Moon. Gaṅ-mi* T. Ceylon only

PAYENA.

- P. (Ceratophorus) *Leerii, (Hassk.)*
Gutta sundek T. Malaya (1880)

DIPHOLIS.

- D. montana, *Griseb. White bullet-*
wood T. Jamaica, Cuba (1885)

MIMUSOPS.

- °M. Elengi, *L. Munamal* T. C., India
 M. Erythroxylo, *Boj.* T. Mauritius
 M. globosa, *Gaertn. f. Balata,*
Bully tree T. Trop. America, W.
 Indies (1884)
 °M. hexandra, *Roxb. Palu* T. C., India
 M. Kauki, *L.* T. Malaya, Trop. Australia
 (Before 1678)
 M. sp. T. Andaman Is. (1883)

EBENACEÆ.

MABA.

- °M. buxifolia, *Pers.* T. C., Trop. Asia and
 Africa

DIOSPYROS.

- °D. crumenata, *Thw.* T. Ceylon only
 D. decandra, *Lour.* T. Cochin China (1885)
 D. discolor, *Willd. Velvet apple* T. Philippines
 D. Ebenaster, *Retz. Chinese quince* T. Id.
 °D. Ebenum, *Koen. Ebony, Kaluware* T. C., Malaya ?
 °D. Embryopteris, *Pers. Timbiri* T. C., India, Malaya
 °D. Gardneri, *Thw. Kaḍubbériya* T. Ceylon only
 D. heterophylla, *Wall.* T. Java (1884)
 D. Melanoxylo, *Roxb. Malabar*
ebony T. S. India (1881)
 °D. quæsita, *Thw. Calamander* T. Ceylon only
 °D. sylvatica, *Roxb.* T. C., S. India
 °D. Thwaitesii, *Bedd.* T. Ceylon only
 °D. Toposia, *Ham. Kaha-kala* T. C., E. Bengal

STYRACEÆ.

SYMPLOCOS.

- °S. coronata, *Thw.* T. Ceylon only
 °S. spicata, *Roxb. Bómbu* T. C., India, China, Japan

STYRAX.

- S. Benzoin, *Dryand. Benzoin* T. Malacca, Sumatra, Java
 (1881)

OLEACEÆ.**JASMINUM.**

- *J. angustifolium*, Vahl. *Wal-pitcha* *W. Cl.*C., S. India
 ° *J. flexile*, Vahl. *W. Cl.* Id.
J. grandiflorum, L. *Spanish jas-*
mine *W. Cl.* ... N.W. Himalaya
J. pubescens, Willd. *W. Cl.* ... India, Burma, China
J. revolutum, Curt. *Yellow Indian*
jasmine *S.* India
J. Sambac, Ait. *Arabian jasmine*... *S.* ...C., India, &c., cult.
 (Before 1678)

NYCTANTHES.

- N. arbor-tristis*, L. *Sepalika*, *Night-*
flowering jasmine *S.* ...Central India (Before
 1678)

NORONHIA.

- N. emarginata*, Thouars. ... *T.* ... Madagascar (1882)

FRAXINUS.

- F. floribunda*, Wall. *T.* ... Temp. Himalaya

LINOCIERA.

- ° *L. albidiflora*, Clarke *S.* ... Ceylon only

LIGUSTRUM.

- ° *L. Walkeri*, Decaisne *T.*C., S. India

SALVADORACEÆ.**SALVADORA.**

- ° *S. persica*, L. *Mustard tree* *T.* ...C., India, Arabia, Syria

APOCYNACEÆ.**ALLAMANDA.**

- A. cathartica*, L. *W. Cl.* ... Brazil ; nat. in C.
A. Hendersonii, Hort. *W. Cl.* ... Brit. Guiana (1883)
A. Schottii, Hook. *S.* ... Brazil (1850)

WILLUGHBEIA.

- W. edulis*, Roxb. *W. Cl.* ...Assam, Malacca (1886)
W. firma, Bl. *Gutta singarip* *W. Cl.* ... Malaya (1881)
W. flavescens, Dyer *W. Cl.* ...Singapore (About 1878)
 ° *W. zeylanica*, Thw. *W. Cl.* ... Ceylon only
W. sp. *W. Cl.* ... Hort. Kew (1881)

CHILOCARPUS.

- C. sp.* *Gutta singret* *W. Cl.* ... Perak (1883)

LANDOLPHIA.

- L. florida*, Beauv. *W. Cl.* ... Trop. Africa (1881)
L. Kirkii, Dyer *W. Cl.* ...E. Trop. Africa (1880)
L. (Vahea) madagascariensis (DC.) *W. Cl.* ... Madagascar (1882)
L. Petersiana, Dyer *W. Cl.* ...E. Trop. Africa (1881)
L. Watsoniana, Hort. Kew *W. Cl.* ... Id.
L. sp. *W. Cl.* ... Hort. Kew (1881)

MELODINUS.

M. monogynus, *Carey* *W. Cl.* ... Assam, Sikkim, Penang

CARISSA.

°*C. Carandas*, *L. Maha-karamba* ... *S.* *C.*, India, Malaya

C. macrophylla, *Wall.* ... *S.* *S.* India

°*C. spinarum*, *L. Hin-karamba* ... *S.* *C.*, India, Burma

RAUWOLFIA.

R. canescens, *L.* *S.* *W. Indies* (1883)

°*R. densiflora*, *Benth.* *S.* *C.*, India

°*R. serpentina*, *Benth. Eka-wériya*... *S.* *C.*, India, Malaya

ALYXIA.

°*A. zeylanica*, *Wight. Wasá-kaduru* *S.* Ceylon only

HUNTERIA.

°*H. corymbosa*, *Roxb. Međiya* ... *T.* *C.*, India, Malay Pen.

THEVETIA.

T. nerifolia, *Juss.* *T.* Trop. America, *W. Indies* (Before 1824)

CERBERA.

°*C. Odollam*, *Gaertn. Goņ-kaduru*... *T.* *C.*, India, Malaya

C. Tanghin, *Hk. Ordeal poison-nut* *T.* Madagascarr

OCHROSIA.

O. (Lactaria) acuminata (Hassk.)... *T.* Java ? (1882)

°*O. borbonica*, *Gmel. Múdu-kaduru* *T.* *C.*, Malay Pen., Mascarene Is.

O. elliptica, *Lab.* *T.* Queensland, Pacific Is.

KOPSIA.

K. fruticosa, *A. DC.* *S.* Burma, Java (1883)

VINCA.

V. rosea, *L. Madagascar periwinkle* *A.* *W. Indies* ; nat. in *C.* (Before 1804)

PLUMERIA.

P. acutifolia, *Poir. Temple tree*,
Alariya *T.* Trop. America

ALSTONIA.

A. macrophylla, *Wall.*... .. *T.* Penang, Philippines

A. sericea, *Bl.* *S.* Java

**A. scholaris*, *Br. Ruk-attana* ... *T.* *C.*, E. Tropics

ORCHIPEDA.

O. (Pootia) grandiflora, (*Miq.*) ... *T.* Java

TABERNÆMONTANA.

T. coronaria, *Br.* *S.* India and Malaya, cult. (Before 1678)

T. crassa, *Benth.* *T.* Senegal (1881)

°T. dichotoma, <i>Rozb. Divi-kaduru</i> ... T.	Ceylon only
T. pubescens, <i>Br.</i> ... T.	Queensland (1882)
T. sp. ... T.	—
HOLARRHENA.			
H. antidiysenterica, <i>Wall. Conessi-</i>			
<i>bark</i> ... T.	India, Malacca
Var. pubescens, <i>Wall. Kora</i> ... T.	India (1880)
°H. mitis, <i>Br. Kiri-walla</i> ... T.	Ceylon only
VALLARIS.			
V. Pergulana, <i>Burm.</i> ... W. Cl.	Malaya
WRIGHTIA.			
°W. tomentosa, <i>R. & S.</i> ... T.	C., India
°W. zeylanica, <i>Br. Sudu-idda</i> ... S.	Ceylon only
NERIUM.			
N. odorum, <i>Sol.</i> ... S.	India, cult. (Before 1824)
N. Oleander, <i>L. Oleander</i> ... S.	Asia Minor, &c. (Before 1678)
ROUPELLIA.			
B. grata, <i>Wall. Cream fruit of</i>			
<i>Sierra Leone</i> ... W. Cl.	W. Trop. Africa (1850)
PARAMERIA.			
P. glandulifera, <i>Benth. Talāing</i>			
<i>milk creeper</i> ... W. Cl.	Malaya, Philippines, Cochin China (1884)
STROPHANTHUS.			
S. aurantiacus, <i>Hort. Maur.</i> ... T.	Madagascar (1866)
S. longicaudatus, <i>Wight</i> ... S.	Malaya (1882)
S. sp. ... S.	Billiton (1884)
URCEOLA.			
U. (Chavannesia) esculenta, <i>DC.</i> ... W. Cl.	Burma (1881)
AGANOSMA.			
°A cymosa, <i>G. Don</i> ... W. Cl.	C., India
EPIGYNUM.			
E. sp. ... W. Cl.	—
ANODENDRON.			
°A. paniculatum, <i>A. DC. Dūl</i> ... W. Cl.	C., India, Malay Is.
CHONEMORPHA.			
°C. macrophylla, <i>G. Don</i> ... W. Cl.	C., India, Malaya
BEAUMONTIA.			
B. grandiflora, <i>Wall.</i> ... W. Cl.	N.E. India
DIPLADENIA.			
D. boliviensis, <i>Hook.</i> ... W. Cl.	Bolivia (1883)

ASCLEPIADEÆ.**HEMIDESMUS.**

- H. indicus*, *Br. Iramusu, Indian*
sarsaparilla *W. Cl.* C., India (W.)

CRYPTOSTEGIA.

- C. grandiflora*, *Br.* *W. Cl.* ... Trop. Africa? India,
&c., cult.
C. madagascariensis, *Br.* *W. Cl.* ... Madagascar, E. Trop.
Africa

GOMPHOCARPUS.

- G. fruticosus*, *Br.* *S.* ... Arabia; nat. in C. (W.)

OXYSTELMA.

- **O. esculentum*, *Br.* *Cl.* C., India, Malaya

CALOTROPIS.

- **C. gigantea*, *Br. Wará* * *S.* ... C., India, Malaya, S.
China (W.)

ASCLEPIAS.

- A. curassavica*, *L.* *P.* ... W. Indies; nat. in C.

RAPHISTEMMA.

- R. pulchellum*, *Wall.* *W. Cl.* ... Assam, Burma

DÆMIA.

- **D. extensa*, *Br. Mēda-hangu* *Cl.* C., India (W.)

TYLOPHORA.

- **T. asthmatica*, *Web. Bin-nuga,*
Wild ipecacuanha *Cl.* C., India, Malaya

STEPHANOTIS.

- S. floribunda*, *Brongn.* *W. Cl.* Madagascar

PERGULARIA.

- P. odoratissima*, *Sm. Tonkin or*
Chinese creeper *W. Cl.* ... Sumatra, India ? (Be-
fore 1824)

HOYA.

- H. carnosa*, *Br. Wax-flower* *W. Cl.* ... S. China, Queensland
**H. pauciflora*, *Wight* *Cl.* C., S. India

LEPTADENIA.

- **L. reticulata*, *W. & A.* *W. Cl.* ... C., India, Malay Pen.

CEROPEGIA.

- **C. elegans*, *Wall.* *Cl.* C., S. India
**C. Thwaitesii*, *Hook.* *Cl.* C., S. India (W.)

BOUCEROSIA.

- **B. umbellata*, *W. & A.* *P.* C., S. India

LOGANIACEÆ.**GELSEMIUM.**

- G. nitidum*, *Mich.* *W. Cl.* ... Mexico, Florida, &c.
(1883)

BUDDLEIA.

- B. madagascariensis*, *Vahl.* *S.* Madagascar (1882)

FAGRÆA.

- *F. zeylanica, *Thunb.* *Etamburu* ... T.C., S. India

STRYCHNOS.

- *S. Benthami, *Clarke* W. Cl. ... Ceylon only
 *S. Nux-vomica, *L.* *Gođa-kaduru* ... T. ... C., India, Burma

GENTIANACEÆ.

EXACUM.

- *E. zeylanicum, *Roxb.* A. ... Ceylon only

LIMNANTHEMUM.

- *L. cristatum, *Griseb.* Aq. ... C., India, S. China
 *L. indicum, *Thw.* Aq. ... C., E. Tropics

POLEMONIACEÆ.

PHLOX.

- P. Drummondii, *Hook.* *Annual*
phlox A. Texas, &c.
 P. suffruticosa, *Willd.* *Perennial*
phlox P. S. United States

BORAGINEÆ.

CORDIA.

- C. bantamensis, *Bl.* T.Java (1884)
 C. macrophylla, *Mill.* T.Jamaica (1880)
 *C. monoica, *Roxb.* S.C., India
 *C. Myxa, *L.* *Lôlu* T.C., E. Tropics
 *C. Rothii, *R. & S.* T.C., India, Abyssinia,
 Arabia
 C. Sebestena, *L.* S.W. Indies (1881)
 C. superba, *Cham.* T.Brazil

EHRETIA.

- *E. buxifolia, *Roxb.* *Hin-tambala*... S. ...C., India, Malaya,
 Philippines

HELIOTROPIUM.

- *H. indicum, *L.* A.C., Tropics generally
 (W.)
 H. peruvianum, *L.* *Heliotrope* ... P. or S.... .. Peru

TRICHODESMA.

- *T. zeylanicum, *Br.* A.C., E. Tropics

CYNOGLOSSUM.

- *C. furcatum, *Wall.* P.C., India (W.)

CONVOLULACEÆ.

ARGYREIA.

- A. speciosa, *Sweet* W. Cl.India, Java, &c.
 *A. populifolia, *Chois.* *Giritilla* ... Cl.Ceylon only (W.)

LETTSOMIA.

- *L. aggregata, *Roxb.* W. Cl.C., India

SOLANACEÆ.

LYCOPERSICUM.

- L. esculentum*, *Mill.* *Tomato*, *Rata-batu* A. ... Trop. America (V.)

SOLANUM.

- S. ciliatum*, *Lam.* P. ... Trop. America (W.)
 °*S. ferox*, *L.* *Mala-batu* P. ... C., India, S. China
S. hyporrhodium, *Hort. Bull.* A. ? ... Venezuela (1881)
S. heterodoxum, *Dun.*? A. ... Mexico (W.)
 °*S. indicum*, *L.* *Tibbatu* P. ... C., India, Malaya, &c.
S. macranthum, *Dun.* *Potato-tree* T. ... Brazil (1844)
S. Melongena, *L.* *Wambatu*, *Egg-plant*, *Brinjal* A. ... India, &c., cult. (V.)
 Many varieties.
 °*S. nigrum*, *L.* A. ... C., all Trop. and Temp. countries (W.)
 °*S. torvum*, *Sw.* S. ... C., Trop. Asia and America (W.)
 °*S. trilobatum*, *L.* *Wal-tibbatu* P. ... C., India, Malay Pen. (W.)
S. venustum, *Kunth.* Cl. Brazil

CYPHOMANDRA.

- C. betacea*, *Sendtn.* *Tree tomato* P. ... Peru (V.) (1884)

CAPSICUM.

- C. annuum*, *L.* *Chilly*, *Rata-miris* A. ... Brazil? (V.) (Before 1678)
C. fastigiatum, *Bl.* *Bird pepper* P. ... S. America? nat. in C. (V.)
C. frutescens, *L.* P. ... Peru, &c.; cult. in Tropics (V.)

WITHANIA.

- °*W. somnifera*, *Dun.* *Anukkara* P. ... C., N. India, Mediterranean (W.)

NICANDRA.

- N. physaloides*, *Gaertn.* A. Peru (W.)

SOLANDRA.

- S. macrantha*, *Dun.* W. Cl. ... Cuba (Before 1824)

DATURA.

- °*D. fastuosa*, *L.* *Attana* A. ... C., India, Malaya, Trop. Africa (W.)
 Several varieties.
D. suaveolens, *H.B.K.* *Rata-attana*, *Trumpet-flower* P. ... Peru, Chili, Mexico; nat. in C. (W.)

GESTRUM.

- C. (Habrothamnus) fasciculatum*, *Miers* S. ... Mexico (1855)

NICOTIANA.

- N. affinis*, *T. Moore* A. —

<i>N. alata</i> , <i>Link & Otto</i> A. S. Brazil
<i>N. glauca</i> , <i>Grah.</i> A. Chili
<i>N. Tabacum</i> , <i>L. Tobacco</i> A. Ecuador, &c.
Several varieties.			

PETUNIA.

<i>P. nyctaginiflora</i> , <i>Juss. Petunia</i> ...	A.	...	S. Brazil, &c.
---	----	-----	----------------

BROWALLIA.

<i>B. elata</i> , <i>L.</i> A.	...	Trop. S. America, W. Indies
Several varieties.			

BRUNFELSIA.

<i>B. americana</i> , <i>L.</i> S.	...	W. Indies (1852)
<i>B. nitida</i> , <i>Benth.</i> S. W. Indies
<i>B. (Francisea) uniflora</i> , (<i>Pohl</i>)	... S.	...	Brazil (1850)
Var. <i>Hopeana</i> , <i>H.K.</i> (sp.)			
<i>B. sp.</i> S.	...	—

SCROPHULARIACEÆ.

ALONZOA.

<i>A. incisæfolia</i> , <i>R. & P.</i> ...	A.	...	Chili
--	----	-----	-------

ANGELONIA.

<i>A. salicariæfolia</i> , <i>H.B.K.</i> ...	P.	...	Brazil (1847)
--	----	-----	---------------

ANTIRRHINUM.

<i>A. majus</i> , <i>L. Snap-dragon</i> ...	A.	...	Mediterranean (1847)
---	----	-----	----------------------

MAURANDIA.

<i>M. (Lophospermum) scandens</i> , (<i>Don</i>) <i>Cl.</i>	Mexico
---	--	-----	--------

PENTSTEMON.

<i>P. grandiflorus</i> , <i>Fras. ?</i> ...	P.	...	S. United States
---	----	-----	------------------

RUSSELLIA.

<i>R. juncea</i> , <i>Zucc.</i> ...	P.	...	Mexico
<i>R. sarmentosa</i> , <i>Jacq.</i> ...	P.	...	Mexico and Panama

ARTANEMA.

<i>A. sesamoides</i> , <i>Benth.</i> ...	A.	...	C., Trop. Asia
--	----	-----	----------------

TORENIA.

<i>T. asiatica</i> , <i>L. Kotala-wel</i> ...	A.	...	C., India, Java, China
<i>T. Fournieri</i> , <i>Lind.</i> ...	A.	...	Cochin China

SCOPARIA.

<i>S. dulcis</i> , <i>L.</i> ...	A.	...	Trop. America ; nat. in C. (W.) (1869?)
----------------------------------	----	-----	---

GESNERACEÆ.

GLOXINIA.

<i>G. maculata</i> , <i>l'Herit.</i> ...	P.	...	New Grenada
--	----	-----	-------------

ACHIMENES.

<i>A. grandiflora</i> , <i>DC. ?</i> ...	P.	...	Central America
<i>A. longiflora</i> , <i>Benth.</i> ...	P.	...	Mexico

Several garden varieties.

NÆGELIA.				
N. zebrina, <i>Regel</i> P.	...	Trop. America
ISOLOMA.				
I. (Tydæa) picta, (<i>Lindl.</i>) P.	...	Trop. America
I. (Koehleria) sp. P. Id.
Several garden varieties.				
GESNERA.				
G. allagophylla, <i>Mart.</i> P.	...	Brazil (1847)
And garden varieties.				
SINNINGIA.				
S. (Ligeria) speciosa, <i>Lodd. Gloxi-</i> <i>mia (of Gardens)</i> P. Brazil
EPISCIA.				
E. (Centrosolenia) bullata, <i>Lem.</i> P.	...	E. Peru (1883)
E. (Cyrtodeira) cupreata, (<i>Hanst.</i>) P.	...	New Grenada (1884)
And varieties.				
E. (Cent.) Erythropus, <i>Hk. f.</i> P.	...	New Grenada (1883)
E. (Alsobia) punctata, (<i>Lindl.</i>) S.	...	Trop. America (1882)
CYRTANDRA.				
C. glabra, <i>Jack</i> S.	...	Sumatra, Java (1883)
EPITHEMA.				
°E. carnosum, <i>Benth.</i> P. C., India
KLUGIA.				
°B. Notoniana, <i>A. DC.</i> A.	...	C., S. India (W.)
DIDYMOCARPUS.				
°D. Humboldtianus, <i>Gardn.</i> P.	...	Ceylon only
CHIRITA.				
°C. Moonii, <i>Gardn.</i> P.	...	Ceylon only
°C. zeylanica, <i>Hook.</i> P. Id.
BIGNONIACEÆ.				
BIGNONIA.				
B. æquinotialis, <i>L.</i> W. Cl.	...	Brazil (1846)
B. Chamberlaynii, <i>Sims</i> W. Cl. Brazil
B. Lindleyi, <i>DC.</i> Cl. Id.
B. picta, <i>Hort. Bull. (non H.B.K.)</i> Cl. Id.
B. purpurea, <i>Lodd.</i> Cl.	...	Trop.S.America (1883)
B. Unguis, <i>L. (B. elegans, Hort.)</i> W. Cl.	...	Brazil (About 1850)
B. venusta, <i>Ker</i> W. Cl.	...	Brazil (1856 ?)
DISTICTIS.				
D. lactiflora, <i>DC.</i> W. Cl.	...	San Domingo
MILLINGTONIA.				
M. hortensis, <i>L. f. Indian cork tree</i> T.	...	India, &c., cult.
OROXYLUM.				
°O. indicum, <i>Vent. Tojilla</i> T.	...	C., Malabar, Malaya

TABEBUIA.			
T. pallida, (<i>Lindl.</i>) T.	...	Trop. America
T. spectabilis, (<i>Planch.</i>)	... T.	...	Venezuela, Trinidad (1881)
T. sp. T.	...	—
TECOMA.			
T. australis, <i>R. Br.</i> W. Cl.	...	E. Australia
T. capensis, <i>Lindl.</i> S. S. Africa
T. jasminoides, <i>L.</i> Cl.	...	Queensland (1846)
T. stans, <i>Juss.</i> S. W. Indies
Var. velutina, <i>DC.</i> S. Mexico?
SPATHODEA.			
S. campanulata, <i>Beauv.</i> T.	...	W. Trop. Africa (1873)
DOLICHANDRONE.			
D. Cauda-felinæ, (<i>Hance.</i>) T.	...	S. China (1882)
D. falcata, <i>Seem.</i> T.	...	S. India (1882)
°D. Rheedii, <i>Seem. Diya-danga</i> T.	...	C., S. India, Timor
HETEROPHRAGMA.			
H. adenophylla, <i>Seem.</i> T.	...	Ava, Burma, Assam
STEREOSPERMUM.			
°S. chelonoides, <i>DC. Lunu-maḍala</i> ...	T.	...	C., India, Ava
S. (<i>Radermachera</i>) strictum, (<i>Zoll. & Mor.</i>) S. Java
S. suaveolens, <i>DC. Palol</i> T. India
S. xylocarpum, <i>B. & Hk. f.</i> T. S. India
JACARANDA.			
J. brasiliiana, <i>Pers.</i> T.	...	Brazil (1883)
J. mimosæfolia, <i>Don</i> T.	...	Brazil (1886)
PARMENTIERA.			
P. cereifera, <i>Seem. Candle tree</i> ...	T.	...	Central America
COLEA.			
C. floribunda, <i>Boj.</i> S. or T.	...	Madagascar (1847)
CRESCENTIA.			
C. alata, <i>H. B. K.</i> T.	...	Mexico (1885)
C. Cujete, <i>L. Calabash</i> T.	...	W. India (1856)
C. plectrantha, <i>Miers</i> T. Brazil
KIGELIA.			
K. pinnata, <i>DC.</i> T.	...	Trop. Africa
PEDALIACEÆ.			
MARTYNIA.			
M. diandra, <i>Glox. Tiger-claw</i> ...	A.	...	Mexico; nat. in C.
SESAMUM.			
S. indicum, <i>DC. Tel-tala, Gingelly</i> ...	A.	...	Tropics, cult. (W.)
Var. occidentale, <i>Heer & Reg.</i> ...	A.	...	Guiana; nat. in C.

ACANTHACEÆ.

THUNBERGIA.

T. alata, <i>Boj.</i> Cl.	...	Trop. Africa ; nat. in C. (W.)
T. coccinea, <i>Wall.</i> W. Cl.	...	Assam, &c.
T. (<i>Meyenia</i>) erecta, <i>Andr.</i> S.	...	W. Trop. Africa
°T. fragrans, <i>Roxb.</i> Cl.	...	C., Trop. Asia
T. laurifolia, <i>Lindl.</i> W. Cl.	...	Malay Pen. (Before 1824)
T. (<i>Meyenia</i>) Vogeliana, <i>Benth.</i> S.	...	W. Trop. Africa (1885)

ELYTRARIA.

°E. crenata, <i>Vahl.</i> P.	...	C., Tropics generally (W.)
---------------------------	-----	--------	-----	-------------------------------

HYGROPHILA.

°H. spinosa, <i>T. And. Kapu-ikiri</i> P.	...	C., India
--	-----	--------	-----	-----------

CALOPHANES.

°C. Nagchana, <i>Nees</i> P.	...	C., India
---------------------------	-----	--------	-----	-----------

RUELLIA.

R. acutangula, <i>Nees (R. rosea, Hort.)</i> P.	...	Brazil (1883)
R. colorata, <i>Bl.</i> P.	...	Moluccas
R. flagelliformis, <i>Roxb.</i> P.	...	Moluccas (1882)
R. Herbstii, <i>Hk. f.</i> S.	...	Brazil (1860)
°R. ringens, <i>L., var. dejecta, Cl.</i> P.	...	C., India, E. Africa (W.)
R. tuberosa, <i>L.</i> S.	...	Central America, W. Indies (1885)
R. sp. S.	...	Java

DEDALACANTHUS.

°D. montanus, <i>Nees</i> P.	...	C., S. India
D. nervosus, <i>T. And.</i> P.	...	N. India

SANCHEZIA.

S. (<i>Ancylogyne</i>) longiflora, <i>Hk. f.</i> S.	...	Guayaquil (1873)
S. nobilis, <i>Hk. f.</i> S.	...	Ecuada (1882)

WHITFIELDIA.

W. lateritia, <i>Hk.</i> S.	...	Trop. Africa (1856)
--------------------------	-----	--------	-----	---------------------

STROBILANTHES.

S. (<i>Goldfussia</i>) coloratus, <i>T. And.</i> P.	...	E. Himalaya (1856)
S. (<i>G.</i>) isophylla, <i>T. And.</i> S.	...	Assam (1884)
°S. trifidus, <i>Nees</i> P.	...	Ceylon only (W.)

BLEPHARIS.

°B. molluginifolia, <i>Pers.</i> P.	...	C., India
----------------------------------	-----	--------	-----	-----------

ACANTHUS.

A. montanus, <i>T. And.</i> P.	...	W. Trop. Africa (1882)
-----------------------------	-----	--------	-----	------------------------

BARLERIA.

- B. cristata, *L.* P. India
 And vars. alba, bicolor, and rosea.
 B. Gibsoni, *Dalz.* P. Bombay (1855)
 °B. involucrata, *Nees* P. C., Malabar
 °B. mysorensis, *Roth* S. C., S. India
 °B. Prionitis, *L. Katu-karanda* ... S. ...C., Tropical Asia and
 Africa
 B. strigosa, *Willd.* S. Bengal, Assam

CROSSANDRA.

- °C. undulatifolia, *Sal.* P. C., S. India

ASYSTASIA.

- °A. chelonioides, *Nees* P. C., S. India (W.)
 °A. quadrangularis, (*Heyne*) ... P. C., S. India
 A. travancorica, *Bedd.* S. S. India
 A. sp. P. —
 A. sp. P. —

ERANTHEMUM.

- E. aspersum, *Hook.* S. Solomon Is. (1870)
 E. bicolor, *Schrank* S. Java
 E. eboracense S. Hort. Bull. (1881)
 E. laxiflorum, *A. Gray* S. Pacific Is. (1870)
 °E. malabaricum, *Clarke* S. C., S. India
 Many garden varieties.

ANDROGRAPHIS.

- °A. alata, *Nees* P. C., S. India

CYSTACANTHUS.

- C. (*Meninia*) turgidus, *B. & Hk. f.* S. Cochin China

GYMNOSTACHYUM.

- °G. zeylanicum, *Arn. & Nees* ... P. Ceylon only

PHLOGACANTHUS.

- P. thyrsoiflorus, *Nees* S. India, Ava

APHELANDRA.

- A. aurantiaca, *Lindl.* S. Mexico (1856)
 A. bullata S. Hort. Kew (1885)
 A. Chamissoniana, *Nees* (*A. punctata*,
Hort.) S. S. Brazil
 A. fascinator, *Andr. & Lindl.* ... S. New Grenada (1881)
 A. pulcherrima, *Hort.* S. —
 A. tetragona, *Nees* S. Central America
 A. sp. S. Hort. Calcutta (1886)

GEISSOMERIA.

- G. nitida, *Nees* S. Brazil

LEPIDAGATHIS.

- °L. fasciculata, *Nees* P. C., India

JUSTICIA.

- J. *Betonica*, *L. Sudu-puruk* ... P. ...C., Tropical Asia and Africa (W.)
 •J. *glabra*, *Koen.* ... P. ... Ceylon
 •J. *procumbens*, *L. Mani* ... P. ... C., Trop. Asia (W.)

ADHATODA.

- A. *Vasica*, *Nees. Agal-adāra* ... S. ... C., India, Malaya

BELOPERONE.

- B. *atropurpurea*, *Nees (Simonisia chrysophlæa, Hort.)* ... S. ... Brazil (1881)
 B. *nemorosa*, *Nees* ... S. ... Jamaica
 B. *oblongata* ... S. ... Hort. Kew (1882)

JACOBINIA.

- J. (*Cyrtanthera*) *carnea*, (*Lindl.*) S. ... Brazil
 J. *coccinea*, *Aubl.* ... S. ... Guiana (1845)
 J. *pulcherrima* ? ... S. ... Trop. America
 J. (*Sericographis*) *Ghiesbrechtiana*, (*Nees*)... S. ... Mexico (1885)

RHINACANTHUS.

- R. *communis*, *Nees. Anitta* ... S. ... C., India, Malaya

SCHAUERIA.

- S. *calycotricha*, *Nees* ... S. ... Brazil

FITTONIA.

- F. *argyroneura*, *Comm...* ... P. ... Peru (1870)
 F. *gigantea*, *Linden* ... P. ... Hort. Veitch (1881)

ECBOLIUM.

- E. *Linneanum*, *Kurz* ... S. ...C., S. India, Abyssinia, &c.

GRAPTOPHYLLUM.

- G. *hortense* *Nees. Caricature plant* S. ... Cult. in E. Tropics (Before 1804)

THYRSACANTHUS.

- T. *nitidus*, *Nees* ... S. ... W. Indies

HYPOESTES.

- N. *laxiflora*, *Nees.* ... S. ... Java, Philippines
 N. *purpurea*, *Br.* ... S. ... China

VERBENACEÆ.

LANTANA.

- L. *mixta*, *L. Lantana bush* ... S. ...Trop. America ; nat. in C. (W.)
 L. *nivea*, *Vent.* ... S. ... Brazil
 L. *trifolia*, *L.* ... S. ...W. Indies ; nat. in C. (W.) (Before 1824)
 And florists' varieties.

LIPPIA.

- L. (Aloysia) citriodora, *H. B. K.*
Scented verbena S. ... Temp. S. America
 L. nodiflora, *Rich.* P. ... C., all Trop. countries

STACHYTARPHETA.

- °S. indica, *Vahl. Balu-nakuta* ... P. ... C., Tropics generally
 (W.)
 Var. jamaicensis, *Vahl* ... P. ... W. Indies, &c.; nat. in
 C. (W.)
 S. mutabilis, *Vahl* S. ... Cent. America (1846)

VERBENA.

- V. chamædrifolia, *Juss.* *Garden*
verbena... .. P. ... Temp. S. America
 Various florists' forms.
 V. venosa, *Gill. & Hook.* ... P. S. Brazil

PETRÆA.

- P. volubilis, *Jacq.* W. Cl. ... Brazil, Cuba, &c.

CITHAREXYLUM.

- C. cinereum, *L.* T. W. Indies
 C. lucidum, *Cham. & Schl.* ... T. ... Central America, W.
 Indies

DURANTA.

- D. Ellisia, *Jacq.* S. ... W. Indies, Tropical
 America (1884)
 D. Plumieri, *Jacq.* S. ... S. America, W. Indies
 (1844)

CALLICARPA.

- C. lanata, *L. Illa* T. C., India
 C. Reevesii, *Wall.* T. S. China

TECTONA.

- T. grandis, *L. Teak* T. ... India, Burma, Java
 T. Hamiltoniana, *Wall.* ... T. ... Burma, Philippines
 (1884)

PREMNA.

- °P. serratifolia, *L. Midi* ... T. or S. ... C., India, Malaya

GMELINA.

- °G. arborea, *Roxb. Et-demata* ... T. ... C., India, Malaya
 G. Hystrix, *Schultes* ... W. Cl. ... Siam, Tenasserim
 (1883)

VITEX.

- °V. altissima, *L. f. Milla* ... T. C., S. India
 V. capitata, *Vahl* ... S. Trinidad (1885)
 °V. Leucoxydon, *L. f. Nêbedda* ... T. C., S. India
 °V. Negundo, *L. Nika* ... T. ... C., India, China, Phi-
 lippines
 °V. trifolia, *L. f.* S. ... C., E. Tropics
 V. sp. T. ... Sikkim (1881)

FARADAYA.			
F. papuana, <i>Scheff.</i> W. Cl. ...	New Guinea (1880)	
CLERODENDRON.			
C. fallax, <i>Lindl.</i> S. Java	
<i>Var. albiflorum.</i>			
C. fragrans, <i>Willd. fl. pleno.</i> S. ...	Japan (1882)	
°C. inerme, <i>Br.</i> S. C., India	
°C. infortunatum, <i>L. Gas-pinna</i> S. ...	C., India, Malaya	
°C. Minahassæ, <i>T. & B.</i> T.Celebes, Sumatra, Java (1883)	
C. nutans, <i>Wall.</i> S. ...	Assam, Sikkim, &c.	
°C. phlomoides, <i>L.</i> S. C., India	
°C. serratum, <i>Spreng. Ken-henda</i> S. Id.	
C. Siphonanthus, <i>Br.</i> S. ...	India ; nat. in C.	
C. speciosum, <i>Hort. (Hybrid)</i> Cl. ...	Hort. Madras (1883)	
C. splendens, <i>G. Don</i> Cl. ...	W. Trop. Africa	
C. squamatum, <i>Vahl</i> S. Japan	
C. Thomsonæ, <i>Balf.</i> Cl.W.Trop. Africa (1866)	
C. viscosum, <i>Vent.</i> S. India	
HOLMSKIOLDIA.			
H. sanguinea, <i>Retz.</i> W. Cl. ...	N. India (1853)	
SPHENOESMA.			
S. Wallichiana, <i>Schau.</i> W. Cl.Silbet, Assam, Malacca (Before 1859)	
LABIATÆ.			
OCYMUM.			
O. basilicum, <i>L. Sweet basil</i> P. ...	E. Tropics, cult. (V.)	
°O. canum, <i>Sims Hin-talá</i> P. ...	C., E. Tropics (W.)	
°O. gratissimum, <i>L.</i> S.C., Tropics generally (V.)	
°O. sanctum, <i>L. Maduru-talá</i> P. ...	C., E. Tropics (W.)	
PLECTRANTHUS.			
P. tuberosus, <i>Bl. Innala</i> P. ...	S. India, Java (V.)	
COLEUS.			
C. aromaticus, <i>Benth. Kappra-wal- liya</i> P. ...	Tropics, cult. (V.)	
°C. barbatus, <i>Benth.</i> P.C., India, E. Tropical Africa	
C. Blumei, <i>Benth.</i> P. Malaya	
C. laciniatus, <i>Benth.</i> P. Id.	
Many garden forms.			
°C. malabaricus, <i>Benth.</i> P.C., S. India	
ANISOCHILUS.			
°A. carnosus, <i>Wall. Gal-kappra- walliya</i> P. ...	C., India, Ava	
°A. paniculatus, <i>Benth.</i> P.C., S. India	

POGOSTEMON.

- °P. Heyneanus, *Benth.* *Kollan-kola* P. ... C., S. India
 P. Patchouli, *Pellet.* *Patchouli* ... P. ... India and Malaya, cult.

MENTHA.

- M. sylvestris, L., var. *crispa.* *Mint* P. ... Europe, &c., cult. (V.)

COLEBROOKIA.

- C. ternifolia, *Roxb.* ... S. ... India (1850)

SALVIA.

- S. atropurpurea ... P. ... Hort. Calcutta (1882)
 S. coccinea, L. ... P. ... Central America, W. Indies (W.)
 S. farinacea, *Benth.* ... P. ... Texas (1880)
 S. glutinosa, L. ... P. ... S. Europe (1882)
 S. officinalis, L. *Sage*... P. ... S. Europe (V.)
 S. pseudo-coccinea, *Jacq.* ... P. ... Trop. America (W.)
 S. splendens, *Sell.* ... P. ... Brazil
 S. sp. ... P. ... —

SCUTELLARIA.

- S. Mociniana, *Benth.* ... P. ... Mexico (1881)
 S. splendens, *Link.* ... P. ... Mexico
 °S. violacea, *Heyne* ... P. ... C., S. India

ANISOMELES.

- °A. ovata, *Br.* *Yak-wanassa* ... P. ... C., E. Tropics

LEONURUS.

- L. sibiricus, L. ... A. ... Central Asia (W.)

LEUCAS.

- °L. biflora, *Br.* ... P. ... C., S. India (W.)
 °L. zeylanica, *Br.* *Geṭa-tumba* ... P. ... C., India, Malaya, &c. (W.)

LEONOTIS.

- °L. nepetæfolia, *Br.* *Maha-yak-wanassa* ... A. ... C., Tropics generally

GOMPHOSTEMMA.

- G. sp. ... P. ... Hort. Calcutta (1883)

Apetalæ.

NYCTAGINEÆ.

MIRABILIS.

- M. Jalapa, L. *Marvel of Peru, Four o'clock flower, Sendrikká* ... A. ... S. America ; nat. in C. (W.) (Before 1678)

BOERHAAVIA.

- °B. diffusa, L. *Piṭa-sudu-palá* ... A. ... C., Tropics generally

BOUGAINVILLEA.

- B. spectabilis*, Willd. *W. Cl.* Brazil
 Var. *glabra*, Lindl. *W. Cl.* S. Brazil (1866)

PISONIA.

- P. morindifolia*, Br. (*P. alba*, Span.)
Lettuce tree *T.* Malay Is. (About 1840)

PLEUROPETALUM. (Melanocarpum.)

- P. costaricense*, Wendl. *S.* Ecuador, Mexico (1882)

AMARANTACEÆ.

CELOSIA.

- °*C. argentea*, L. *A.* C., Tropics generally
 °*C. cristata*, L. *Cockscomb* *A.* Tropics generally, cult.

ALLMANIA.

- °*A. nodiflora*, Br. *Kumatiya* *A.* C., India, Malaya, China

AMARANTUS.

- A. caudatus*, L. *Love-lies-bleeding* *A.* Tropics, &c., cult.
A. gangeticus L. *Sudu-tampala* *A.* Tropics generally, cult.
 Var. *melancholicus*, L. (sp.)
 Var. *cruentus*, L. (sp.)
A. paniculatus, L. *Rana-tampala* *A.* Id.
 °*A. polygamus*. *L. Walu-tampala* *A.* C., all hot countries
 (W.)
A. salicifolius, Hort. *A.* India, &c., cult.
 °*A. spinosus*, L. *Katu-tampala* *A.* C., Tropics generally
 (W.)
A. tricolor, L. *A.* India, &c.
 °*A. viridis*, L. *Tampala* *A.* C., all hot countries
 (W.)

CYATHULA.

- °*C. geniculata*, Lour. *Bim-karal-heba* *A.* C., Tropics generally
 (W.)

NOTHOSAERVA.

- °*N. brachiata*, Wight. *Tampala* *A.* C., India, Burma,
 Trop. Africa (W.)

AERVA.

- °*A. lanata*, Juss. *Pol-ku-du-pala* *A.* C., Trop. Asia and
 Africa

ACHYRANTHES.

- °*A. aspera*, L. *Gas-karal-heba* *A.* C., Tropics generally
 (W.)

ALTERNANTHERA.

- °*A. triandra*, Lam. *Mukunu-wenna* *P.* C., Tropics generally
A. tricolor, Hort. *P.* S. America
 Several florists' forms.

GOMPHRENA.

- G. globosa*, *L. Globe amaranth* ... *A.* ... America? cult. in all hot countries (Before 1678)

IRESINE.

- I. Herbstii*, *Hook.* *S.* ... S. Brazil

CHENOPODIACEÆ.

CHENOPODIUM.

- C. opulifolium*, *Schrad.* ... *A.* ... S. Europe, &c. (*W.*)

BETA.

- B. vulgaris*, *L. Beet* *A.* ... W. Temp. Asia (*V.*)

SPINACIA.

- S. oleracea*, *L. Spinage* *A.* ... Persia (*V.*)

BASELLA.

- **B. alba*, *L. Niviti. Wild spinage, Malabar nightshade* *A.* ... C., Trop. Asia and Africa (*V.*)
 Var. *rubra*, *L. (sp.)*

BOUSSINGAULTIA.

- B. baselloides*, *Kunth* *Cl.* ... Peru, Chili

PHYTOLACCACEÆ.

RIVINA.

- R. humilis*, *L.* *P.* ... Trop. America, W. Indies; nat. in C. (Before 1824)
 Var. *flava*, *Hort.*

LEDENBERGIA.

- L. roseo-ænea*, *Lém.* *S.* ... Brazil (1884)

PETIVERIA.

- P. alliacea*, *L.* *S.* ... Trop. America

SEGUIERA.

- S. floribunda*, *Benth.* *S.* ... Brazil (1883)

POLYGONACEÆ.

RUMEX.

- R. vesicarius*, *L. Country sorrel* *A.* ... N.W. India, Persia, N. Africa (*V.*) (Before 1820)

MUEHLENBECKIA.

- M. platyclada*, *Meissn.* *S.* ... Solomon Is.

COCCOLOBA.

- C. dubia* *T.* ... Trop. America (1882)
C. uvifera, *Jacq.* *T.* ... Trop. America, W. Indies (1870)

ANTIGONON.

- A. insigne*, *Masters* *Cl.* ... Ecuador (1883)
A. leptopus, *H. & A.* *Cl.* ... Cent. America (1870)

NEPENTHACEÆ.

NEPENTHES.

- N. ampullaria*, *Jack* *P.* ... Malay Pen. (1883)
 °*N. Distillatoria*, *L. Bándurá-węł.*
Pitcher-plant *Cl.* ... Ceylon only
N. Rafflesiana, *Jack* *P.* Malaya
 And several hybrid garden forms.

ARISTOLOCHIACEÆ.

BRAGANTIA.

- °*B. Wallichii*, *Br.* *S.* C., India

ARISTOLOCHIA.

- A. cymbifera*, *Mart.* *W. Cl.* Brazil
A. grandiflora, *Sw.* *W. Cl.* Jamaica (1880)
 °*A. indica*, *L. Sap-sanda* *Cl.* C., India
A. labiosa, *Ker* *W. Cl.* Brazil
A. ringens, *Vahl* *W. Cl.* Central America
A. (Siphisia) tricaudata, *Duch.* *S.* Mexico (1873)

PIPERACEÆ.

PIPER.

- P. Betle*, *L. Bulat-węł, Betel* *Cl.* C., India, and Malaya, cult.
 Var. *Siriboa*, *L. Rata-bulat-węł.*
P. Cubeba, *L. f. Cubebs* *Cl.* Java, Sumatra, Borneo
 °*P. longum*, *L. Tippili, Long pepper* *P.* C., India, Malaya
P. metallicum *P.* Hort. Linden (1884)
 °*P. nigrum*, *L. Gam-miris-węł, Pepper* *Cl.* C., India
 °*P. (Pothomorphe) subpeltata*, *Willd.*
Maha-labu *P.* C., E. Tropics
P. (Artanthe) Veitchii *P.* Hort. Kew (1886)
P. sp. *Cl.* Malaya (1886)

PEPEROMIA.

- *P. clusiæfolia*, *Jacq.* *P.* Central America, Cuba (1881)
 °*P. confusa*, *Hook. f.* *P.* Ceylon only
 - *P. Fraseri*, *Cas. DC.* *A.* Trop. S. America (W.)
P. maculosa, *A. Dietr.* *P.* Peru, &c. (1882)
P. magnifica *P.* Hort. Calcutta (1884)
P. magnoliæfolia, *A. Dietr.* *P.* W. Indies and Central America

P. marmorata, *Hook. f.* *P.* Brazil
P. resedæflora, *André.* *P.* New Grenada (1882)
P. Saundersii, *Cas. DC.* *P.* Brazil (1871)

CHLORANTHACEÆ.

CHLORANTHUS.

- °C. brachystachys, *Bl.* ... S. ... C., India, China, Japan

MYRISTICACEÆ.

MYRISTICA.

- M. fragrans, *Houtt. Nutmeg* ... T. ... Moluccas, Amboyna, &c. (1804)
 °M. Horsfieldia, *Bl. Ruk* ... T. ... Ceylon only
 °M. laurifolia, *Hk. f. & T. Malaboda,*
Wild nutmeg ... T. ... C., India

LAURACEÆ.

CRYPTOCARYA.

- C. australis, *Benth.* ... T. ... Queensland (1881)

RAVENSARA.

- R. aromatica, *Sonn. Madagascar*
clove ... T. ... Madagascar (1847)

BEILSCHMIEDIA.

- °B. oppositifolia, *B. & Hk. f.* ... T. ... Ceylon only

CINNAMOMUM.

- C. Camphora, *Nees & Eberm. Camphor* T. ... China, Japan (1852)
 C. Cassia, *Bl. Cassia Bark* ... T. ... S. China (1882)
 C. caudatum, *Nees* ... T. ... Nepal, Sikkim
 °C. citriodorum, *Thw. Pengiri-kurundu* ... T. ... Ceylon only
 C. Culilawan, *Bl.* ... T. ... Moluccas
 °C. zeylanicum, *Bl. Kurundu,*
Cinnamon ... T. ... C., S. India, Malay Pen.

PERSEA.

- P. gratissima, *Gaertn. Avocado pear* T. ... Trop. America
 P. Nanmu, *Oliver* ... T. ... Yunnan (1884)

NECTANDRA.

- N. sanguinea, *Rottb.* ... T. ... W. Indies (1881)

ACTINODAPHNE.

- °A. stenophylla, *Thw.* ... S. or T.... Ceylon only

LITSEA.

- °L. zeylanica, *Nees. Dawul-kurundu* T. ... C., India, Malaya
 °L. tomentosa, *Heyne. Kos-bada* ... T. ... C., India

HERNANDIA.

- H. bivalvis, *Benth.* ... T. ... Queensland (1884)

PROTEACEÆ.

MACADAMIA.

- M. ternifolia, *F.M. Queensland nut* T. ... N. Australia (1868)

GREVILLEA.

- G. Barklyana, *F.M.* T. ... Victoria (1872)
 G. Hilliana, *F.M.* T. ... Queensland (1881)

- G. robusta, *Cunn. Silky oak (Australia)* T. ... Queensland, N.S. Wales (1856)

BUCKINGHAMIA.

- B. celsissima, *F.M.* T. ... Queensland (1881)

STENOCARPUS.

- S. sinuatus, *Endl.* T. ... Queensland, N.S. Wales (1883)

THYMELÆACEÆ.

WIKSTRÆMIA.

- W. viridiflora, *Meisn.* S. ... China (1852)

LAGETTA.

- L. lintearia, *Lam. Lace-bark tree*... T. W. Indies

PHALERIA.

- P. laurifolia, *Hk. f.* S. Timor

GYRINOPS.

- °G. Walla, *Gaertn. Walla* T. Ceylon only

AQUILARIA.

- A. Agallocha, *Roxb. Eagle wood, T. Aloes wood, Akyaw* Mergui, Martaban (1884)

ELÆAGNACEÆ.

ELÆAGNUS.

- °E. latifolia, *L. Wel-embilla* W.Cl.orS...C., India, Burma, China, Malay Is.

LORANTHACEÆ.

LORANTHUS.

- °L. cuneatus, *Heyne* Par. C., S. India (W.)
 °L. neilgherrensis, *W. & A.* Par. Id.
 °L. tomentosus, *Heyne* Par. Id.

VISCUM.

- °V. capitellatum, *Sm.* Par. C., S. India (W.)

SANTALACEÆ.

SANTALUM.

- S. album, *L. Sandal wood* T. Central India (1869)

EUPHORBIACEÆ.

PEDILANTHUS.

- P. tithymaloides, *Poit.*... .. S. W. Indies

EUPHORBIA.

- °E. antiquorum, *L. Daluk* T. C., India
 E. Bojeri, *Hook.* S. Madagascar

- °E. *hirta*, *L.* (*E. pilulifera*, *L.*) *Bûdada-kiriya* ... A. ...C., Tropics generally (W.)
E. neriifolia, *L.* *Patuk* ... T. ... India (Before 1678)
 °E. *parviflora*, *L.* *Ela-dada-kiriya*... A. ...C., India, Malaya (W.)
E. (*Poinsettia*) *pulcherrima*, *Willd.* S. ... Mexico, &c. (1847)
E. Tirucalli, *L.* *Nawahandi*, *Milk hedge* ... T. ...E. Trop. Africa; nat. in C. (Before 1678)
 °E. *tortilis*, *Rottl.* *Sinuk* ... T. ... C., India
 BRIDELIA.
 °B. *retusa*, *Spreng.* *Kęta-kála* ... T. ... C., India
 CLEISTANTHUS.
 °C. *acuminatus*, *Muell. Arg.* ... T. ... Ceylon only
 PHYLLANTHUS.
P. atropurpureus, *Hort. Bull.* ... S. ... Pacific Is. (1882)
 °P. *cyanospermus*, *Muell. Arg.* ... T. ... C., India
 °P. *Emblica*, *L.* *Nelli*... T. ...C., India, Java, China, Japan
 °P. (*ProSORUS*) *indicus*, (*Dalz.*) *Karawu* ... S. ... Ceylon only
 °P. (*Glochidion*) *leptogynus*, *Muell. Arg.* ... T. ... Id.
P. longifolius, *Jacq.* (*Cicca disticha*, *L.*) *Raęa-nelli* ... T. ...Tropics generally, cult. (Before 1678)
 °P. *myrtifolius*, *Moon* ... S. ... Ceylon only
 °P. *polyphyllus*, *Wight* ... T. ... C., India
 °P. *pubescens*, *Moon* ... S. ... Ceylon only
P. (Xylophylla) speciosus, *Jacq.* ... S. ...Jamaica (Before 1824)
 °P. *Thwaitesianus*, *Muell. Arg.* ... S. ... Ceylon only
 FLUGGEEA.
 °F. *Leucopyrus*, *Willd.* *Hin-kaęu-pila* ... S. ... - C., India
 HEMICYCLIA.
 °H. *lanceolata*, *Thw.* ... T. ... Ceylon only
 MISCHODON.
 °M. *zeylanicus*, *Thw.* *Tammaņa* ... T. ... Ceylon only
 BISCHOFFIA.
 °B. *javanica*, *Bl.* ... T. ... Tropical Asia
 APOROSA.
A. Lindleyana, *Baill.* *Kębęlla* ... T. ... C., India
 BACCAUREA.
 B. (*Pierardia*) *dulcis*, *Muell. Arg.* *Rambęh*... T. ... Sumatra

ANTIDESMA.

- °A. *Bunius*, Spreng. *Karawella-kebella*... .. T. ... C., India, Malaya
A. Dallachyana, Baill. ... S. or T. ... Queensland (1883)
 °A. *zeylanicum*, Lam. *Hin-embilla* T. ... Ceylon only
A. sp. S. ... —

HEVEA.

- H. *brasiliensis*, Muell. Arg. *Para india-rubber* T. ... Brazil (1876)

JATROPHA.

- J. *Curcas*, L. *Rata-endaru*, *Physic nut* S. ... Tropics generally, cult. (Before 1824)
 J. *gossypiifolia*, L. S. ... Tropical Africa and America; nat. in C.
 J. *multifida*, L. *Coral tree* S. ... S. America (Before 1824)
 J. *panduræfolia*, Andr. S. ... Cuba (1855)
 J. *podagrica*, Hook. P. ... Cent. America (1874)

ALEURITES.

- A. *triloba*, Forst. *Tel-kekuna*, *Candle-nut*, *Otaheite walnut* T. ... Moluccas, Pacific Is.
 A. *vernica*, Hassk. *Chinese varnish tree* T. ... Cochin China, Japan (1883)

CROTON.

- °C. *aromaticum*, L. *Wel-keppetiyá* S. C., S. India
 C. *Eleuteria*, J. J. Benn. *Cascarilla bark* T. ... Bahamas (1883)
 °C. *lacciferum*, L. *Keppetiyá* S. ... C., India, Cochin China
 C. *niveum*, Jacq. *Copalchi bark* T. ... Cent. America (1880)
 °C. *Thwaitesianum*, Muell. Arg. T. ... Ceylon only
 C. *Tigilium*, L. *Jaya-pála*, *Croton-oil* S. India (Before 1678)

TRIGONOSTEMON.

- °T. *nemoralis*, Thw. S. ... Ceylon only

OSTODES.

- O. *paniculata*, Bl. T. ... Sikkim, Java (1884)
 °O. *zeylanica*, Muell. Arg. *Walkekuna* T. ... C., S. India

CODIÆUM.

- C. *variegatum*, Muell. Arg. *Croton (of Gardens)* S. ... Java, Amboyna, Fiji (Before 1824)
 Numerous garden varieties.

BLACHIA.

- °B. *umbellata*, Baill. *Kos-atta* T. ... C., India

DIMORPHOCALYX.

- °D. *glabellus*, Thw. *Weli-wenna* T. ... C., S. India

AGROSTISTACHYS.

- °A. Hookeri, *Thw. Diya-beru* ... S. ... Ceylon only

MANIHOT.

- M. Glaziovii, *Mull. Arg. Ceara india-rubber* ... T. ... Brazil (1876)
 M. utilisissima, *Pohl. Cassava, Manioca* ... P. ... Brazil (About 1790)

ACALYPHA.

- A. colorata, *Spreng. (discolor, Boj.)* S. ... Madagascar, Mauritius
 A. marginata, *Hort. Bull (non Spreng.)* ... S. ... Fiji
 A. Wilkesiana, *Mull. Arg. (tricolor, Hort.)* ... S. ... Pacific Is. (1870)
 Many garden varieties.
 °A. indica, *L. Kuppa-méniya* ... P. ... C., Trop. Asia and Africa (W.)

ALCHORNEA.

- A. (Cœlebogynae) ilicifolia, *Mull. Arg.* ... S. ... Queensland, N.S. Wales (1860)

PODADENIA.

- °P. sapida, *Thw.* ... T. ... Ceylon only

TREWIA.

- °T. nudiflora, *L.* ... T. ... C., India, Malaya

MALLOTUS.

- °M. albus, *Mull. Arg. Bù-kenda* ... T. ... C., India, Malaya
 °M. philippinensis, *Mull. Arg. Ham-pirilla, Kamala* ... T. ... C., Trop. Asia
 °M. repandus, *Mull. Arg.* ... S. ... C., India, Java

CLEIDION.

- °C. javanicum, *Bl. Okuru* ... T. ... C., India, Malaya

MACARANGA.

- °M. indica, *Wight. Kenda* ... T. ... C., S. India
 °M. tomentosa, *Wight* ... T. ... Id.

RICINUS.

- R. communis, *L. Endaru, Castor-oil* ... A. or P. ... N. Africa, &c.; nat. in C. (W.) (Before 1678)

HOMONOIA.

- °H. riparia, *Lour.* ... S. ... C., India, Malaya (W.)

CHÆTOCARPUS.

- °C. castanocarpus, *Thw. Hédoka* ... T. ... C., Sylhet, Malay Pen. (W.)

- °C. coriaceus, *Thw.* ... T. ... Ceylon only

GELONIUM.

- °G. lanceolatum, *Willd.* ... T. ... C., India

TRAGIA.

- °T. involucrata, *L.* P. C., India

DALECHAMPIA.

- D. Roezliana, *Mull. Arg.* ... P. ... Mexico (1871)

SAPIUM.

- °S. indicum, *Willd. Kiri-makulu* ... T. ... C., India, E. Africa
 °S. (*Falconeria*) *insigne*, (*Royle*) ... T. C., India
 S. (*Stillingia*) *sebiferum*, *Roxb. Tal-
 low tree* T. ...China, Japan (Before
 1824)

SEBASTIANA.

- °S. *Chamaeæsa*, *Mull. Arg. Rat-piṭa-
 wakka* A. ... C., Trop. Asia (W.)

EXCÆCARIA.

- E. bicolor, *Zoll.* ... S. ... Java (1884)

HURA.

- H. crepitans, *L. Sand-box tree* ... T. ...Trop. America (1848)

URTICACEÆ.

CELTIS.

- °C. cinnamomea, *Lindl. Gurenda* ... T. ... C., India, Malaya
 °C. *Wightii*, *Planch.* ... T. ... C., India, Java

TREMA.

- °T. *orientalis*, (*L.*) *Geḍumba, Char-
 coal tree* T. ...C., W. India, Penang
 (W.)

CANNABIS.

- C. *sativa*, *L. Hemp.* ... A. ... Central Asia

STREBLUS.

- °S. *asper*, *Lour. Geṭa-neṭul* ... T. ...C., India, Malaya, S.
 China

BROUSSONETIA.

- B. *papyrifera*, *Vent. Paper mul-
 berry* T. ...Burma, China, Japan
 (1882)

ALLÆANTHUS.

- °A. *zeylanicus*, *Thw. Alandu* ... T. ... Ceylon only

PLECOSPERMUM.

- °P. *spinosum*, *Trec. Kaṭu-timbol* ... W. Cl. ... C., India, Malaya

CHLOROPHORA.

- C. *tinctoria*, *Gaud. Fustic, Dinde
 (Columbia)* T. ...Central America (1884)

MORUS.

- M. *alba*, *L.*, var. *indica*, *L. Indian
 mulberry* S. or T. ...India, cult. (Before
 1824)
 Var. *multicaulis*, *Perr.* ... S. ... S. China, cult.

DORSTENIA.

D. Contrajerva, L.	P.	...	Trop. America (1881)
°D. indica, Wall.	P.C., S. India
FICUS.					
°F. Arnottiana, Miq.	Kapuṭu-bó	...	T.C., S. India
F. altissima, Bl.	T.	...	India, Malaya
°F. asperima, Roxb.	Sewana-meḍiya	...	T. C., India
°F. bengalensis, L.	Maha-nuga, Banyan	...	T. Id.
F. Benjamina, L., var. comosa, Roxb.	T.Assam, Burma, Queens- land (1861)
°F. callosa, Willd.	Wal-gona	...	T.C., S. India, Burma, Java
F. Carica, L.	Edible fig	...	T.N. Africa, &c. (Be- fore 1824)
F. cuneata, Miq.	T. Java (1884)
F. dealbata	T. Hort. Linden (1884)
F. diversifolia, Bl.	T. Java (1883)
F. elastica, L.	Assam India-rubber	...	T.Assam, N. Burma, Malaya (about 1835)
F. exsculpta, Masters	T. Pacific Is. (1881)
°F. glomerata, Willd.	Aṭṭikká	...	T. C., India (W.)
°F. hispida, L. f., var. oppositifolia, Willd.	Koṭa-dimbulá	...	T. C., India
F. Hookeri, Miq.	T. Sikkim
°F. infectoria, Roxb.	T. C., India, Malaya
°F. laccifera, Roxb.	Nuga	...	T. C., India
F. lepicarpa, Bl.	T. Java
F. macrophylla, Desf.	Moreton Bay fig	...	T.Queensland, N. S. Wales (1867)
°F. Mooniana, King	T. Ceylon only
°F. mysorensis, Heyne.	Bú-nuga	...	T. C., India
°F. nervosa, Heyne, var. minor, King. Kala-maduwa	T. C., India, Malaya
F. parasitica, Koen.	Gas-neṭul	...	T.C., India, Malaya, China (W.)
F. Parcelli...	T.Hort. Bull.
F. populifolia, A. Rich.	T. Abyssinia (1881)
F. rapiformis, Roxb. (eburnea, Hort. Bull.)	T. Moluccas (1871)
F. regia, Miq.	T. Sikkim
F. religiosa, L.	Bó	...	T.Bengal, Central India; nat. in C.
°F. retusa, L. (F. nitida, Thumb.)	T.C., India, Malaya, S. China
F. semicordata, Miq.	T. Java (1861)
°F. Trimeni, King	T. C., W. India
°F. Tsjakela, Burm.	Kiripella	...	T. C., S. India

- °F. Tsiela, *Roxb.* T. ... C., S. India
 F. Vogellii, *Miq.* T. ... W. Trop. Africa (1881)
 °F. Wightiana, *Wall. Kalaha* ... T. ... C., W. India

BROSIMUM.

- B. Galactodendron, *Don. Cow-tree* T. ... Venezuela (1880)

ANTIARIS.

- °A. innoxia, *Bl. Riti, Sack tree* ... T. ... C., Moluccas
 A. toxicaria, *Lesch. Upas tree* ... T. ... Java (1869)

CASTILLOA.

- C. elastica, *Cerv., var. Darien India-rubber* T. ... Panama (1876)

ARTOCARPUS.

- A. Cannoni, *Hort. Bull.* ... T. ... Society Is.
 A. incisa, *L. Rata-del, Bread-fruit* T. ... Malay Is. (Before 1796)
 A. integrifolia, *L. Kos, Jack* ... T. ... India; nat. in C.
 A. laciniata T. ... Hort. Bull.
 °A. Lakoocha, *Roxb. Kanna-gonna* T. ... C., India, Java
 °A. nobilis, *Thw. Del, Wild bread-fruit* T. ... Ceylon only
 A. Polyphema, *Pers. Jempeda (Malay)* T. ... Java, Cochin China
 A. rigidus, *Bl.* T. ... Java (1886)
 A. sp. T. ... Fiji

CECROPIA.

- C. peltata, *L.* T. ... Trop. America (1883)

LAPORTEA.

- L. Schomburgkii, *var. versicolor, Hort. Bull.* S. ... Pacific Is.

PILEA.

- P. microphylla, *Lieb. (muscosa, Lindl.)* A. ... Trop. America; nat. in C. (W.) (Before 1860)
 °P. trinervia, *Wight* P. ... C., India, Java (W.)
 P. sp. A. ... Hort. Calcutta

PELLIONIA.

- P. brevifolia, *Benth.?* P. ... S. China (1884)
 Several garden varieties.
 P. Davealleana, *N. E. Br.* ... P. ... Cochin China, Perak (1884)

ELATOSTEMA.

- °E. lineolatum, *Wight* ... P. ... C., India (W.)

BOEHMERIA.			
B. nivea, H. & A. <i>China grass,</i>			
<i>Rheea</i> P.	...	Trop. & Sub-trop. Asia
B. pulchra...	... P.	...	Hort. Calcutta (1883)
POUZOLZIA.			
°P. indica, <i>Gaud.</i> S.	...	C., Trop. Asia
°P. Walkeriana, <i>Wight</i> S.	...	Ceylon only
DEBREGEASIA.			
°D. velutina, <i>Gand. Gas-dul</i> S.	...	C., India, Java
MYRIOCARPA.			
M. longipes, <i>Lieb. (Ficus emarginata,</i>			
<i>Hort. Bull.)</i> T.	...	Costa Rica
CASUARINÆ.			
CASUARINA.			
C. equisetifolia, <i>Forst.</i> T.	...	Malay Is., &c. (Before 1824)
C. Rumphiana, <i>Miq.</i> T.	...	Amboyna (1871)
C. sp. T.	...	—
SALICINÆ.			
SALIX.			
S. babylonica, <i>L. Weeping willow</i> T.		...	Persia, Caucasus (Before 1824)

Gymnospermæ.

CONIFERÆ.			
CALLITRIS (Frenela).			
C. australis, <i>Br.</i> S. or T.	...	Tasmania (1880)
C. robusta, <i>Br. Australian pine</i> T.	...	Australia
C. rhomboidea, <i>Br. ?</i> T.	...	Id.
THUJA.			
T. gigantea, <i>Nutt.</i> T.	...	N.W. America
T. occidentalis, <i>L.</i> T.	...	N. America
T. orientalis, <i>L. Arbor vitæ</i> T.	...	China, Japan
CUPRESSUS.			
C. funebris, <i>Endl. Weeping cypress</i> T.		...	China, Sikkim, &c.
C. sempervirens, <i>L., var. pyramidalis. Cypress</i> T.	...	Asia Minor, Persia, &c.
C. torulosa, <i>Don. Himalayan cypress</i> T.	...	Himalaya
JUNIPERUS.			
J. bermudiana, <i>L. Bermuda cedar</i> T.		...	Bermuda, Jamaica (1868)
CRYPTOMERIA.			
C. japonica, <i>Don. Sugi (Japan), Japanese cedar</i> T.	...	China, Japan

DACRYDIUM.			
<i>D. elatum</i> , <i>Wall.</i> <i>T.</i>	... Malaya (1886)
PODOCARPUS.			
<i>P. cupressina</i> , <i>Br.</i> <i>T.</i>	... Malaya (1880)
<i>P. elata</i> , <i>Br.</i> <i>T.</i>	... Queensland (1873)
<i>P. polystachya</i> , <i>Br.</i> <i>T.</i>	... Malaya
<i>P. sp.</i> <i>T.</i>	... Singapore (1886)
AGATHIS (Dammara).			
<i>A. loranthifolia</i> , <i>Sal.</i> (<i>alba</i> , <i>Auct.</i>)	<i>T.</i> Malay Is. (1881)
<i>A. obtusa</i> , (<i>Lindl.</i>) <i>T.</i>	... New Hebrides (1865)
<i>A. robusta</i> , <i>B. & Hk. f.</i>	<i>Australian</i>
<i>kauri pine</i> <i>T.</i>	... Queensland (1865)
<i>A. sp.</i> <i>T.</i>	... Penang (1884)
ARAUCARIA.			
<i>A. Bidwillii</i> , <i>Hook.</i>	<i>Bunya-bunya</i>
<i>pine</i> <i>T.</i>	... Queensland (1848)
<i>A. Cunninghamii</i> , <i>Ait.</i>	<i>Moreton</i>
<i>Bay pine</i> <i>T.</i>	... Id.
Var. <i>glauca</i> .			
<i>A. Cookii</i> , <i>Br.</i> <i>T.</i>	... New Caledonia (1865)
<i>A. excelsa</i> , <i>Br.</i>	<i>Norfolk Island</i>
<i>pine</i> <i>T.</i>	... Norfolk Is. (1848)
PINUS.			
<i>P. sinensis</i> , <i>Lamb.</i> <i>T.</i>	... China (1884)
CYCADEÆ.			
CYCAS.			
* <i>C. circinalis</i> , <i>L.</i>	<i>Maçu, False sago</i>
<i>palm</i> <i>T.</i>	... C., S. India, Java
<i>C. media</i> , <i>Br.</i> <i>T.</i>	... N. and E. Australia
<i>C. pectinata</i> , <i>Griff.</i> <i>T.</i>	... India & Burma (1881)
<i>C. revoluta</i> , <i>Thumb.</i> <i>T.</i>	... Japan
<i>C. Rumphii</i> , <i>Miq.</i> <i>T.</i>	... Malaya
<i>C. tonkinensis</i> <i>T.</i>	... Cochin China (1886)
DIOON.			
<i>D. edule</i> , <i>Lindl.</i> <i>T.</i>	... Mexico (1850)
MACROZAMIA.			
<i>M. Fraseri</i> , <i>Miq.</i> <i>T.</i>	... W. Australia
<i>M. Miquelii</i> , <i>F.M.</i> <i>T.</i>	... Queensland (1871)
<i>M. Moorei</i> , <i>F.M.</i> <i>T.</i>	... Queensland (1881)
<i>M. Peroffskiana</i> , <i>Miq.</i>	(<i>Catakido-</i>
<i>zamia, Hort.</i>) <i>T.</i>	... Queensland
Var. <i>Denisonii</i> , <i>F.M.</i> <i>T.</i>	... Queensland (1865)
<i>M. spiralis</i> , <i>Miq.</i> <i>T.</i>	... Queensland, N.S. Wales
Var. <i>corallipes</i> , <i>Hk. f.</i>

ENCEPHALARTOS.

<i>E. Lehmanni, Lehm.</i> T.	...	S. Africa (1885)
<i>E. villosus, Lehm.</i> T. S. Africa

STANGERIA.

<i>S. paradoxa, T. Moore</i> P.	...	S.E. Africa (1886)
----------------------------------	--------	-----	--------------------

BOWENIA.

<i>B. spectabilis, Hook.</i> P.	...	Queensland (1874)
----------------------------------	--------	-----	-------------------

MONOCOTYLEDONS.

HYDROCHARIDÆ.

HYDRILLA.

° <i>H. ovalifolia, Rich.</i> Aq.	...	C., E. Tropics (W.)
-----------------------------------	---------	-----	---------------------

ORCHIDÆ.

MICROSTYLIS.

° <i>M. discolor, Lindl.</i> P.	...	Ceylon only
° <i>M. lancifolia, Thw.</i> P. Id.
° <i>M. Rheedii, Lindl.</i> P.	...	C., India, Malaya
<i>M. sp.</i> P. Java

LIPARIS.

° <i>L. atropurpurea, Lindl.</i> P.	...	Ceylon only
° <i>L. Wightiana, Thw.</i> P. C., S. India

DENDROBRUM.

<i>D. aggregatum, Lindl.</i> Ep. India
<i>D. albo-sanguineum, Lindl.</i> Ep.	...	Burma (1886)
<i>D. amœnum, Wall.</i> Ep.	...	Nepal, Sikkim (1885)
<i>D. anceps, Roxb.</i> Ep.	...	Sikkim (1880)
° <i>D. aureum, Lindl.</i> Ep. C., S. India
<i>D. Bensoniæ, Rehb. f.</i> Ep.	...	Burma (1886)
<i>D. Brymerianum, Rehb. f.</i> Ep. Id.
<i>D. Bullerianum, Batem.</i> Ep.	...	Burma (1885)
<i>D. Cambridgeanum, Lindl.</i> Ep.	...	Assam (1885)
<i>D. chrysanthum, Wall.</i> Ep.	...	Nepal (1881)
<i>D. chrysotoxum, Lindl.</i> Ep. India
<i>D. crepidatum, Lindl.</i> Ep. Assam
<i>D. cretaceum, Lindl.</i> Ep.	...	Khasia (1884)
<i>D. criniferum, Lindl.</i> Ep.	...	Ceylon, cult.
° <i>D. crumenatum, Sw.</i> Ep.	...	C., Java, Sumatra

D. Dalhousianum, <i>Wall.</i>	... <i>Ep.</i>	...	India (1881)
D. densiflorum, <i>Wall.</i>	... <i>Ep.</i>	...	Nepal
D. eburneum, <i>Batem.</i>	... <i>Ep.</i>	...	Burma (1885)
D. Farmeri, <i>Lindl.</i>	... <i>Ep.</i>	...	India
D. fimbriatum, <i>Hk.</i> , var. <i>oculatum</i>	<i>Ep.</i>	...	Assam
D. formosum, <i>Rozb.</i>	... <i>Ep.</i>	...E. Bengal, Malay Pen.	(1880)
D. Fytcheanum, <i>Batem.</i>	... <i>Ep.</i>	...	Burma
D. Jamesianum, <i>Rchb. f.</i>	... <i>Ep.</i>	...	Burma (1886)
‡ D. Jenkinsii, <i>Wall.</i>	... <i>Ep.</i>	...	India (1881)
° D. Maccarthiæ, <i>Thw.</i>	... <i>Ep.</i>	...	Ceylon only
° D. Macræi, <i>Lindl.</i>	... <i>Ep.</i> C., India
D. macranthum, <i>Lindl.</i>	... <i>Ep.</i>	...	Philippine Is.
D. macrophyllum, <i>Rich.</i> , var. <i>Veitchianum</i>	... <i>Ep.</i>	...	New Guinea
° D. macrostachyum, <i>Lindl.</i>	... <i>Ep.</i>	...	Ceylon only
D. moschatum, <i>Wall.</i> (D. <i>Calceolus</i> , <i>Hk.</i>)	... <i>Ep.</i> Amboyna
D. multicaule, <i>T. And...</i>	... <i>Ep.</i>	...	Khasia (1880)
D. nobile, <i>Lindl.</i>	... <i>Ep.</i>	...	China
D. nodatum, <i>Rchb. f.</i>	... <i>Ep.</i>	...	Burma (1885)
° D. nutans, <i>Lindl.</i>	... <i>Ep.</i>C., S. India
D. parcum, <i>Rchb. f.</i>	... <i>Ep.</i>	...	Burma (1885)
D. Parishii, <i>Rchb. f.</i>	... <i>Ep.</i>	...	Burma (1884)
D. Pierardi, <i>Rozb.</i>	... <i>Ep.</i> Bengal
° D. purpurascens, <i>Thw.</i>	... <i>Ep.</i>	...	Ceylon only
D. sanguinolentum, <i>Lindl.</i>	... <i>Ep.</i>	...	Ceylon, cult.
D. secundum, <i>Wall.</i>	... <i>Ep.</i> Malaya
D. transparens, <i>Wall.</i>	... <i>Ep.</i>	...	India (1885)
D. Wardianum, <i>Warn.</i>	... <i>Ep.</i>	... Assam, Burma	(1884)

And some unnamed species.

BULBOPHYLLUM.

B. cupreum, <i>Lindl.</i>	... <i>Ep.</i>	...	Burma, Manila
° B. elegans, <i>Gardn.</i>	... <i>Ep.</i>	...	Ceylon only
B. umbellatum, <i>Lindl.</i>	... <i>Ep.</i>	...	Nepal, Khasia

CIRRHOPELALUM.

° C. grandiflorum, <i>Wight</i>	... <i>Ep.</i>	...	Ceylon only
° C. Macræi, <i>Lindl.</i>	... <i>Ep.</i> Id.
C. sp.	... <i>Ep.</i>	...	Sikkim (1885)

ERIA.

E. armeniaca, <i>Lindl.</i> (E. <i>ornata</i> , <i>Lindl.</i>)	... <i>Ep.</i>	...	Philippines (1872)
° E. bicolor, <i>Lindl.</i>	... <i>Ep.</i>	...	Ceylon only
° E. braccata, <i>Lindl.</i>	... <i>Ep.</i>C., S. India
E. convallarioides, <i>Lindl.</i>	... <i>Ep.</i>	...	Nepal (1885)
E. excavata, <i>Lindl.</i>	... <i>Ep.</i>	...	N. India (1880)

<i>E. flava</i> , <i>Lindl.</i>	<i>Ep.</i>	...	India (1880)
* <i>E. Lindleyi</i> , <i>Thw.</i>	<i>Ep.</i>	...	Ceylon only
<i>E. planicaulis</i>	<i>Ep.</i>	...	Hort. Calcutta (1880)
* <i>E. stellata</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Java (1884)
* <i>E. Thwaitesii</i> , <i>Trim.</i> (<i>E. velutina</i> , <i>Thw.</i> , non <i>Lodd.</i>)	<i>Ep.</i>	...	Ceylon only

PACHYSTOMA.

* <i>P. (Ipsea) speciosum</i> , <i>Rchb. f.</i>	...	<i>P.</i>	...	Ceylon only
---	-----	-----------	-----	-------------

ACANTHEPHIPIUM.

* <i>A. bicolor</i> , <i>Lindl.</i>	<i>P.</i>	...	Ceylon only
<i>A. javanicum</i> , <i>Bl.</i>	<i>P.</i>	...	Java (1886)

PHAIUS.

<i>P. albus</i> , <i>Lindl.</i>	<i>P.</i>	...	N. India, Burma (1886)
* <i>P. bicolor</i> , <i>Lindl.</i>	<i>P.</i>	...	Ceylon only
<i>P. Blumei</i> , <i>Lindl.</i>	<i>P.</i>	...	Java (1886)
<i>P. flavus</i> , <i>Lindl.</i>	<i>P.</i>	...	Java (1880)
<i>P. grandifolius</i> , <i>Lour.</i>	<i>P.</i>	...	China (1882)
* <i>P. luridus</i> , <i>Thw.</i>	<i>P.</i>	...	Ceylon only

BLETIA.

<i>B. verecunda</i> , <i>Br.</i>	<i>P.</i>	...	W. Indies (1885)
----------------------------------	-----	-----	-----------	-----	------------------

CŒLOGYNE.

<i>C. cristata</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Nepal, Sikkim (1885)
<i>C. flaccida</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Nepal (1881)
<i>C. nitida</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Nepal, Sikkim (1885)
<i>C. ochracea</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Khasia (1885)
* <i>C. odoratissima</i> , <i>Lindl.</i>	<i>Ep.</i> C., S. India
<i>C. ovalis</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Nepal (1885)
<i>C. pandurata</i> , <i>Lindl.</i>	<i>Ep.</i>	...	Borneo (1883)
<i>C. sp.</i>	<i>Ep.</i>	...	Sikkim (1885)

PHOLIDOTA.

* <i>P. imbricata</i> , <i>Lindl.</i>	<i>Ep.</i> C., S. India
<i>P. sp.</i>	<i>Ep.</i>	...	Sikkim (1883)

CALANTHE.

<i>C. curculigoides</i> , <i>Lindl.</i>	<i>P.</i>	...	Malaya (1886)
* <i>C. purpurea</i> , <i>Lindl.</i>	<i>P.</i>	...	Ceylon only
<i>C. (Limatodes) rosea</i> , <i>Lindl.</i>	<i>P.</i>	...	Burma (1885)
<i>C. speciosa</i> , <i>Lindl.</i>	<i>P.</i>	...	Java (1886)
* <i>C. veratrifolia</i> , <i>Br.</i>	<i>P.</i>	...	C., E. Tropics
<i>C. vestita</i> , <i>Lindl.</i>	<i>P.</i> Burma

ARUNDINA.

<i>A. bambusifolia</i> , <i>Lindl.</i>	<i>P.</i> Nepal, &c.
* <i>A. minor</i> , <i>Lindl.</i>	<i>P.</i>	...	Ceylon only

EPIDENDRUM.

<i>E. aciculare, Batem.</i> <i>Ep.</i> ...	Mexico (1881)
<i>E. aromaticum, Batem.</i> <i>Ep.</i> ...	Guatemala (1882)
<i>E. bicornutum, Hk.</i> <i>Ep.</i> ...	Trinidad (1882)
<i>E. cochleatum, L.</i> <i>Ep.</i> ...	W. Indies (1881)
<i>E. crassifolium, Lindl.</i>	... <i>Ep.</i> ...	Trinidad (1881)
<i>E. eburneum, Rchb. f.</i> <i>Ep.</i> ...	Panama (1886)
<i>E. fragrans, Sw.</i> <i>Ep.</i> ...	W. Indies (1881)
<i>E. Lindenii, Lindl.</i> <i>Ep.</i> ...	Cent. America (1882)
<i>E. nocturnum, L.</i> <i>Ep.</i> ...	W. Indies (1881)
<i>E. oncidoides, Lindl.</i> <i>Ep.</i> ...	Trop. America (1886)
<i>E. purum, Lindl.</i> <i>Ep.</i> ...	New Grenada (1882)
<i>E. virens, Lindl.</i> <i>Ep.</i> ...	Trop. America (1882)

BROUGHTONIA.

<i>B. sanguinea, Br.</i> <i>Ep.</i> ...	Jamaica, Cuba (1881)
------------------------------	--------------------	----------------------

CATTLEYA.

<i>C. bicolor, Lindl.</i> <i>Ep.</i> ...	Brazil (1886)
<i>C. citrina, Lindl.</i> <i>Ep.</i> ...	Mexico (1881)
<i>C. crispa, Lindl.</i> <i>Ep.</i> ...	Brazil (1886)
<i>C. Eldorado, Lindl.</i> <i>Ep.</i> Id.
<i>C. Gaskelliana, Rchb. f.</i>	... <i>Ep.</i> ...	Brazil (1884)
<i>C. Harrisoniana, Batem.</i>	... <i>Ep.</i> ...	Brazil (1886)
<i>C. labiata, Lindl., vars. pallida and speciosissima</i> <i>Ep.</i> Id.
<i>C. Loddigesii, Lindl.</i> <i>Ep.</i> ...	Brazil, &c. (1886)
<i>C. Mossiæ, Hook.</i> <i>Ep.</i> ...	Venezuela (1881)
Var. <i>purpurata, Moore</i>	... <i>Ep.</i> ...	(1886)
<i>C. superba, Lindl.</i> <i>Ep.</i> ...	British Guiana (1886)
<i>C. Trianae, Lindl. & Rchb. f.</i>	... <i>Ep.</i> ...	New Grenada (1886)
<i>C. velutina, Rchb. f.</i> <i>Ep.</i> ...	Brazil (1886)

BRASSAVOLA.

<i>B. cordata, Lindl.</i> <i>Ep.</i> ...	Brazil, Jamaica (1881)
<i>B. Digbyana, Lindl.</i> <i>Ep.</i> ...	Honduras (1881)
<i>B. glauca, Lindl.</i> <i>Ep.</i> ...	Mexico (1881)
<i>B. nodosa, Lindl.</i> <i>Ep.</i> ...	W. Indies, Mexico

LÆLIA.

<i>L. albida, Batem.</i> <i>Ep.</i> ...	Mexico (1886)
<i>L. furfuracea, Lindl.</i> <i>Ep.</i> ...	Mexico (1884)
<i>L. majalis, Lindl.</i> <i>Ep.</i> ...	Mexico (1881)

SCHOMBURGKIA.

<i>S. Lyonsii, Lindl.</i> <i>Ep.</i> ...	Jamaica (1881)
-------------------------------	--------------------	----------------

EULOPHIA.

* <i>E. virens, Br.</i> <i>P.</i>C., S. India
<i>E. sp</i> <i>P.</i> Java

CYMBIDIUM

°C. aloifolium, <i>Sw.</i> <i>Ep.</i> C., India
°C. bicolor, <i>Lindl.</i> <i>Wisa-duli</i> <i>Ep.</i> ...	Ceylon only
C. elegans, <i>Lindl.</i> <i>P.</i> ...	N. India (1881)
°C. ensifolium, <i>Sw.</i> <i>P.</i> C., China
C. Hookerianum, <i>Rehb. f.</i> <i>Ep.</i> ...	Sikkim (1885)
C. Mastersii, <i>Griff.</i> <i>Ep.</i> ...	N. India (1883)
C. sp. <i>Ep.</i> Singapore

GEODORUM.

°G. dilatatum, <i>Br.</i> <i>P.</i> ...	C., India, Malaya
-------------------------------	-------------------	-------------------

GRAMMATOPHYLLUM.

G. speciosum, <i>Bl.</i> <i>Ep.</i> Malaya
------------------------------	--------------------	------------

POLYSTACHYA.

°P. luteola, <i>Hook.</i> <i>Ep.</i>C., India, Trop. America (W.)
-------------------------------	--------------------	-------------------------------------

CYRTOPODIUM.

°C fuscum, (<i>Wight</i>) <i>P.</i>C., S. India
°C. rufum, (<i>Thu.</i>) <i>P.</i> ...	Ceylon only

STANHOPEA.

S. alba <i>Ep.</i>Hort. Weigandt (1886)
S. maculata <i>Ep.</i> ...	Id.
S. tigrina, <i>Batem.</i> <i>Ep.</i> ...	Mexico (1884)

PERISTERIA.

P. elata, <i>Hook.</i> <i>Ep.</i> ...	Panama (1884)
P. Barkeri, <i>Batem.</i> <i>Ep.</i> ...	Mexico (1884)

CATASETUM.

C. maculatum, <i>Kunth</i> <i>Ep.</i> ...	N. Grenada (1881)
C. Trulla, <i>Lindl.</i> <i>Ep.</i> Trop. America (1884)

RODRIGUEZIA.

R. fragrans, (<i>Lindl.</i>) <i>Ep.</i> ...	Brazil (1881)
------------------------------------	--------------------	---------------

ONCIDIUM.

O. ascendens, <i>Lindl.</i> ? <i>Ep.</i> ...	Mexico, &c. (1886)
O. bicolor, <i>Lindl.</i> ? <i>Ep.</i> Brazil
O. carthaginense, <i>Sw.</i> <i>Ep.</i> ...	W. Indies (1884)
O. elegantissimum <i>Ep.</i>Hort. Weigandt (1886)
O. luridum, <i>Lindl.</i> <i>Ep.</i>Tropical America, W. Indies (1871)
O. multiflorum <i>Ep.</i>Hort. Weigandt (1886)
O. ornithorhynchum, <i>H.B.K.</i> <i>Ep.</i> Cent. America (1886)
O. prætextum, <i>Rehb. f.</i> <i>Ep.</i> ...	Brazil (1886)
O. reflexum, <i>Lindl.</i> <i>Ep.</i> ...	Mexico (1886)
O. stramineum, <i>Lindl.</i> <i>Ep.</i> ...	Id.
O. tetrapetalum, <i>Lindl.</i> <i>Ep.</i> Cent. America (1885)

BRASSIA.			
B. caudata, <i>Lindl.</i> <i>Ep.</i>	... W. Indies (1881)
B. maculata, <i>Br.</i> <i>Ep.</i>	... Jamaica, Guatemala (1881)
GOMEZA.			
G. recurva, <i>Lodd.</i> <i>Ep.</i>	... Brazil (1886)
LUISIA.			
°L. tenuifolia, <i>Bl.</i> <i>Ep.</i>	... C., India, Java
°L. zeylanica, <i>Lindl.</i> <i>Ep.</i>	... Ceylon only
COTTONIA.			
°C. macrostachya, <i>Wight</i> <i>Ep.</i>	... C., W. India (W.)
PHALÆNOPSIS.			
P. amabilis, <i>Bl. (grandiflora, Lindl.)</i>	<i>Ep.</i> Java, Borneo (1872)
P. Aphrodite, <i>Rchb. f. (amabilis, Lindl.)</i> <i>Ep.</i>	... Java, Philippines Is. (1872)
P. Schilleriana, <i>Rchb. f.</i> <i>Ep.</i>	... Philippine Is. (1872)
P. sumatrana, <i>Korth.</i> <i>Ep.</i>	... Sumatra (1883)
P. violacea, <i>T. & B.</i> <i>Ep.</i>	... Malay Archip. (1883)
SARCOCHILUS.			
°S. pulchellus, (<i>Thw.</i>) <i>Ep.</i>	... Ceylon only
AERIDES.			
A. affine, <i>Wall.</i> <i>Ep.</i>	... India (1880)
°A. cylindricum, <i>Lindl.</i> <i>Ep.</i>	... C., India
A. odoratum, <i>Lour.</i> <i>Ep.</i>	... N. India, China, &c.
A. quinquevulnerum, <i>Lindl.</i> <i>Ep.</i>	... Philippine Is. (1873)
RENANTHERA.			
R. coccinea, <i>Lour.</i> <i>Ep.</i>	... Cochin China (1884)
VANDA.			
V. Cathcartii, <i>Lindl.</i> <i>Ep.</i>	... Sikkim (1885)
V. cœrulea, <i>Lindl.</i> <i>Ep.</i>	... Khasia (1884)
V. densiflora, <i>Lindl.</i> <i>Ep.</i>	... Burma (1884)
V. gigantea, <i>Lindl.</i> <i>Ep.</i>	... Burma
°V. parviflora, <i>Wight</i> <i>Ep.</i>	... C., W. India
°V. Roxburghii, <i>Br.</i> <i>Ep.</i>	... C., India
°V. spathulata, <i>Spreng.</i> <i>Ep.</i>	... C., S. India
V. teres, <i>Lindl.</i> <i>Ep.</i>	... Burma (1880)
SACCOLABIUM.			
S. ampullaceum, <i>Lindl.</i> <i>Ep.</i>	... Nepal, &c. (1881)
°S. guttatum, <i>Lindl.</i> <i>Ep.</i>	... C., India, Java
°S. niveum, <i>Lindl.</i> <i>Ep.</i>	... Ceylon only
°S. paniculatum, <i>Wight</i> <i>Ep.</i>	... C., S. India
°S. roseum, <i>Lindl.</i> <i>Ep.</i>	... Id.
°S. tenerum, (<i>Lindl.</i>) <i>Ep.</i>	... Id.

ACAMPE.			
A. papillosa, <i>Lindl.</i>	<i>Ep.</i> ...	India
°A. Wightiana, <i>Lindl.</i>	<i>Ep.</i> C., S. India
A. sp.	<i>Ep.</i> ...	—
CLEISOSTOMA.			
°C. Thwaitesianum, <i>Trim.</i>	<i>Ep.</i> ...	Ceylon only
TÆNIOPHYLLUM.			
°T. Alwisii, <i>Thw.</i>	<i>Ep.</i> ...	Ceylon only (W.)
ANGRÆCUM.			
A. citratum, <i>Thouars</i>	<i>Ep.</i> ...	Madagascar (1881)
A. sesquipedale, <i>Thouars</i>	<i>Ep.</i> ...	Id. (1881)
MACRADENIA.			
M. lutescens, <i>Br.</i>	<i>P.</i> ...	Trinidad (1881)
PODOCHILUS.			
°P. falcatus, <i>Lindl.</i>	<i>P.</i> ...	Ceylon only
VANILLA.			
°V. Moonii, <i>Thw.</i>	<i>Ep.</i> ...	Ceylon only
V. planifolia, <i>Andr.</i> <i>Vanilla</i>	<i>Ep.</i> ...	Mexico (1847)
°V. Walkeriæ, <i>Wight</i>	<i>Ep.</i> ...	Ceylon only
ANÆCTOCHILUS.			
°A. setaceus, <i>Bl.</i> <i>Wana-rāja</i>	<i>P.</i> ...	C., Malay Is.
ZEUXINE.			
°Z. regia, (<i>Lindl.</i>) <i>Iru-rāja</i>	<i>P.</i> ...	Ceylon only
°Z. longilabris, (<i>Lindl.</i>)	<i>P.</i> ...	C., S. India (W.)
GOODYERA.			
°G. procera, <i>Hook.</i>	<i>P.</i> ...	C., India, China, &c.
ARGYRORCHIS.			
A. javanica, <i>Bl.</i>	<i>P.</i> ...	Java (1881)
CRYPTOSTYLIS.			
°C. arachnites, <i>Bl.</i>	<i>P.</i> C., Java
POGONIA.			
P. sp.	<i>P.</i> ...	—
EPIPOGUM.			
°E. nutans, <i>Lindl.</i>	<i>Par.</i> ...	C., India, Java (W.)
HABENARIA.			
°H. crinifera, <i>Lindl.</i>	<i>P.</i> ...	Ceylon only
°H. plantaginea, <i>Lindl.</i>	<i>P.</i> C., S. India
SATYRIUM.			
°S. nepalense, <i>Don</i>	<i>P.</i> C., India
DISPERIS.			
°D. zeylanica, <i>Trim.</i>	<i>P.</i> C., S. India
CYPRIPIEDUM.			
C. Ashburtoniæ, <i>Rchb. f. (Hybrid)</i> <i>P.</i>	Hort. Veitch (1881)	
C. barbatum, <i>Lindl.</i>	<i>P.</i> ...	Malay Pen. (1886)

C Hookeri, <i>Rchb. f.</i> P.	...	Borneo (1886)
C. insigne, <i>Wall.</i> P.	...	Khasia (1884)
C. javanicum, <i>Reimw.</i> P.	...	Java (1883)
C. niveum, <i>Rchb. f.</i> P.	...	Malay Is. (1881)
C. selligerum, <i>Veitch (Hybrid)</i> P.	...	Hort. Veitch (1881)
C. Stonei, <i>Low</i> P.	...	Borneo (1886)
C. superbiens, <i>Rchb. f. (C. Veitchii)</i> P.	Java, Assam (1881)

APOSTASIA.

*A. Wallichii, <i>Br.</i> P. C., India
-------------------------------	--------	-----	---------------

SCITAMINEÆ.

GLOBBA.

*G. marantinoides, <i>Wight</i> P. C., S. India
-------------------------------------	--------	-----	------------------

KÆMPFERIA.

K. Galanga, <i>L. Hinguru-piyali</i> ...	P.	...C., India, &c., cult. (Before 1678) (V.)
K. Gilbertii, <i>Hort. Bull.</i> ...	P.	... "E. Indies" (1883)
K. (Cienkowskia) Kirkii, (<i>Solms</i>) P. Trop. Africa (1882)
K. Roscoeana, <i>Wall.</i> ...	P.	... Burma (1885)
*K. rotunda, <i>L. Yawa-kenda</i> ...	P.	...C., India, &c., cult. usually

HEDYCHIUM.

*H. angustifolium, <i>Roxb.</i> ...	P.	...	C., Assam, Sikkim
H. coccineum, <i>Ham.</i> ...	P. Nepal
*H. coronarium, <i>Koen. Ela-mal</i> ...	P.	...C., Malaya, Philippines	
Var. flavescens, <i>Carey (sp.)</i> ...	P. C., India

CURCUMA.

*C. aromatica, <i>Salisb. Doda-kaha</i> ...	P.	...C., India, China, Malaya (V.)
C. longa, <i>L. Kaha, Turmeric</i> ...	P.	...India (Before 1678) (V.)
*C. Zerumbet, <i>Roxb. Haran-kaha</i> P.C., India, Malaya (V.)

AMOMUM.

A. citratum, <i>Pereira</i> P.	...W. Trop. Africa (1865)
A. Clusii, <i>Sm. Bastard melegueta</i> P.W. Trop. Africa (1870)
*A. fulviceps, <i>Thw.</i> P.	... Ceylon only
*A. graminifolium, <i>Thw.</i> P.	... IJ.
A. hemisphæricum, (<i>Horan.</i>) ...	P.	... Java
A. magnificum, <i>Rosc. (Nicolaia imperialis, Horan.)</i> ...	P.	... Madagascar (188)
A. Melegueta, <i>Rosc. Grains of paradise</i> P.	...W. Trop. Africa (1867)

CYPHOSTIGMA.

*C. pulchellum, <i>Benth.</i> P.	...	Ceylon only
-----------------------------------	--------	-----	-------------

ELETTARIA.

E. Cardamomum, <i>Maton.</i>	<i>Carda-</i>				
<i>mom</i>	<i>P.</i>	S. India
° <i>Var. major, Sm. (sp.)</i>	<i>Ensal,</i>				
<i>Wild cardamom</i>	<i>P.</i>	Ceylon only

ZINGIBER.

°Z. Cassumunar, <i>Roxb.</i>	<i>P.</i>	C., India, Java
°Z. cylindricum, <i>Moon</i>	<i>P.</i>	Ceylon only
<i>Z. officinale, Rosc. Ginger</i>	...	<i>P.</i>	Trop. Asia (Before 1678) (V.)
°Z. Wightianum, <i>Thw.</i>	<i>P.</i>	C., S. India
°Z. Zerumbet, <i>Rosc.</i>	<i>P.</i>	C., India, Java

COSTUS.

C. afer, <i>Ker</i>	<i>P.</i>	W. Trop. Africa
C. globosus, <i>Bl.?</i>	<i>P.</i>	Java
G. pictus, <i>D. Don</i>	<i>P.</i>	Mexico
°C. speciosus, <i>Sm. Tebu</i>	<i>P.</i>	C., India, Malaya
C. zebrinus	<i>P.</i>Hort. Bull.

And several unnamed species.

ALPINIA.

°A. Allughas, <i>Rosc. Keleniya</i>	<i>P.</i>	C., Bengal
A. calcarata, <i>Rosc.</i>	<i>P.</i>	India
A. Galanga, <i>Willd. Kahuwala, Ga-</i>					
<i>langal</i>	<i>P.</i>	Malay Is. (V.)
A. malaccensis, <i>Rosc.</i>	<i>P.</i>	Malaya
A. nutans, <i>Rosc.</i>	<i>P.</i>	Sunda Is. (Before 1824)
° <i>Var. sericea, Moon. Ran-kiriya</i>					
<i>P.</i>	Ceylon only
A. officinarum, <i>Hance. Lesser ga-</i>					
<i>langal</i>	<i>P.</i>	S. China (1870)
A. spicata, <i>Roxb.</i>	<i>P.</i>	Sumatra
A. vittata, <i>Hort. Bull.</i>	<i>P.</i>	Pacific Is.

MARANTA.

M. arundinacea, <i>L. Arrowroot</i>	<i>P.</i>	Central America, W. Indies (1816)
M. bicolor, <i>Ker</i>	<i>P.</i>	Brazil (1866)
M. Kerchoveana, <i>Morr.</i>	<i>P.</i>	Trop. America (1881)
M. leuconeura, <i>Morr. (Massang-</i>					
<i>eana, Hort.)</i>	<i>P.</i>	Trop. America
M. setosa, <i>A. Dietr.</i>	<i>P.</i>	Brazil (1883)

STROMANTHE.

S. sanguinea, <i>Sond.</i>	<i>P.</i>	Brazil
-----------------------------------	-----	-----------	-----	-----	--------

CLINOGYNE.

°C. virgata, <i>Benth. Gēta-ōluwa</i>	<i>P.</i>	C., S. India
--	-----	-----------	-----	-----	--------------

PHRYNIUM.

°P. capitatum, <i>Willd. Et-bemi-</i>					
<i>kiriya</i>	<i>P.</i>	C., India, Java, China

CALATHEA

C. discolor, <i>Lindl.</i> P.	...	Trop. America
C. flavescens, <i>Lindl.</i> P.	...	Brazil (1872)
C. Leitzii, <i>Hort.</i> P.	...	Trop. America
C. leopardina, <i>Hort. Bull.</i> P.	...	Brazil
C. Lindenii, <i>Hort.</i> P.	...	Trop. America
C. Makoyana, <i>Morr.</i> P.	...	Trop. America (1873)
C. ornata, <i>Koern.</i> P.	...	Trop. S. America (1872)
C. striata P.	...	Trop. America
C. tubispatha, <i>Hk. f.</i> P.	...	Trop. S. America (1871)
C. Veitchiana, <i>J. Veitch</i> P.	...	W. Trop. S. America (1867)
C. zebrina, <i>Lindl.</i> P.	...	Trop. S. America (Before 1845)
And many garden varieties.			

CANNA.

C. glauca, <i>L.</i> P.	...	Cent. America (Before 1824)
°C. indica, <i>L. But-sarana, Indian shot</i> P.	...	C., India, Java (W.)
C. Vershafeltii, <i>Hort.</i> P.	...	—
C. Warscewiczii, <i>Dietr.</i> P.	...	Guatemala
And several garden varieties.			

HELICONIA.

H. angustifolia, <i>Hook.</i> P.	...	Brazil
H. aureo-striata, <i>Hort.</i> P.	...	Id.
H. brasiliensis, <i>Hook.?</i> P.	...	Guiana
H. brevispatha, <i>Hook.</i> P.	...	S. America
H. metallica, <i>Planch. & Lind.</i> P.	...	Mexico
H. pulverulenta, <i>Lind.</i> P.	...	S. America (1875)
H. sp. P.	...	—
H. sp. P.	...	—

MUSA.

M. Ensete, <i>Gmel. Abyssinian banana</i> P.	...	Abyssinia (1859)
°M. paradisiaca, <i>L. Kehel, Plantain, Banana</i> P.	...	C., Malaya, Bengal ; cult. throughout the Tropics
M. superba, <i>Roxb.</i> P.	...	China, Japan, &c. (1882)
M. textilis, <i>Née. Manila hemp</i> P.	...	Philippines, Celebes (About 1850)
M. uranoscopus, <i>Miq.</i> P.	...	Amboyna, &c. (1881)

STRELITZIA.

S. Reginae, <i>Banks</i> P.	...	S. Africa
------------------------------	--------	-----	-----------

RAVENALA.

- R. guianensis*, *Rich.* *P.* ... Trop. America (1884)
R. madagascariensis, *Sonn. Travel-
 ler's palm* *P.* ... Madagascar (Before
 1824)

BROMELIACEÆ.**BROMELIA.**

- B. Pinguin*, *L.* *P.* ... W. Indies, Trop.
 America (Before
 1867)

KARATAS (Nidularium).

- K. fulgens*, *Lem.* *P.* Brazil
K. Laurentii, *Regel* *P.* Brazil (1885)
K. spectabile, *Hk. f.* *P.* Brazil (1884)
K. triste *P.* Hort. Kew (1884)

CRYPTANTHUS.

- C. acaulis*, *Beer* *P.* Brazil
 Several varieties.

ANANAS.

- A. sativum*, *Schult. Pineapple* *P.* Trop. S. America
 Several varieties.

ÆCHMEA.

- Æ. calyculata*, *Baker* *Ep.* S. America (1884)
Æ. fasciata, *Baker* *Ep.* Brazil (1884)
Æ. fulgens, *Paxt.* *Ep.* Guiana (1867)
 Var. *discolor* *Ep.* Hort. Kew (1884)
Æ. glomerata, *Hk.* *Ep.* Brazil (1881)
Æ. paniculigera, *Griseb.* *Ep.* Jamaica, Venezuela
 (1880)
Æ. Weilbachii *Ep.* Hort. Kew (1884)

BILLBERGIA.

- B. Bakeri* *Ep.* Hort. Kew (1886)
B. Euphemisæ, *Morr.* *Ep.* Brazil (1884)
B. Liboniana, *De Jonghe* *Ep.* Brazil (1881)
B. longifolia, *K. Koch* *Ep.* Brazil ? (1884)
B. macrocalyx, *Hook.* *Ep.* Brazil (1886)
B. melanacantha, *Hort.* *Ep.* Hort. Kew (1884)
B. Moreliana, *Brongn.* *Ep.* Brazil ?
B. nutans, *Wendl.* *Ep.* Brazil (1885)
B. olens *Ep.* Hort. Kew (1886)
B. paniculata *Ep.* Hort. Kew (1881)
B. purpureo-rosea, *Hk.* *Ep.* Brazil
B. pyramidalis, *Lindl.* *Ep.* Brazil (1885)
B. thyrsoides, *Mart.* *Ep.* Brazil (1881)
B. viridiflora, *H. Wendl.* *Ep.* Brazil ? (1884)

B. vittata, *Brongn.* *Ep.* Brazil (1885)
 Var. *macracantha*, *Baker.*

B. Wetherellii, *Hook.* *Ep.* Brazil (1867)

PITCAIRNIA.

P. alta, *Hassk.* *P.* W. Indies

P. Andreana, *Linden* *P.* New Grenada, Venezuela (1880)

P. Decaisnei, *K. Koch* *P.* Trop. America (1881)

P. Karwinskiana, *Schultz* *P.* Mexico

P. lepidota, *Regel* *P.* Venezuela (1881)

P. maidifolia, *Dec.* *P.* Venezuela

P. muscosa, *Mart.* *P.* Brazil

P. recurvata, *K. Koch* *P.* S. America (1881)

P. rubiginosa *P.* Hort. Kew (1884)

P. Scheremeteffii *P.* Hort. Kew (1885)

P. staminea, *Lodd.* *P.* Brazil (1881)

P. Wendlandi, *Baker* *P.* S. America (1885)

P. undulata, *Schiedw.* *P.* Trop. America (1881)

P. xanthocalyx, *Mart.* *P.* Central America

P. zeæfolia, *K. Koch* *P.* Cent. America (1880)

TILLANDSIA.

T. glaucophylla, *Baker* *Ep.* New Grenada (1881)

T. psittacina, *Hook.* *Ep.* Brazil

T. Saundersii, *K. Koch* *Ep.* Brazil (1885)

T. xiphostachys, *Hook.* *Ep.* Columbia (1884)

HÆMODORACEÆ.

PELIOSANTHES.

P. Teeta, *Andr.* *P.* Assam, &c. (Before 1824)

OPHIOPOGON.

°*O. intermedius*, *Don* *P.* C., India, Burma

SANSEVIERA.

S. cylindrica, *Boj.* *P.* Trop. Africa (1884)

S. guineensis, *Willd.* *Bowstring*
hemp *P.* Trop. Africa (Before 1824)

°*S. zeylanica*, *Willd.* *Niyanda* *P.* C., India, Trop. Africa

IRIDEÆ.

BELEMCANDA (*Pardanthus*).

B. chinensis, *Leman* *P.* E. Asia (Before 1824)

AMARYLLIDÆÆ.

CURCULIGO.

°*C. orchioides*, *Gaertn.* *Htn-bintal* *P.* C., E. Tropics (W.)

C. recurvata, *Dryand.* *Waga-pol* *P.* India, Malaya, &c. (Before 1845)

ZEPHYRANTHES.

Z. candida, <i>Herb.</i> P.	Peru, &c.
Z. carinata, <i>Herb. Rose amaryllis</i>	P.	Mexico
Z. nervosa, <i>Herb.</i> P.	Venezuela

SPREKELIA.

S. formosissima, <i>Heist. Jacobæa</i>				
<i>lily</i> P.	...		Mexico (1884)

HIPPEASTRUM.

H. aulicum, <i>Herb.</i> P.	Brazil
H. rutilum, <i>Herb.</i> P.	S. Brazil
H. solandriflorum, <i>Herb.</i> P.	Brazil
H. vittatum, <i>Herb.</i> P.	Trop. America

Numerous garden varieties.

CRINUM.

C. amœnum, <i>Roxb.</i> P.	India
°C. asiaticum, <i>L. Tolabó</i>	... P.	...C.,	India, Malaya, N. Australia	
C. augustum, <i>Roxb.</i> P.	Mauritius
°C. defixum, <i>Gawl.</i> P.	C., India
°C. latifolium, <i>L.</i> P.	Id.
C. pusillum, <i>Herb.?</i> P.	Nicobar Is.
°C. zeylanicum, <i>L. Goda-mánil</i>	... P.	C., India (W.)

AMARYLLIS.

A. Belladonna, <i>L. Belladonna lily</i>	P.	S. Africa
--	----	-----	-----	-----------

VALLOTA.

V. purpurea, <i>Herb.</i> P.	Cape of Good Hope
-------------------------------	--------	-----	-----	-------------------

CYRTANTHUS.

C. Mackenii, <i>Hk. f.</i> P.	S. Africa (1883)
--------------------------------	--------	----	-----	------------------

HĒMANTHUS.

H. cinabarinus, <i>Dene.</i> P.	W. Trop. Africa
----------------------------------	--------	-----	-----	-----------------

EUCHARIS.

E. candida, <i>Planch.</i> P.	New Grenada (1882)
E. grandiflora, <i>Planch.</i> P.	S. America
E. pumila P.	Hort. Calcutta (1886)

PANCRATIUM.

°P. verecundum, <i>Sol.</i> P.	C., India
°P. zeylanicum, <i>L. Wal-lunu</i>	... P.	C., India, Malaya (W.)

HYMENOCALLIS.

H. amœna, <i>Herb.</i> P.	Trop. America (Before 1820)
Var. <i>fragrans, Réd.</i> P.	—
Var. <i>ovatum, Mill.</i> P.	W. Indies (1881)
H. angusta, <i>Herb.</i> P.	S. America
H. caribbæa, <i>Herb.</i> P.	W. Indies
H. tenuiflora, <i>Herb.</i> P.	S. America; nat. in C. (Before 1800)

EURYCLÉS.

- E. amboinensis, *Loud.* ... P. ... Malay Is., Queensland (1860)

POLIANTHES.

- P. tuberosa, *L. Tuberosa* ... P. ... Mexico (Before 1678)

AGAVE.

- A. americana, *L. American aloe* ... P. ... Trop. America (Before 1824)

- A. Besseriana, *Jacobi* ... P. ... Mexico (1880)

- A. dealbata, *Lem.* ... P. ... Id.

- A. fourcroyoides, *Jacobi* ... P. ... Id.

- A. filamentosa, *Salm-Dyck* ... P. ... Id.

- A. glaucescens, *Hook.* ... P. ... Id.

- A. (*Littæa*) geminiflora, *Spreng.* ... P. ... Mexico

- A. Pringlei ... P. ... Hort. Kew (1885)

- A. (*Littæa*) univittata, *Haw.* ... P. ... Mexico (1880)

FURCRÆA.

- F. gigantea, *Vent. Green aloe* ... P. ... Trop. America (Before 1824)

- F. longæva, *Karw. & Zucc.* ... P. ... Mexico (1880)

- F. seloa, *Koch* ... P. ... Mexico and Guatemala (1880)

VELLOZIA.

- V. (*Xerophyta*) elegans, *Oliv.* ... P. ... Natal (1883)

TACCACÆ.

TACCA

- *T. pinnatifida, *Forst* ... P. ... C., Malaya, Pacific Is., N. Australia

- T. (*Ataccia*) lanceæfolia, *Zoll.?* ... P. ... Java

SCHIZOCAPSA.

- S. plantaginea, *Hance* ... P. ... China (1882)

DIOSCOREACÆ.

DIOSCOREA.

- D. aculeata, *L. Kukulala* ... Cl. ... Malabar, Cochin China (V.)

- D. alata, *L. Kiri-kondol* ... Cl. ... Java, Moluccas (V.)

- D. Anæctochilus ... Cl. ... Hort. Kew (1883)

- *D. pentaphylla, *L. Kaṭuwala* ... Cl. ... C., India, Malaya (W.)

- D. sativa, *L. Common yam, Kaṭu-kukulala* ... P. ... Malay Is. ? (V.)

TRICHOPUS.

- *T. zeylanicus, *Gaertn. Bimpol* ... P. ... C., India

ROXBURGHIACÆ.

STEMONA.

- *S. tuberosa, *Lour. (Roxburghia gloriosoides, Jones)* ... Cl. ... C., India, Malaya

LILIACEÆ.

SMILAX.

S. officinalis, <i>Kunth. Sarsaparilla</i> ... Cl.	...	New Grenada (1880)
°S. ovalifolia, <i>Roxb. Maha-kabarasa</i> Cl.	...	C., Bengal, Burma
°S. zeylanica, <i>L. Hin-kabarasa</i> ... Cl. Penang
S. sp. Cl.	...	—

ASPARAGUS.

°A. falcatus, <i>L. Hâtāvāriya</i> ... Cl.	...	C., Trop. and S. Africa
°A. gonocladus, <i>Baker</i> ... Cl.C., S. India
A. officinalis, <i>L. Asparagus</i> ... Cl.	...	Europe, W. Temp. Asia (V.) (About 1800)
A. plumosus, <i>Baker</i> ... Cl.	...	S. Africa (1882)
A. virgatus, <i>Baker</i> ... S.	...	S. Africa (1886)

GEITONOPLESIMUM.

G. cymosum, <i>A. Cunn.</i> ... Cl.	...	Fiji, Queensland, &c. (1871)
-------------------------------------	-----	------------------------------

HEMEROCALLIS.

H. fulva, <i>L. Day lily</i> ... P.	...	S. Europe, Temp. Asia (Before 1824)
-------------------------------------	-----	-------------------------------------

ALOE.

A. ciliaris, <i>Haw.</i> ... P.	...	S. Africa (1880)
A. distans, <i>Haw.</i> ... P. S. Africa
A. plicatilis, <i>Mill.</i> ... S.	...	S. Africa (1880)
A. Thraskii, <i>Baker</i> ... P.	...	Id.
A. variegata, <i>L.</i> ... P. S. Africa
°A. vera, <i>L., var. littoralis, Koen.</i> ... P. C., India

LOMATOPHYLLUM.

L. borbonicum, <i>Willd.</i> ... P.	...	Mauritius, Bourbon (1852)
L. macrum, <i>Salm-Dyck</i> ... P.	...	Mauritius, Bourbon

YUCCA.

Y. aloefolia, <i>L.</i> ... S.	...	W. Indies, Mexico (1832)
Y. baccata, <i>Torr.</i> ... S.	...	California, Mexico (1832)
Y. gloriosa, <i>L. Spanish bayonet</i> ... S.	...	S. United States (Before 1824)

DRACÆNA.

D. Goldieana, <i>Baker</i> ... S.	...	W. Trop. Africa (1881)
D. marginata, <i>Lam.</i> ... T.	...	Madagascar
D. reflexa, <i>Lam.</i> ... T.	...	Mascarene Is., Trop. Africa (1847)
°D. Thwaitesii, <i>Regel</i> ... S.	...	Ceylon only
D. sp. S.	...	—

CORDYLINE.

- C. terminalis, *Kunth. Dracæna (of Gardens)* ... S. ... Malaya, China, N. Australia (Before 1824)
 And numerous garden varieties.

DASYLIRION.

- D. Hookeri, *Lém.* ... P. ... Mexico (1880)
 D. serratifolium, *Karw. & Zucc.* ... S. ... Mexico (1882)

CHLOROPHYTUM.

- °C. Heynei, *Baker* ... P. ... C., India

DIANELLA.

- D. cœrulea, *Sims.* ... P. ... Queensland
 °D. ensifolia, *Réd.* ... P. ... C., Trop. Asia, Mascarene Is.

TULBAGHIA.

- T. violacea, *Harv.* ... P. ... S. Africa (1882)

ALLIUM.

- A. Cœpa, *L. Onion* ... P. ... Persia, &c. (V.)
 A. Porrum, *L. Leek* ... P. ... Caucasus, &c. ? (V.)
 A. sativum, *L. Garlic* ... P. ... W. Temp. Asia (V.)

DRIMIOPSIS.

- D. Kirkii, *Baker* ... P. ... Zanzibar (1882)

LILIUM.

- L. candidum, *L. White lily* ... P. ... S. Europe, Persia
 L. longiflorum, *Thunb.* ... P. ... China, Japan

GLORIOSA.

- °G. superba, *L. Niyangala* ... Cl. ... C., India, Malaya, Trop. Africa

SCHENOCAULON.

- S. officinale, *A. Gray. Sabadilla* ... P. ... Venezuela (1871)

PONTEDERIACEÆ.

MONOCHORIA.

- °M. hastæfolia, *Presl. Diya-habara* ... Aq. ... C., E. Tropics

COMMELINACEÆ.

POLLIA.

- °P. sorzogonensis, *Endl.* ... P. ... C., E. Tropics

PALISOTA.

- P. bracteosa, *Clarke* ... P. ... W. Trop. Africa (1870)

COMMELINA.

- °C. bengalensis, *L.* ... P. ... C., E. Tropics (W.)
 °C. clavata, *Clarke* ... P. ... C., S. India, Java (W.)

ANEILEMA.			
°A. giganteum, <i>Br.</i> P.	...C., Trop. Asia, Africa, and Australia
°A. nudiflorum, <i>Br.</i> P.	...C., India, Malaya, China (W.)
FORRESTIA.			
F. sp. P.	Malaya (1886)
CYANOTIS.			
°C. axillaris, <i>R. & S.</i> P.	... C., E. Tropics (W.)
°C. cristata, <i>R. & S.</i> P.	...C., India, Malaya (W.)
°C. obtusa, <i>Trim.</i> P.	Ceylon only
FLOSCOPA.			
°F. scandens, <i>Lour.</i> P.	C., Trop. Asia
DICHORISANDRA.			
D. Aubletiana, <i>R. & S.</i> P.	...Trop. America (1883)
D. undata, <i>Linden</i> P.	... Brazil (1882)
D. sp. P.	... Hort. Calcutta (1884)
TRADESCANTIA.			
T. (<i>Pyrrheima</i>) fuscata, <i>Lodd.</i> P.	... Brazil (1881)
SPIRONEMA.			
S. fragrans, <i>L.</i> P.	... Mexico
RHCEO.			
R. discolor, <i>Hance.</i> P.	...Central America (1885)
ZEBRINA.			
Z. pendula, <i>Schnitz.</i> P.	...Mexico, Texas (1881)
FLAGELLARIACEÆ.			
SUSUM.			
°S. anthelminticum, <i>Bl.</i> Ag.	... C., Java ?
PALMÆ.			
ARECA.			
A. Catechu, <i>L. Puwak, Betel-nut palm</i> T.	... Malaya ; nat. in C.
Var. alba, <i>Miq. (sp.) Hamban-puwak</i> T.	... Java, &c.
°A. concinna, <i>Thw. Lén-teri</i> S.	... Ceylon only
A. glandiformis, <i>Houtt.</i> T.	... Moluccas (1867)
A. madagascariensis, <i>Mart.</i> T.	... Madagascar
A. triandra, <i>Roxb.</i> S.	...Assam, Burma, &c. (1867)
Var. bancana, <i>Scheff.</i> S.	... Bangka (1881)
A. sp. —	... Andaman Is. (1880)
MISCHOPHLEUS.			
M. paniculatus, <i>Scheff.</i> T.	... Ternate

PINANGA.			
<i>P. coronata</i> , <i>Bl.</i> <i>S. or T.</i>	... Java
<i>P. disticha</i> , (<i>Miq.</i>) <i>S.</i>	... Sumatra (1886)
<i>P. paradoxa</i> , <i>Scheff.</i> (<i>Ptychococcus</i> , <i>Becc.</i>) <i>S.</i>	... New Guinea (1886)
<i>P. patula</i> , <i>Bl.</i> <i>S.</i>	... Borneo
<i>P. sp.</i> <i>S.</i>	... Bangka (1881)
HYDRIASTELE.			
<i>H. Wendlandiana</i> , <i>W. & D.</i> <i>T.</i>	... Queensland (1882)
HEDYSCEPE.			
<i>H. canterburyana</i> , <i>W. & D.</i> <i>T.</i>	... Howe's Is.
NINGA.			
<i>N. pumila</i> , <i>W. & D.</i> <i>S.</i>	... Java, &c.
LOXOCOCCUS.			
* <i>L. rupicola</i> , <i>W. & D. Dotalu</i> <i>T.</i>	... Ceylon only
ACTINORRHYZIS.			
<i>A. calapparia</i> , <i>W. & D.</i> <i>T.</i>	... Malay Arch.
ARCHONTOPHENIX.			
<i>A. Alexandræ</i> , <i>W. & D.</i> <i>T.</i>	... Queensland (1871)
<i>A. Cunninghamii</i> , <i>W. & D.</i> (<i>Sea-</i> <i>forthia elegans</i> , <i>Hk., non Br.</i>) <i>T.</i>	... E. Australia
DICTYOSPERMA.			
<i>D. album</i> , <i>W. & D.</i> <i>T.</i>	... Mauritius, Bourbon
PTYCHOSPERMA.			
<i>P. angustifolium</i> , <i>Bl.</i> <i>S. ?</i>	... New Guinea (1883)
<i>P. filiferum</i> , <i>Wendl.</i> <i>T.</i>	... Fiji (1882)
<i>P. gracile</i> , <i>Lab.</i> —	... New Ireland (1881)
<i>P. MacArthuri</i> , <i>Wendl.</i> —	... Tropical Australia ? (1882)
RHOPALOBlaste.			
<i>R. hexandra</i> , <i>Scheff.</i> <i>T.</i>	... Malay Is.
<i>R. singaporensis</i> , (<i>Becc.</i>) <i>S.</i>	... Singapore (1882)
CYRTOSTACHYS.			
<i>C. Renda</i> , <i>Bl.</i> <i>S. or T.</i> Malay Is.
DRYMOPHLEUS.			
<i>D. ceramensis</i> , <i>Miq.</i> <i>S. or T.</i> Moluccas (1886)
<i>D. Rumphii</i> , <i>Bl.</i> <i>S. or T.</i> Moluccas (1884)
PTYCHANDRA.			
<i>P. glauca</i> , <i>Scheff.</i> <i>T.</i>	... Malay Is. (1886)
CLINOSTIGMA.			
<i>C. Mooreanum</i> , <i>W. & D.</i> <i>S.</i>	... Howe's Is.
CYPHOSPERMA.			
<i>C. Vieillardii</i> , <i>Brongn.</i> (<i>Kentia cos-</i> <i>tata</i> , <i>Becc.</i>) <i>S. or T.</i> New Caledonia (1884)

ONCOSPERMA.

- **O. fasciculatum*, *Thw. Kaŭ-kitul* ... *T.* ... Ceylon only
O. filamentosum, *Bl. Nibung palm* *T.* Java

EUTERPE.

- E. acuminata*, *Wendl.* ... *T.* ... Venezuela (1882)
E. edulis, *Mart. Assai palm* ... *T.* ... Trop. America (1880)
E. sp. — ... Dominica (1882)
E. sp. — ... Jamaica (1884)

ACANTHOPHŒNIX.

- A. crinita*, *Wendl.* ... *T.* ... Mauritius, Bourbon (1873)

PRESTOEA.

- P. ? montana*, *Hk. f. (Euterpe, Grah.) T.* ... Venezuela, &c. (1882)
P. pubigera, *Hk. f. (Hyospathe, Griseb.)* ... *S.* ... Trinidad (1880)

OREODOXA.

- O. oleracea*, *Mart.* ... *T.* ... W. Indies (1865)
O. regia, *Kunth. Cabbage palm, Royal palm* ... *T.* ... W. Indies
O. sp. — ... British Guiana (1882)

CALYPTROCALYX.

- C. spicatus*, *Bl.* ... *S. or T.* ... Amboyna (1870)

HOWEA.

- H. (Grisebachia) Belmoreana*, *Becc. T.* Howe's Is.
H. Forsteriana, *Becc.* ... *T.* ... Howe's Is. (1883)

HETEROSPATHE.

- H. elata*, *Scheff. (Metroxylon, Hort.) T.* ... Amboyna (1881)

NEPHROSPERMA.

- N. Van Houtteanum*, *Balf. f.* ... *S. or T.* ... Seychelle Is.

PHŒNICOPHORUM (Stevensonia).

- P. sechellarum*, *Wendl. (S. grandifolia, Hort.)* ... *T.* ... Seychelle Is. (1866)

VERSCHAFFELTIA.

- V. splendida*, *Wendl.* ... *T.* ... Seychelle Is. (1866)

DYPSIS.

- D. madagascariensis*, *Hort.* ... *T.* ... Madagascar
D. sp. *T.* ... Madagascar (1873)

CHAMÆDOREA.

- C. Arenbergiana*, *Wendl.* ... *S.* ... Guatemala (1884)
C. Tepejilote, *Lieb. ?* ... *S.* ... Mexico

And several unnamed species.

HYOPHORBE.

- H. amaricaulis*, *Mart.* ... *T.* ... Round Is., Mauritius (1883)
H. Verschaffeltii, *Wendl.* ... *S. or T.* ... Rodriguez

CHRYSALIDOCARPUS.			
C. lutescens, <i>Wendl.</i> S.	...	Mauritius, Bourbon (1873)
ROSCHERIA.			
R. melanochætes, <i>W. & D.</i> S.	...	Seychelle Is.
GEONOMA.			
G. gracilis, <i>Wendl.</i> S.	...	Costa Rica (1884)
G. Seemanni, <i>Wendl.</i> S.	...	Nicaragua (1884)
G. stricta, <i>Kunth.?</i> S. Guiana
G. vaga, <i>Griseb. & Wendl.</i> S.	...	Trinidad, Guiana (1881)
BENTINCKIA.			
B. Condapanna, <i>Berry</i> S. or T.	...	Travancore (1871)
WALLICHIA.			
W. caryotoides, <i>Roxb.</i> S.	...	E. Bengal, Burma
W. densiflora, <i>Mart.</i> S. Nepal
DIDYMOSPERMA.			
D. distichum, <i>Hk. f.</i> S.	...	Sikkim (1880)
D. porphyrocarpum, <i>W. & D.</i> S. Java
ARENGA.			
A. obtusifolia, <i>Mart.</i> T.	...	Java, Sumatra (1886)
A. saccharifera, <i>Lab. Gomuti palm</i>	T.	...	Malay Arch.
A. Wightii, <i>Griff.</i> T. S. India
CARYOTA.			
C. furfuracea, <i>Bl.</i> T.	...	Java (1886)
C. ochlandra, <i>Hance</i> T.	...	S.E. China (1881)
C. Rumphiana, <i>Mart.</i> T.	...	Borneo, Moluccas (1884)
C. sobolifera, <i>Wall.</i> S.	...	Malay Pen. (1850)
*C. urens, <i>L. Kitul</i> T.	...	C., E. Bengal, Malay Pen. (1880)
C. sp. —	...	Queensland (1883)
ORANIA.			
O. macroclada, <i>Mart.</i> T.	...	Malacca (1881)
O. philippensis T.	...	Hort. Buitenz. (1881)
PHYTELAPHAS.			
P. macrocarpa, <i>R. & P. Ivory nut</i>	S.	...	New Grenada (1850)
PHENIX.			
P. acaulis, <i>Roxb.?</i> S.	...	India, Burma (1882)
P. dactylifera, <i>L. Date palm</i> ...	T.	...	Cult. in N. Africa, Arabia, &c.
P. Hanceana, <i>Naud.</i> S.	...	S.E. China (1881)
P. paludosa, <i>Roxb.</i> S.E. Bengal, Burma (1850)
*P. pusilla, <i>Gaertn. (P. farinifera, Roxb.)</i> S. C., India
P. reclinata, <i>Jacq.</i> S.	...	S. Africa (1880)
P. rupicola, <i>T. And.</i> S. or T.	...	Sikkim (1880)

<i>P. sylvestris</i> , <i>Roxb.</i>	<i>Wild date-palm</i>	India
<i>P. tenuis</i> , <i>Hort.</i>		S.	...	Source unknown (1882)
* <i>P. zeylanica</i> , <i>Trim.</i>	<i>Indi</i>	T. or S.	...	Ceylon only
<i>P. sp.</i>		—	...	Hongkong (1884)

CORYPHA.

<i>C. elata</i> , <i>Roxb.</i>		T.	...	India (1850)
* <i>C. umbraculifera</i> , <i>L.</i>	<i>Talipot palm</i>			T. C., S. India

SABAL.

<i>S. Adansonii</i> , <i>Guerns.</i>	<i>Dwarf palmetto</i>	S.	...	S. United States (1880)
<i>S. glaucescens</i> , <i>Lodd.</i>		T.	...	Trinidad (1886)
<i>S. Ghiesbreghtii</i>		—	...	Hort. Buit. (1886)
<i>S. mauritiæformis</i> , <i>Griseb. & W.</i>	<i>Savannah palm</i>	T.	...	Trinidad, Venezuela (1880)
<i>S. Palmetto</i> , <i>Lodd.</i>	<i>Palmetto palm</i>			T.	...	S. United States
<i>S. Sanfordii</i>		—	...	Hort. Linden (1884)
<i>S. umbraculifera</i> , <i>Griseb. (non Mart.)</i>	<i>Great thatch palm (Jamaica)</i>	T.	...	W. Indies (1871)
<i>S. sp.</i>		—	...	Trinidad (1882)

TEIJSMANNIA.

<i>T. altifrons</i> , <i>Zoll. & Rehb. f.</i>		S.	...	Sumatra, Perak (1880)
---	--	-----	-----	----	-----	-----------------------

ACANTHORHIZA.

<i>A. aculeata</i> , <i>Wendl.</i>		S. or T.	...	Cent. America (1884)
------------------------------------	--	-----	-----	----------	-----	----------------------

BRAHEA.

<i>B. dulcis</i> , <i>Mart.</i>		S. or T.	...	Mexico (1884)
---------------------------------	--	-----	-----	----------	-----	---------------

PRITCHARDIA.

<i>P. pacifica</i> , <i>Seem. & Wendl.</i>		S. or T.	...	Fiji Is.
<i>P. sp.</i>		—	...	Sandwich Is. (1886)

LICUALA.

<i>L. elegans</i> , <i>Bl.</i>		S.	...	Sumatra (1880)
<i>L. peltata</i> , <i>Roxb.</i>		S.	...	Assam, Burma, &c. (1867)
<i>L. spinosa</i> , <i>Wurm. (L. horrida, Bl.)</i>		S.	...	Singapore, Java (1850)

LIVISTONA.

<i>L. altissima</i> , <i>Zoll.</i>		T.	...	Sunda Is. (1865)
<i>L. australis</i> , <i>Mart.</i>		T.	...	E. Australia (1853)
<i>L. chinensis</i> , <i>Br. (Latania borbonica, Mart.)</i>		T.	...	S. China
<i>L. Hoogendorpi</i> , <i>T. & B.</i>		T.	...	Java
<i>L. humilis</i> , <i>Br.</i>		S.	...	Trop. Australia (1886)
<i>L. Jenkinsiana</i> , <i>Griff.</i>		T.	...	Assam (1885)
<i>L. oliviformis</i> , <i>Mart.</i>		T.	...	Java (1865)

<i>L. rotundifolia</i> , <i>Mart.</i> <i>T.</i> ...	Malaya (1867)
<i>L. subglobosa</i> , <i>Mart.</i> <i>T.</i> ...	Java (1886)
TRACHYCARPUS.		
<i>T. Fortunei</i> , <i>Wendl.</i> <i>S.</i> ...	China
RHAPIS.		
<i>R. flabelliformis</i> , <i>Ait.</i> <i>S.</i> ...	S. China (1865)
THRINAX.		
<i>T. argentea</i> , <i>Lodd.</i> <i>S.</i> ...	W. Indies (1881)
<i>T. excelsa</i> , <i>Lodd.</i> <i>S.</i> ...	Jamaica (1882)
<i>T. parviflora</i> , <i>Sw.</i> <i>S.</i> ...	W. Indies (1881)
CALAMUS.		
<i>C. erectus</i> , <i>Roxb.</i> <i>S.</i> ...	Assam (1880)
<i>C. Jenkinsianus</i> , <i>Griff.</i> <i>W. Cl.</i> ...	Assam
<i>C. latifolius</i> , <i>Roxb.</i> <i>W. Cl.</i> ...	Bengal
<i>C. leptospadix</i> , <i>Griff.</i> <i>W. Cl.</i> ...	Sikkim
<i>C. Lewisianus</i> , <i>Griff.</i> <i>W. Cl.</i> ...	Sumatra
* <i>C. longisetus</i> , <i>Griff.</i> <i>S.</i> ...	C., Burma
<i>C. marginatus</i> , <i>Mart.</i> <i>W. Cl.</i> ...	Borneo (1881)
* <i>C. ovoideus</i> , <i>Thw. Tambutu-wel</i> <i>W. Cl.</i> ...	Ceylon only
* <i>C. radiatus</i> , <i>Thw.</i> <i>Cl.</i> ...	Id.
* <i>C. rudentum</i> , <i>Lour. Má-wéwél</i> <i>W. Cl.</i> ...	C., India, Malaya
And many undetermined species.		
ZALACCA.		
<i>Z. edulis</i> , <i>Reinv.</i> <i>S.</i> ...	Malay Archipelago (1865)
PLECTOCOMIA.		
<i>P. elongata</i> , <i>Bl.</i> <i>Cl.</i> ...	Malaya (1886)
METROXYLON.		
<i>M. Sagu</i> , <i>Roxb. Sago palm</i> <i>T.</i> ...	Java, Sumatra, &c. (1880)
<i>M. Rumphii</i> , <i>Mart. Prickly sago palm</i> <i>T.</i> ...	Amboyna, New Guinea (Before 1824)
<i>M. vitiense</i> , <i>Wendl.</i> <i>T.</i> ...	Fiji Is.
RAPHIA.		
<i>R. Ruffia</i> , <i>Mart.</i> <i>T.</i> ...	Madagascar (1866)
BORASSUS.		
<i>B. flabelliformis</i> , <i>L. Tal, Palmyra palm</i> <i>T.</i> ...	Trop. Africa; nat. in C.
LODOICEA.		
<i>L. sechellarum</i> , <i>Lab. Double cocoa-nut</i> <i>T.</i> ...	Seychelle Is. (1850)
LATANIA.		
<i>L. Commersonii</i> , <i>L. (L. rubra, Jacq.)</i> <i>T.</i> ...	Mauritius, Bourbon (Before 1824)

- L. Loddigesii, *Mart.* (L. glaucophylla, *Hort.*) ... T. ... Mauritius (1866)
 L. Verschaffeltii, *Lém.* (L. aurea, *Hort.*) ... T. ... Rodriguez (1866)

PHOLIDOCARPUS.

- P. Ihur, *Bl.* ... T. ... Amboyna (1881)

HYPLÆNE.

- H. thebaica, *Mart.* *Doum palm* ... T. ... Nubia, Sudan, &c. (About 1863)

BACTRIS.

- B. australis, *Mart.*? ... S. ... Brazil
 B. minor, *Jacq.* (*Gulielma speciosa, Mart.*) *Peach palm* ... T. ... Tropical S. America (1880)
 B. sp. ... — ... Trinidad (1884)
 B. sp. ... — ... British Guiana (1881)

DESMONCUS.

- D. granatensis ... Cl. ... Hort. Bull.
 D. major, *Crueger* ... Cl. ... Trinidad (1866)
 D. sp. ... Cl. ... British Guiana (1881)

ASTROCARYUM.

- A. Ayri, *Mart.*? ... T. ... Brazil
 A. gynacanthum, *Mart.* ... S. ... British Guiana (1884)

ACROCOMIA.

- A. sclerocarpa, *Mart.* *Macaw palm* T. ... Brazil, W. Indies (1866)

MARTINEZIA.

- M. caryotæfolia, *Kunth* ... T. ... Peru (1850)
 M. erosa, *Hort. Lind.* ... — ... W. Indies (1884)
 M. Lindeniana, *Wendl.* ... — ... New Grenada (1886)

ELÆIS.

- E. guineensis, *Jacq.* *Oil palm* ... T. ... W. Tropical Africa (1850)

DIPLOTHEMIUM.

- D. maritimum, *Mart.* ... S. ... Brazil (1883)

COCOS.

- C. australis, *Mart.* ... — ... S. Brazil (1882)
 C. Blumenau, *Hort. Lind.* ... — ... Brazil (1884)
 C. flexuosa, *Mart.* ... S. or T. ... Id.
 C. (Glaziova) insignis, *Mart.* (C. Weddelliana, *Hort.*) ... S. ... Brazil
 C. nucifera, *L. Pol.* *Cocconut palm* T. ... Native country unknown
 C. plumosa, *Lodd.* ... T. ... Brazil
 C. (Syagrus) Sancona, *Hk. f.* ... T. ... Id.

MAXIMILIANA.

- M. regia*, Mart. Cocurito palm ... T. Brazil
M. sp. "Palma vino" ... — ... Hort. Kew (1883)

ATTALEA.

- A. Guichere*, Karst. Trop. America (1886)

JUBÆA.

- J. spectabilis*, H. B. K. Coquito palm ... T. ... Temp. Chili

PANDANACEÆ.

PANDANUS.

- P. dubius*, Kurz ... S. ... Malay Is. (1873)
 ° *P. fascicularis*, Lam. Mîdu-keyiyá, Screw pine ... T. ... C., India, Malaya
 ° *P. foetidus*, Roxb., var. *racemosus*, Kurz. Dunu-kéyiya ... S. ... Ceylon only
P. furcatus, Roxb. ... T. ... India (1867)
P. humilis, Kurz. (P. Kurzii, Solms.) ... S. ... Java, &c. (1884)
P. Kaida, Kurz ... S. ... Malabar; nat. in C.
P. labyrinthicus, Kurz ... S. ... Sumatra (1867)
P. lævis, Lour. ... S. ... Malaya, Cochin China
P. Lais, Kurz ... S. ... Malay Is. (1884)
P. latifolius, Hassk. Rampeh ... S. ... Malay Is. (V.)
P. Leram, Jones. Millore, Breadfruit ... T. ... Nicobar Is. (1883)
P. microcarpus, Kurz (non Balf. f.) ... S. ... Java (1871)
P. moschatus, Miq. (P. lævis, Hassk.) ... S. ... Amboyna (1884)
P. polycephalus, Lam. ... S. ... Malay Is.
P. utilis, Bory. ... T. ... Madagascar (1853)
P. variegatus, Miq. ... S. ... Java ?
P. Veitchii, Hort. ... S. ... Pacific Is.
 ° *P. zeylanicus*, Solms. O-keyiyá ... S. ... Ceylon only
P. sp. ... S. ... Andaman Is. (1880)

And others undetermined.

FREYCISETIA.

- ° *F. pycnophylla*, Solms ... Cl. ... Ceylon only
 ° *F. Walkeri*, Solms ... Cl. ... Id.

CYCLANTHACEÆ.

CARLUDOVICA.

- C. ensiformis*, Hk. f. ... P. ... Costa Rica
C. palmata, R. & P. ... P. ... Trop. America (1866)

ARACEÆ.

LAGENANDRA.

- °L. insignis, *Trim.* ... P. ... Ceylon only
 °L. Thwaitesii, *Schott* ... P. ... Id.
 °L. toxicaria, *Dalz. Ketala* ... P. ... C., S. India (W.)

PISTIA.

- °P. Stratiotes, *L. Ati-udayan* ... Aq. ... C., Tropics generally

ARISÆMA.

- °A. Leschenaultii, *Bl. Wal-kidaran* P. ... C., India
 °A. neglectum, *Schott* ... P. ... Ceylon only

TYPHONIUM.

- °T. cuspidatum, *Decne* ... P. ... C., India, Java, Timor
 °T. trilobatum, *Schott. Panu-ala* ... P. ... C., India (W.)

AMORPHOPHALLUS.

- °A. campanulatus, *Bl.* ... P. ... C., Trop. Asia, Madagascar
 A. giganteus, *Bl.* ... P. ... India, Java
 °A. zeylanicus, *Bl.* ... P. ... C., Java

REMUSATIA.

- °R. vivipara, *Schott* ... P. ... C., India, Java

COLOCASIA.

- °C. antiquorum, *Schott. Gahala* ... P. ... C., India, &c. (V.)
 C. neoguineensis ... P. ... Hort. Linden (1884)
 And many cultivated varieties.

ALOCASIA.

- A. cuprea, *K. Koch (A. metallica, Hk. f.)* ... P. ... Borneo (1884)
 °A. cucullata, *Schott. Panu-habarala* P. ... C., India (V.)
 A. gigantea, *Hort.* ... P. ... Hort. Madras (1883)
 A. indica, *Schott. Rata-ala* ... P. ... Trop. Asia, cult. (V.)
 A. Lowii, *Hook. f.* ... P. ... Borneo
 Var. *Veitchii, Engl.* ... P. ... Java (1881)
 °A. macrorhiza, *Schott. Habarala* ... P. ... C., India (V.)

CALADIUM.

- C. bicolor, *Vent.* ... P. ... Brazil, Guiana, &c.
 Numerous garden varieties.
 C. Humboldtii, *Schott. (C. argyrites, Lem.)* ... P. ... Brazil
 C. marmoratum, *Matt.* ... P. ... Ecuador
 C. picturatum, *Koch* ... P. ... Brazil
 Several garden varieties.
 C. Schomburgkii, *Schott* ... P. ... Brazil, Guiana
 Var. *argyroneurum, Schott.*
 Var. *erythraeum, K. Koch.*

PHILODENDRON.

<i>P. asperatum</i> , <i>K. Koch</i>	... Cl.	...	Brazil (1884)
<i>P. cuspidatum</i> , <i>K. Koch</i>	... Cl.	...	Mexico (1880)
<i>P. erubescens</i> , <i>K. Koch</i>	... Cl.	...	Venezuela (1880)
<i>P. gloriosum</i> , <i>André</i> Cl.	...	New Grenada
<i>P. melanochryson</i> , <i>Hort.</i>	... Cl.	...	New Grenada (1884)
<i>P. oxycardium</i> , <i>Schott</i>	... Cl.	...	Guatemala (1880)
<i>P. sanguineum</i> , <i>Regel</i> Cl.	...	Mexico (1880)
<i>P. squamiferum</i> , <i>Pöpp.</i> (<i>P. crinipes</i> , <i>Hort.</i>) Cl.	...	Brazil (1872)

SYNGONIUM.

<i>S. podophyllum</i> , <i>Schott.</i> (<i>S. albo-</i> <i>lineatum</i> , <i>Hort. Bull.</i>)	... P.	...	Mexico (1871)
--	--------	-----	---------------

AGLAONEMA.

<i>A. marantæfolium</i> , <i>Bl.</i> , var. <i>com-</i> <i>mutatum</i> , <i>Schott</i> P.	...	Malay Arch.
<i>A. pictum</i> , <i>Kunth.</i> P.	...	Burma, Sumatra (1871)
<i>A. sp.</i> P.	...	Malaya (1886)

HOMALONEMA.

<i>H. (Curmeria) picturata</i> , <i>Regel</i> ...	P.	...	Columbia
<i>H. (Curmeria) Wallisii</i> , <i>Regel</i> ...	P.	...	Id.

SCHISMATOGLOTTIS.

<i>S. picta</i> , <i>Schott</i> P.	...	Java
<i>S. variegata</i> , <i>Hook.</i> P.	...	Borneo (1880)

DIEFFENBACHIA.

<i>D. picta</i> , <i>Schott</i> P. or S.	...	Brazil
Several garden varieties.			
<i>D. Seguine</i> , <i>Schott.</i> <i>Dumb cane</i> ...	P. or S.	...	Trop. S. America, W Indies
Many garden varieties.			

SPATHICARPA.

<i>S. sagittifolia</i> , <i>Schott</i> P.	...	Brazil (1880)
--	--------	-----	---------------

MONSTERA.

<i>M. deliciosa</i> , <i>Liebm.</i> Cl.	...	Mexico
<i>M. pertusa</i> , <i>De Vriese</i> Cl.	...	Trop. S. America, W Indies
Several varieties.			

SCINDAPSUS.

<i>S. argyrea</i> , <i>Engl.</i> (<i>Pothos argyrites</i> , <i>Hort.</i>) Cl.	...	Philippines
<i>S. Beccarii</i> , <i>Hort. Bogor.</i> Cl.	...	New Guinea (1881)

RAPHIDOPHORA.

<i>R. decursiva</i> , <i>Schott.</i> <i>Dada-kehel</i> ...	Cl.	...	C., India, Java
<i>R. pertusa</i> , <i>Schott</i> Cl.	...	E. Tropics
<i>R. ? sp.</i> (<i>Pothos aurea</i> , <i>Hort. Lind.</i>)	Cl.	...	Solomon Is. (1881)

EPIPHEMNUM.

- E. mirabile*, *Schott.* *Tonga* ... *Cl.* ... Malay Is., Fiji, Trop.
Australia (1882)

ZAMIOCULCAS.

- Z. (Gonatopus) Boivini*, *Decne.* ... *P.* ... Zanzibar
Z. Loddigesii, *Schott* ... *P.* ... Zanzibar, Bourbon
(1873)

DRACONTIUM.

- D. (Godwinia) gigas*, *Engl.* ... *P.* ... Nicaragua (1882)
D. sp. ... *P.* ... Hort. Kew (1884)

LASIA.

- **L. spinosa*, *Thw.* *Kohila* ... *P.* ... C., Assam, Java

SPATHIPHYLLUM.

- S. cannæfolium*, *Schott* ... *P.* ... Tropical S. America
(1872)
S. commutatum, *Schott* ... *P.* ... Celebes, Amboyna,
Philippines
S. floribundum, *Engl.* ... *P.* ... New Grenada
S. Patini, *Engl.* ... *P.* ... Id.

ANTHURIUM.

- A. Bakeri*, *Hook. f.* ... *P.* ... Costa Rica
A. costatum, *K. Koch* ... *P.* ... Venezuela (1880)
A. crystallinum, *Lind. & André* ... *P.* ... Peru
A. digitatum, *Kunth* ... *Cl.* ... Peru (1872)
A. Galeottianum, *K. Koch* ... *P.* ... Brazil (1880)
A. Harrisii, *Endl.* (*A. longifolium*,
Hort.) ... *P.* ... Peru
A. Hoffmanni, *Schott* (*A. margari-*
taceum, *Baker*) ... *P.* ... Costa Rica (1880)
A. Hookeri, *Kunth.* (*A. Hugelii*,
Schott) ... *P.* ... W. Indies (1880)
A. Olfersianum, *Kunth* ... *P.* ... Brazil
A. pedatum, *Endl.* ... *P.* ... Andes
A. pedato-radiatum, *Schott* ... *P.* ... Mexico (1880)
A. regale, *Lind.* ... *P.* ... Trop. America (1881)
A. Rothschildianum ... *P.* ... Hort. Linden (1884)
A. Sellowianum, *Kunth* ... *P.* ... Brazil (1880)
A. Scherzerianum, *Schott* ... *P.* ... Trop. America (1881)
A. trinervium, *Kunth* ... *P.* ... Brazil (1880)

POTHOS.

- P. celatocaulis*, *N. E. Br.* ... *Cl.* ... Borneo (1881)
**P. scandens*, *L. Pótá-wel* *Cl.* ... C., India, Java (W.)

ALISMACEÆ.

SAGITTARIA.

- S. montevidensis*, *C. & S.* ... *Aq.* ... S. America, W. Indies
(1886)

NAIADEÆ.

APONOGETON.

- °A. crispum, *L. Kékatiya* ... Aq. ... C., India (W.)

NAIAS.

- °N. graminea, *Del.* ... Aq. ...C., India, Malaya, N. Africa (W.)

CYPERACEÆ.

CYPERUS.

- °C. articulatus, *L.* ... P. ...C., all Tropical countries
- *C. compressus, *L.* ... A. ...C., Trop. Asia, Africa, and America (W.)
- °C. dehiscent, *Steud. Hewan-paṅ* ... P. ... C., India
- °C. dilutus, *Vahl* ... P. ... C., India, Malaya
- °C. distans, *L. f.* ... P. ...C., Tropics generally (W.)
- °C. exaltatus, *Retz.* ... P. ... C., India (W.)
- °C. Haspan, *L.* ... A. ... C., Tropics generally
- °C. pilosus, *Vahl* ... P. ... C., E. Tropics
- °C. platyphyllus, *R. & S.* ... P. ... Ceylon only
- °C. pumilus, *L. Go-hiri-paṅ* ... A. ... C., E. Tropics (W.)
- °C. rotundus, *L. Kalānduru* ... P. ...C., all Tropical and warm countries (W.)
- °C. umbellatus, *Benth.* ... P. ...C., Tropics generally (W.)

KYLINGA.

- °K. monocephala, *Rottb.* ... P. ... C., E. Tropics (W.)

FIMBRISTYLIS.

- °F. argentea, *Vahl* ... A. ... C., India
- °F. chætorrhiza, *Kunth* ... P. ... C., India (W.)
- °F. diphylla, *Vahl* ... P. ...C., Tropics of Old World (W.)
- °F. gracilis, (*Nees*) ... A. ... C., India (W.)
- °F. miliacea, *Vahl* ... A. ...C., Tropics of Old World (W.)
- °F. monostachya, *Hussk.* ... P. ...C., Tropics generally (W.)
- °F. Salbandia, *Kunth* ... P. ... C., India

HYPOLYTRUM.

- °H. latifolium, *Rich.* ... P. ...C., Tropics of Old World

MAPANIA (Pandanophyllum).

- M. humilis, (*Hassk.*) ... P. ... Java (1882)
- °M. zeylanica, (*Thw.*) ... P. ... C., Andaman Is.
- M. sp. ... P. ... Penang (1884)

SCLERIA.

- °S. oryzoides, Presl. *Potu-kola* ... P. ...S., Tropics of Old World

GRAMINEÆ.

PASPALUM.

- P. conjugatum, Berg ... P. ...Brazil, W. Indies ; nat. in C. (About 1866)
 °P. scrobiculatum, L. *Amu* ... A. ...C., Tropics of the Old World (Cereal)

ISACHNE.

- °I. australis, Br., var. effusa, Trim... P. ...C., Malaya, S. China, Australia

PANICUM.

- °P. antidotale, Retz. *Krimisastru* ... P. ... C., E. Tropics
 °P. brizoides, L. ... P. ... C., India (W.)
 P. Brownii, R. & B. (P. leucophœum, H. B. K.) ... P. ...Queensland, Tropical Africa and America (1883)
 °P. cimicinum, Retz. ... P. ... C., India (W.)
 °P. Colonum, L. ... A. ...C., Trop. and warm regions of both hemispheres (W.)
 °P. Leptochloa, Nees ... P. ... C., India (W.)
 P. maximum, L. *Raṭa-tana, Guinea grass* ... P. ...Trop. Africa ? nat. in C.(Before 1824) (W.)
 P. miliaceum, L. *Varagu (Tamil), Indian millet* ... A. ...Egypt, Arabia ; nat. in C. (Cereal)
 P. molle, Sw. *Diya-tana-kola, Mauritius grass* ... P. ...Trop. America ; nat. in C. (W.)
 °P. montanum, Roxb. ... P. ... C., India
 °P. ovalifolium, Poir. ... P. ...C., Tropical Asia and Africa, Brazil (W.)
 °P. Petiveri, Trin. ... P. ... C., India
 °P. plicatum, Lam. ... P. ...C., India, Malaya, Mauritius (W.)
 °P. repens, L. *Eṭṭórá* ... P. ...C., India, Malaya, Mediterranean, Brazil (W.)
 °P. sanguinale, L. ... P. ...C., all warm and Trop. countries (W.)
 °P. trigonum, Retz. ... P. ... C., India (W.)
 °P. uncinatum, Raddi ... P. ...C., Java, Trop. America (W.)
 And other native species.

OPLISMENUS.

- °O. *compositus*, R. & S. ... P. ... C., E. Tropics (W.)
 O. *imbecillis*, Br., fol. *variegatis* ... P. ... New Caledonia

SETARIA.

- °S. *glauca*, Beauv. *Kawulu* ... A. ...C., Tropics, and warm regions of both hemispheres (W.) (Cereal)
 °S. *intermedia*, R. & S. ... A. ... C., India (W.)
 S. *italica*, Beauv. *Tana-hál*, Millet A. ...China, Japan (Cereal)

PENNISSETUM.

- °P. *purpurascens*, H. B. K. ... P. ...Mexico, W. Indies (1881)
 °P. *typhoideum*, Pers. (*Penicillaria spicata*, Willd.) *Kumbu* (*Tamil*), *Bulrush millet* ... A. ...India, cult. (Cereal) (Before 1678)

STENOTAPHRUM.

- °S. *complanatum*, Schrank ... P. ...C., India, Mauritius (W.)

COIX.

- C. *Lacryma*, L. *Job's tears*, *Kirindi-mana* ... A. ...India, Malaya; nat. in C.

EUCHLÆNA.

- E. *luxurians*, Dur. *Teo-sinte* ... A. ... Guatemala (1878)

ZEA.

- Z. *Mays*, L. *Indian-corn*, *Iringu* ... A. ...New Grenada? (Cereal)

ORYZA.

- °O. *sativa*, L. *U'ru-wi*, *Paddy*, *Rice* A. ...C., India, China (Cereal)
 Many cultivated varieties.

LEERSIA.

- °L. *hexandra*, Sw. *Lew* ... P. ...C., Tropics of both hemispheres (W.)

GARNOTIA.

- °G. *scoparia*, Thw. ... P. ... Ceylon only

ARUNDINELLA.

- °A. *villosa*, W. & A. ... P. ...C., S. India

THYSANOLÆNA.

- T. *acarifera*, Nees ... S. ...Trop. Asia (Before 1824)

PEROTIS.

- °P. *latifolia*, Ait. ... P. ...C., Trop. and sub-Trop. Asia and Africa (W.)

IMPERATA.

- °I. *arundinacea*, Cyr. ... P. ...C., all Trop. and warm regions (W.)

SACCHARUM.

- S. officinarum*, *L. Sugar cane* ... *P.* ... S.W. China? (Before 1824)
 °*S. procerum*, *Roxb. Rambuk* ... *P.* ... C., India (W.)

ROTTBÆLLIA.

- °*R. exaltata*, *L. f.* ... *P.* ... C., E. Tropics

ISCHÆMUM.

- °*I. ciliare*, *Retz. Rat-tana* ... *P.* ... C., India, Malaya (W.)
 °*I. muticum*, *L.* ... *P.* ... C., Tropical Asia, Polynesia

HETEROPOGON.

- °*H. hirtus*, *Pers. Itana* ... *P.* ... C., Tropics generally

ANDROPOGON.

- °*A. muricatus*, *Retz. Sevendará, Cuscus grass* ... *P.* ... C., India, Java
 °*A. Nardus*, *L. Mana* ... *P.* ... C., India (W.)
 Var. *Citronella, Pengirimana* *P.* ... Cult. in C.
 °*A. pertusus*, *Willd.* ... *P.* ... C., E. Tropics (W.)
 °*A. punctatus*, *Roxb.* ... *P.* ... C., India
 °*A. venustus*, *Thw.* ... *P.* ... Ceylon only

CHRYSOPOGON.

- °*C. aciculatus*, *Trin. Tutteri* ... *P.* ... C., Eastern Tropics, Mascarene Is. (W.)
 °*C. zeylanicus*, *Thw.* ... *P.* ... C., India?

SORGHUM.

- S. vulgare*, *Pers., var. cernuum. Karal-iringu, Guinea corn, Cholum (Tamil)* ... *A.* ... Trop. Africa? (Cereal)
 °*S. halepense*, *Pers.* ... *A.* ... C., Asia, Mediterranean
S. saccharatum, *Pers. Broom corn* *A.* ... Tropical Africa

ANTHISTIRIA.

- °*A. arguens*, *Willd.* ... *P.* ... C., India (W.)
A. (Androscepia) gigantea, Cav. ... *P.* ... Malay Is.
 °*A. tremula*, *Nees. Pini-baru-tana* ... *P.* ... C., India? (W.)

APLUDA.

- °*A. aristata*, *L.* ... *P.* ... C., Tropical Asia and Africa (W.)

PHALARIS.

- P. arundinacea, L., var. fol. variegatis. Gardeners' garters* ... *P.* ... Temperate countries of N. Hemisphere

SPOROBOLUS.

- °*S. diander*, *Beauv.* ... *A.* ... C., E. Tropics (W.)
 °*S. indicus*, *Br.* ... *A.* ... C., Tropics generally

POLYPOGON.		
P. monspeliensis, Desf.	... A.	...Trop. & Temp. regions of Old World ; nat. in C. (W.)
CYNODON.		
°C. Dactylon, Pers.	... P.	...C., all hot countries (W.)
CHLORIS.		
°C. barbata, Sw. <i>Mayuru-tana</i>	... A.	...C., Tropics generally (W.)
ELEUSINE.		
°E. ægyptiaca, Pers. <i>Putu-tana</i>	... A.	...C., all hot countries (W.)
E. coracana, Gaertn. <i>Kurakkan, Ragi (S. India)</i>	... A.	... India (Cereal)
°E. indica, Gaertn. <i>Wal-kurakkan</i>	... A.	...C., all hot countries (W.)
ARUNDO.		
A. Donax, L.	... P.	...Mediterranean, Egypt, & c.
ERAGROSTIS.		
°E. bifaria, W. & A.	... A.	... C., India
°E. Brownii, Nees	... A.	... C., E. Tropics (W.)
°E. pilosa, Beauv.	... A.	...C., Trop. and warm regions of Old World (W.)
°E. plumosa, Link	... A.	... C., Trop. Asia (W.)
CENTOTHECA.		
°C. lappacea, Beauv.	... A.?	...C., Tropical Asia and Africa (W.)
STREPTOGYNE.		
°S. crinita, Beauv.	... P.	...C., Tropical Africa and America
POA.		
P. annua, L.	... A.	...Europe, N. Asia and America ; nat. in C. (W.)
BAMBUSA.		
B. arundinacea, Retz.	... T.	... India
B. Blumeana, R. & S.	... S. or T.	... Java, &c.
B. orientalis, Nees	... S.	... S. India
B. nana, Roxb. <i>Dwarf or Chinese bamboo</i>	... S.	...China & Japan (Before 1824)
B. Rumphiana, Kurz	... T.	... Moluccas
°B. spinosa, Roxb. <i>Prickly bamboo</i>	T.	... C., India, Burma
°B. vulgaris, Wendl. <i>Common bamboo, Una</i>	... T.	...C., Tropics generally, often cult. (W.)

DENDROCALAMUS.

- D. giganteus, *Munro*. *Giant bamboo* ... T. ... Burma, Malay Pen. (1856)
 D. strictus, *Nees*. *Male or solid bamboo* ... S. ... India, Singapore, Java (1869)

OXYTENANTHERA.

- °O. Thwaitesii, *Munro* ... S. ... C., S. India

OCHLANDRA.

- °O. ? maculata, *Trim*. *Ranbata-li, Mottled bamboo* ... S. ... Ceylon only
 O. Rheedii, (*Kunth*) ... S. ... Malabar
 °O. stridula, *Thw*. *Bata-li* ... S. ... Ceylon, Bombay
 O. travancorica, *Bedd*. ... S. ... S. India (1871)

GIGANTOCHLOA.

- G. aspera, *Kurz*. *Building bamboo of Java* ... T. ... Java (1862)

VASCULAR CRYPTOGRAMS.

FILICES.

GLEICHENIA.

- °G. linearis, *Clarke*. *Kekilla* ... P. ... C., all Tropics and sub-Tropics

CYATHEA.

- °C. Hookeri, *Thw*. ... S. ... Ceylon only
 °C. sinuata, *Hk. & Grev*. ... S. ... Id.

HEMITELIA.

- °H. (*Amphicosmia*) *Walkeræ, Hk.* ... S. ... Ceylon only

ALSOPHILA.

- °A. crinita, *Hk*. *Woolly tree-fern* ... S. or T. ... C., S. India, Java
 °A. glabra, *Hk*. ... S. ... C., India, Malaya, China

DICKSONIA.

- D. apiifolia, *Hk*. ... P. ... Peru, Ecuador
 D. flaccida, *Sw*. ... P. ... New Hebrides
 D. rubiginosa, *Kaulf*. ... P. ... Tropical America, W. Indies, Mauritius

TRICHOMANES.

- °T. rigidum, *Sw*. ... P. ... C., all Tropics, Cape, New Zealand

DAVALLIA.

- °D. (*Stenoloma*) *chinensis*, *Sm.* ... *P.* ...C., Tropical Asia, Mascarene Is.
 °D. *elegans*, *Sw.* *P.* ...C., Tropical Asia, Africa, and Australia
 °D. (*Microlepia*) *hirta*, *Kaulf.* ... *P.* ...C., N. India, Malay Is., Polynesia
 °D. (*Leucostegia*) *hymenophylloides*, (*Bl.*) *P.* ...C., India, Java, Polynesia
 °D. (*Microlepia*) *majuscula*, *Lowe* ... *P.* ... Ceylon only
 D. pallida, *Mett.* (*D. Mooreana*, *Mast.*) *P.* ... New Hebrides
 °D. (*Humata*) *pedata*, *Sm.* *P.* ...C., Eastern Tropics, Mascarene Is.
 °D. (*Microlepia*) *platyphylla*, *Don* ... *P.* C., India
 °D. (*Leucostegia*) *pulchra*, *D. Don* *P.* ...C., India, Malay Pen.
 D. solida, *Sw.* *P.* ... Malaya, Polynesia
 °D. (*Microlepia*) *Spelunca*, *Baker* ... *P.* ...C., Tropics generally (W.)
 °D. (*M.*) *strigosa*, *Sw.* *P.* ...C., N. India, Malaya, Polynesia

LINDSÆA.

- °L. *cultrata*, *Sw.* *P.* ...C., India, Malaya, Queensland
 °L. *lancea*, *Bedd.* *P.* ...C., Malaya, Tropical America
 °L. (*Schizoloma*) *lobata*, *Poir.* *P.* ...C., S. India, Polynesia, Queensland

ADIANTUM.

- A. *æthiopicum*, *L.* *P.* ...C.? S. India, Africa, America, Australia
 °A. *Capillus-Veneris*, *L.* *Maiden-hair fern* *P.* ...C., Europe, Asia, Africa, Trop. America
 °A. *caudatum*, *L.* *P.* ...C., India, Malaya, Trop. Africa
 A. *concinnum*, *H. B. K.* *P.* ...Tropical America, W. Indies
 And several garden varieties.
 A. *crenatum*, *Willd.* *P.* ... W. Indies, Mexico
 A. *cuneatum*, *Langs. & Fisch.* *P.* Brazil
 Var. *gracillimum*, *Moore.*
 And other garden varieties.
 A. *diaphanum*, *Bl.* *P.* ...China, Java, Polynesia, New Zealand
 A. *Fergusonii*, *Moore* *P.* ...Native country not known
 °A. *flabellulatum*, *L.* *P.* ...C., India, Malaya, S. China

<i>A. formosum</i> , <i>R. Br.</i> P.	... Australia, New Zealand
<i>A. glaucophyllum</i> , <i>Hook.?</i> P.	... Mexico, Guatemala
° <i>A. hispidulum</i> , <i>Sw.</i> P.	... C., S. India, Malaya, Australia, &c.
<i>A. intermedium</i> , <i>Sw.</i> P.	... Tropical America, W. Indies
<i>A. Kaulfussii</i> , <i>Kunze</i> P.	... Id.
* <i>A. lunulatum</i> , <i>Burm.</i> P.	... C., all Trop. countries
<i>A. macrophyllum</i> , <i>Sw.</i> P.	... Tropical America, W. Indies
<i>A. peruvianum</i> , <i>Klotzsch</i> P.	... Peru (1884)
<i>A. polyphyllum</i> , <i>Willd.</i> P.	... Peru, Columbia
<i>A. tenerum</i> , <i>Sw.</i> P.	... Tropical America, W. Indies
<i>Var. Farleyense</i> , <i>Moore.</i>		
And other garden varieties.		
<i>A. tetraphyllum</i> , <i>Willd.</i> P.	... Id.
<i>A. trapeziforme</i> , <i>L.</i> P.	... Id.

CHEILANTHES.

° <i>C. farinosa</i> , <i>Kaulf.</i> <i>Wild silver</i> <i>fern</i> P.	... C., Trop. Asia, Africa, and America
° <i>C. laxa</i> , <i>Moore</i> P.	... Ceylon only
° <i>C. mysurensis</i> , <i>Wall.</i> P.	... C., India, China, Japan

PELLÆA.

* <i>P. Boivini</i> , <i>Hk.</i> P.	... C., S. India, Mauritius
* <i>P. concolor</i> , <i>Bedd.</i> P.	... C., S. India, Australia, Trop. Africa and America
* <i>P. falcata</i> , <i>Fée</i> P.	... C., India, Malay Pen., Australia
<i>P. viridis</i> , (<i>Forsk.</i>) P.	... Trop. and S. Africa, Mascarene Is.

PTERIS.

° <i>P. biaurita</i> , <i>L.</i> P.	... C., India, Malaya, Trop. Africa and America
<i>Var. argyræa</i> , <i>Thw.</i>		
° <i>P. cretica</i> , <i>L.</i> P.	... C., most Trop. and warm Temp. coun- tries (W.)
<i>Var. albolineata</i> , <i>Hort.</i> P.	...
* <i>P. ensiformis</i> , <i>Burm.</i> P.	... C., India, Malaya, Trop. Australia
° <i>P. longifolia</i> , <i>L.</i> P.	... C., all Trop. and warm Temp. countries
<i>P. (Doryopteris) ludens</i> , <i>Wall.</i> P.	... Malay Pen., Philip- pines (1883)

- *P. (*Litobrochia*) *marginata*, *Bory...* P. ... C., Malaya, Polynesia,
Trop. Africa
P. (*Doryopteris*) *palmata*, *Willd.* ... P. ... Tropical America, W.
Indies
*P. *patens*, *Hk.* ... P. ... C., Borneo, Philippines
*P. *quadriaurita*, *Retz.* ... P. ... C., all the Tropics (W.)
P. (*Doryopteris*) *sagittifolia*, *Raddi* P. ... Trop. America
P. *serrulata*, *L. f.* ... P. ... China, Japan, Philip-
pines

CERATOPTERIS.

- *C. *thalictroides*, *Brongn.* ... Aq. ... C., Tropics generally
(W.)

LOMARIA.

- L. *fluviatilis*, *Spreng.* ... P. ... S. Australia, New Zea-
land
L. *gibba*, *Lab.* ... P. ... New Caledonia
*L. *Patersoni*, *Spreng.* ... P. ... C., E. Tropics, New
Zealand

BLECHNUM.

- B. *brasiliense*, *Desv.* ... S. ... Brazil, Peru
B. *occidentale*, *L.* ... P. ... Cent. and S. America,
W. Indies
*B. *orientale*, *L.* ... P. ... C., India, S. China,
Malaya, Australia

DOODIA.

- *D. *dives*, *Kunze* ... P. ... Ceylon only?

ASPLENIUM.

- A. *alternans*, *Wall.* ... P. ... Himalaya, Abyssinia
*A. (*Diplazium*) *assimile*, *Endl.* ... P. ... C., Australia, Nor-
folk I.
A. (*Darea*) *Belangeri*, *Kunze* ... P. ... Malaya (1883)
A. *bulbiferum*, *Forst.* ... P. ... N. India, Polynesia,
Australia,^c Tropical
America
A. *cicutarium*, *Sw.* ... P. ... Tropical Africa and
America
A. (*Anisogonium*) *cordifolium*, *Mett.* P. ... Malaya, Philippines
*A. (*Diplazium*) *decurrans*, *Bedd.* ... P. ... Ceylon only
*A. (*Anisogonium*) *esculentum*, *Presl.*
Miwana-kola ... P. ... C., Trop. Asia
*A. *falcatum*, *Lam.* ... P. ... C., India, Polynesia,
Australia, &c.
*A. *formosum*, *Willd.* ... P. ... C., S. India, Trop.
Africa and America
*A. *heterocarpum*, *Wall.* ... P. ... C., India, Malaya China
*A. (*Diplazium*) *japonicum*, *Thunb.*
(*A. Thwaitesii*, *A. Br.*) ... P. ... C., India, Japan, China
*A. (*D.*) *lanceum*, *Thunb.* ... P. ... Id.

°A. (D.) latifolium, <i>Don</i>	... P.	... C., S. India, S. China, Philippines
°A. lunulatum, <i>Sw.</i>	... P.	... C., Tropics generally
Var. <i>Fernandezianum</i> , <i>Kunze</i>	... P.	... Juan Fernandez Is.
°A. (<i>Thamnopteris</i>) <i>Nidus</i> , <i>L. Birds- nest fern</i>	... P.	... C., E. Tropics, Japan, Mauritius
°A. nitidum, <i>Sw.</i>	... P.	... C., India, Malaya
°A. (<i>Diplazium</i>) <i>polypodioides</i> , <i>Mett.</i>	P.	... Id.
°A. (<i>Darea</i>) <i>rutæfolium</i> , <i>Kunze</i>	... P.	... C., N. India, Japan, S. Africa
°A. (<i>Athyrium</i>) <i>Solenopteris</i> , <i>Kunze</i>	P.	...C., S. India
°A. <i>tenerum</i> , <i>Forst.</i>	... P.	... C., Malaya, Polynesia
°A. <i>unilaterale</i> , <i>Lam.</i>	... P.	...C., Tropical Asia and Africa
A. (<i>Darea</i>) <i>viviparum</i> , <i>Presl</i>	... P.	... Mauritius, Bourbon
°A. <i>Wightianum</i> , <i>Wall.</i>	... P.	...C., S. India
°A. (<i>Diplazium</i>) <i>zeylanicum</i> , <i>Hk.</i>	... P.	... Ceylon only
ALLANTODIA.		
°A. <i>javanica</i> , <i>Bedd.</i>	... P.	... C., Himalaya, Java
ACTINIOPTERIS.		
°A. <i>dichotoma</i> , <i>Bedd.</i>	... P.	...C., India, Arabia, N. and Trop. Africa
DIDYMOCHLENA.		
D. <i>lunulata</i> , <i>Desv.</i>	... P.	... Malaya, Trop. Africa and America
ASPIDIUM.		
°A. (<i>Polystichum</i>) <i>aculeatum</i> , <i>Sw.</i>	... P.	... C., throughout the World
And several varieties.		
°A. (P.) <i>amabile</i> , <i>Bl.</i>	... P.	...C., Nepal, Formosa, Japan
°A. (P.) <i>aristatum</i> , <i>Sw.</i>	... P.	...C., India, Polynesia, Australia
°A. (P.) <i>auriculatum</i> , <i>Sw.</i>	... P.	... C., India, Formosa
°A. (P.) <i>coniifolium</i> , <i>Wall.</i>	... P.	... C., India
A. (<i>Cyrtomium</i>) <i>falcatum</i> , <i>Sw.</i>		
(<i>A. caryotideum</i> , <i>Wall.</i>)	... P.	... India, China, Mada- gascar, Natal
NEPHRODIUM.		
N. (<i>Lastrea</i>) <i>amplum</i> , <i>Baker</i>	... P.	...W. Indies, Trop. S. America
°N. (L.) <i>Blumei</i> , <i>Hk.</i>	... P.	...C., N. India, Malaya, Japan
°N. (L.) <i>calcaratum</i> , <i>Hk.</i>	... P.	...C., India, China, Phi- lippines
°N. (<i>Sagenia</i>) <i>cicutarium</i> , <i>Baker</i>	... P.	... C., Tropics generally
°N. <i>cucullatum</i> , <i>Baker</i>	... P.	...C., India, Malaya, Mas- carene Is. (W.)

*N. (<i>Lastrea</i>) <i>deparioides</i> , <i>Hk.</i>	... P.C., S. India
*N. (<i>L.</i>) <i>dissectum</i> , <i>Desv.</i>	... P.	...C., E. Tropics, Madagascar
N. (<i>L.</i>) <i>effusum</i> , <i>Baker</i>	... P.	... Central and S. America
*N. <i>extensum</i> , <i>Hk.</i>	... P.	... C., India, Philippines
*N. (<i>Lastrea</i>) <i>Filix-mas</i> , <i>Rich.</i>	... P.	...C., throughout the World
*N. (<i>L.</i>) <i>flaccidum</i> , <i>Hk.</i>	... P.	... C., India, Java
*N. (<i>L.</i>) <i>hirtipes</i> , <i>Hk.</i>	... P.	... C., India, Malaya
N. (<i>Sagenia</i>) <i>Leuzeanum</i> , <i>Hk.</i>	... P.	... Bengal, Malaya, China, Polynesia
N. (<i>S.</i>) <i>macrophyllum</i> , <i>Baker</i>	... P.	...W. Indies, Tropical America
N. (<i>S.</i>) <i>melanocaulon</i> , <i>Baker</i>	... P.	... Malay Is., Philippines
*N. (<i>S.</i>) <i>membranaceum</i> , <i>Hk.</i>	... P.	... C., Java, China
*N. <i>molle</i> , <i>Schott</i>	... P.	...C., all Trop. and warm countries (W.)
*N. <i>Otaria</i> , <i>Baker</i>	... P.	...C., S. India, Philippines
*N. <i>pennigerum</i> , <i>Hk.</i>	... P.	...C., India, Trop. Africa
*N. (<i>Sagenia</i>) <i>reductum</i> , <i>Baker ined.</i>	P.	... Ceylon only (W.)
*N. (<i>S.</i>) <i>simulans</i> , <i>Baker</i>	(S.)	
<i>Thwaitesii</i> , <i>Bedd.</i>	... P.	... Ceylon only
*N. (<i>Lastrea</i>) <i>sparsum</i> , <i>Don</i>	... P.	...C., India, China, Malaya, Mauritius
*N. (<i>Sagenia</i>) <i>subtriphyllum</i> , <i>Baker</i>	P.	...C., Malaya, China, Polynesia, &c.
*N. (<i>Lastrea</i>) <i>Thwaitesii</i> , <i>Baker</i>	... P.	... Ceylon only
*N. (<i>Sagenia</i>) <i>Trimeni</i> , (<i>Bedd.</i>)	... P.	...C., Malay Is., Philippines
*N. <i>truncatum</i> , <i>Presl</i>	... P.	... C., E. Tropics
*N. <i>unitum</i> , <i>Schott</i>	... P.	...C., all Tropical countries
*N. <i>urophyllum</i> , <i>Bedd.</i> (<i>Polypodium</i> , <i>Wall.</i>) P.	...C., India, Malaya, Queensland
N. (<i>Lastrea</i>) <i>villosum</i> , <i>Presl</i>	... P.	... W. Indies, S. America
*N. (<i>L.</i>) <i>Walkeræ</i> , <i>Baker</i>	... P.	... Ceylon only

NEPHROLEPIS.

*N. <i>acuta</i> , <i>Presl</i>	... P.	...C., Tropics of both hemispheres
*N. <i>cordifolia</i> , <i>Presl</i>	... P.	... Id.
N. <i>Duffii</i> , <i>Hort. Bull.</i>	... P.	...D. of York's Is. (1881)
*N. <i>exaltata</i> , <i>Schott</i>	... P.	...C., Tropics generally (W.)
*N. <i>ramosa</i> , <i>Moore</i>	... P.	...C., Malaya, Australia, W. Trop. Africa

POLYPODIUM.

P. (Phlebodium) aureum, <i>L.</i> ... P.	... Trop. America (1882)
*P. (Niphobolus) Gardneri, <i>Mett.</i> ... P.	... Ceylon only
P. (Goniophlebium) glaucophyllum, <i>Kunze</i> P.	... Tropical America, W. Indies
P. (Dipteris) Horsfieldii, <i>Br.</i> ... P.	... Malay Is., Polynesia (1886)
*P. (Niphobolus) lanceolatum, (<i>L.</i>) (<i>P. adnascens, Sw.</i>) ... P.	... C., India, Malaya, Mascarene Is., &c. (W.)
*P. (Pleopeltis) lineare, <i>Thunb.</i> ... P.	... C., India, Malaya, Trop. Africa, &c.
*P. (<i>P.</i>) nigrescens, <i>Bl.</i> ... P.	... C., India, Malaya, Polynesia
P. (Niphobolus) penangianum, <i>Hk. P.</i> Penang (1886)
*P. (Pleopeltis) phymatodes, <i>L.</i> ... P.	... C., Trop. Asia and Africa (W.)
*P. (Goniopteris) proliferum, <i>Presl P.</i> C., India, Trop. Australia, Africa, &c.
*P. (Pleopeltis) punctatum, <i>L. (P. irioides, Lam.)</i> P.	... C., Tropical Asia and Africa
*P. (Phegopteris) rugulosum, <i>Lab. (P. punctatum, Thunb.)</i> ... P.	... C., Tropics of both hemispheres
*P. (Drynaria) quercifolium, <i>L.</i> ... P.	... C., India, Malaya, Queensland (W.)
*P. (Phegopteris) rufescens, <i>Bl.</i> ... P.	... C., Java, New Caledonia, Queensland
P. (Goniophlebium) verrucosum, <i>Wall.</i> P.	... Philippine Is.
*P. zeylanicum, <i>Mett.</i> P.	... Ceylon only
GYMNOGRAMME.	
G. Calomelanos, <i>Kaulf. Ash fern</i> ... P.	... S. America, W. Indies ; nat. in C. (W.)
Var. chrysophylla, <i>Kaulf. Gold fern</i> P.	... —
Var. dealbata, <i>Moore. Frostad silver fern</i> P. Nat. in C.
Var. Herminieri, <i>Link</i> ... P.	... —
And other varieties.	
G. (Loxogramme) elliptica, <i>Baker P.</i> India, Japan, Malay Pen., Queensland
*G. (Syngramme) fraxinea, (<i>Don (G. javanica, Bl.)</i>) P.	... C., Trop. Asia and Africa
G. pulchella, <i>Linden. Silver fern</i> ... P. Venezuela
G. schizophylla, <i>Baker</i> ... P. Jamaica
G. sulphurea, <i>Desv. Sulphur fern</i> ... P. W. Indies

- G. tartarea*, *Desv.* *P.* ... Trop. America
 **G. (Leptogramme) totta*, *Schlecht*... *P.* ...C., India, Java, Cape,
 Japan, &c.

MENISCIUM.

- **M. Thwaitesii*, *Hk.* *P.*Ceylon only
 **M. triphyllum*, *Sw.* *P.* ...C., India, Malaya, S.
 China

ANTROPHYUM.

- **A. plantagineum*, *Kaulf.* *P.* ...C., India, Malaya,
 Polynesia
 **A. reticulatum*, *Kaulf*... .. *P.*C., E. Tropics

VITTARIA.

- **V. elongata*, *Sw.* *P.* ...C., E. Tropics, Mas-
 carene Is.
 **V. scolopendrina*, *Schk.* *P.* ...C., S. India, Malay Is.,
 &c.

DRYMOGLOSSUM.

- **D. heterophyllum*, (*L.*) *P.* ...C., India, Malaya (W.)

HEMIONITIS.

- **H. arifolia*, (*Burm.*) *P.* ...C., India, Malay Pen.
 (W.)

ACROSTICHUM.

- **A. (Polybotrya) appendiculatum*,
Willd. *P.* ...C., India, Malaya, Phi-
 lippines
 **A. aureum*, *L. Kere koku* *P.* ... C., Tropics generally
 **A. (Stenochlæna) palustre*, (*Burm.*)
 (*A. scandens*, *Willd.*) *P.*C., E. Tropics
 **A. (Gymnopteris) quercifolium*,
Retz. *P.* ... C., India, China (W.)
 **A. (G.) spicatum*, *L. f.* *P.* ...C., E. Tropics, Masca-
 rene Is.
 **A. (Elaphoglossum) squamosum*,
Sw. *P.* ...C., Tropics of both
 hemispheres
 **A. (Gymnopteris) subcrenatum*, *Hk.*
 & *Grev.* *P.*C., S. India
 **A. (G.) variabile*, *Hk.* *P.* ... C., India, Java (W.)
 **A. (Polybotrya) Wilkesianum*, *Hk.* *P.* New Caledonia

PLATYCERIUM.

- P. aleicorne*, *Desv. Elks-horn fern* *P.* ... Australia, Mascarene
 Is. (1886)
P. grande, *J. Sm.* *P.* ...Singapore, N. Aus-
 tralia, Philippines
 (1865)

OSMUNDA.

- **O. javanica*, *Bl.* *P.*C., Asia generally

SCHIZÆA.

*S. digitata, Sw. ... P. ...C., India, Malaya, Polynesia

ANEMIA.

*A. Phyllitidis, Sw. ... P. ...W. Indies, Tropical America

LYGODIUM.

*L. dichotomum, Sw. *Et-pamba* ... P. ... C., China, Malaya

*L. scandens, Sw. *Maha-pamba* ... P. ... C., E. Tropics

ANGIOPTERIS.

*A. evecta, Hoffm. ... P. ...C., E. Tropics, Madagascar

OPHIOGLOSSUM.

*O. pendulum, L. ... P. ...C., E. Tropics, Mascarene Is.

HELMINTHSTACHYS.

*H. zeylanica, Hk. ... P. ...C., India, Malaya, Queensland

LYCOPODIACEÆ.

LYCOPODIUM.

*L. cernuum, L. *Wanassa* ... P. ...C., Tropics of both hemispheres

*L. phyllanthum, H. & A. *Maha-hedaya* ... P. ...C., S. India, Borneo, Polynesia

*L. squarrosum, Forst. *Kudá-hedaya* ... P. ...C., India, Malaya, Polynesia

PSILOTUM.

*P. nudum, (L.) ... P. ...C., Tropics of both hemispheres

SELAGINELLACEÆ.

SELAGINELLA.

S. canaliculata, Baker ... P. ...China, Burma, Malaya, Polynesia

*S. caulescens, Spring ... P. ...C., India, Malaya, China

*S. crassipes, Spring ... P. ... Ceylon only

S. Galeottii, Spring ... P. ... Cent. America (1883)

S. hæmatodes, Spring ... P. ... Andes

*S. latifolia, Spring ... P. ... C., New Guinea, Fiji

S. paradoxa ... P. ... Hort. Calcutta (1883)

*S. plumosa, Baker ... P. ...C., India, Malaya, China

*S. rupestris, Spring ... P. ...C., Temp. & Tropical Asia, Africa, and America

<i>S. serpens</i> , <i>Spring</i> <i>P.</i>	...	W. Indies (1880)
<i>S. uncinata</i> , <i>Spring</i> <i>P.</i>	...	China (W.)
<i>S. viticulosa</i> , <i>Kl.</i> <i>P.</i>	...	Cent. America (1882)
<i>S. Vogelii</i> , <i>Spring</i> <i>P.</i>	...	Trop. Africa, Madagascar
<i>S. Willdenovii</i> , <i>Baker</i> (<i>S. lævigata</i> , <i>Spring</i>)... <i>Cl.</i>	...	E. Himalaya, Malaya (1883)

And other undetermined species.

RHIZOCARPEÆ.**MARSILEA.**

* <i>M. quadrifolia</i> , <i>L.</i> <i>P.</i>	...	C., N. India, Temp. Asia & America (W.)
-------------------------------------	-----	---------------	-----	---

AZOLLA.

* <i>A. pinnata</i> , <i>Br.</i> <i>A.</i>	...	C., Trop. Asia, Africa, and Australia
----------------------------------	-----	---------------	-----	---------------------------------------

INDEX.

* * Names in *Italics* are Synonyms.

- A
- Aberia, 5
 Abroma, 11
 Abrus, 23
 A butilon, 8
 Acacia, 29
 Acalypha, 73
 Acampe, 85
 Acanthephippium, 81
 Acanthophœnix, 97
 Acanthorhiza, 99
 Acanthus, 60
 Achillea, 46
 Achimenes, 57
 Achras, 48
 Achyranthes, 66
 Acranthera, 42
 Acrocarpus, 26
 Acrocomia, 101
 Acronychia, 14
 Acrostichum, 118
 Acrotrema, 1
 Actiniopteris, 115
 Actinodaphne, 69
 Actinorrhysis, 96
 Adansonia, 10
 Adenanthera, 29
 Adhatoda, 62
 Adiantum, 112
 Æchmea, 89
 Ægle, 15
 Aerides, 84
 Aerva, 66
 Æsculus, 119
 Afzelia, 28
 Aganosma, 52
 Agathis, 78
 Agati, 22
- Agave, 92
 Aglaia, 16
 Ageratum, 44
 Aglaonema, 104
 Agrostistachys, 73
 Ailantus, 15
 Albizzia, 30
 Alchornea, 73
 Aleurites, 72
 Allamanda, 50
 Allantodia, 115
 Allæanthus, 74
 Allium, 94
 Allmania, 66
 Allophylus, 19
 Alocasia, 103
 Aloe, 93
Aloysia, 63
 Alonzoa, 57
 Alpinia, 87
Alsobia, 58
 Alstonia, 51
 Alternanthera, 66
 Althæa, 8
 Alyxia, 51
 Amarantus, 66
 Amaryllis, 91
 Amherstia, 28
 Amomum, 86
 Amoora, 16
 Amorphophallus, 103
 Amphicosmia, 111
 Anacardium, 20
 Anætochilus, 85
 Anamirta, 3
 Ananas, 89
 Anaxagorea, 2
 Ancistrocladus, 7
Ancylogyne, 60
- Andira, 25
 Andrographis, 61
 Andropogon, 109
Androscopia, 109
 Aneilema, 95
 Anemia, 119
 Angelonia, 57
 Angiopteris, 119
 Angræcum, 85
 Anisochilus, 64
Anisogonium, 114
 Anisomeles, 65
 Anisophyllea, 31
 Anodendron, 52
 Anona, 2
 Anthistiria, 109
 Anthurium, 105
 Antiaris, 76
 Antidesma, 72
 Antigonum, 67
 Antirrhinum, 57
 Antrophyum, 118
 Aphelandra, 61
 Apium, 39
 Apluda, 109
 Aponogeton, 106
 Apostasia, 86
 Aporosa, 71
 Aquilaria, 70
 Arachis, 22
 Aralia, 39
 Araucaria, 78
 Archontophœnix, 96
 Ardisia, 48
 Areca, 95
 Arenga, 98
 Argemone, 3
 Argyreia, 54
 Argyrorchis, 85

Arisæma, 103
Aristolochia, 68
Arracacia, 39
Artabotrys, 2
Artanema, 57
Artanthe, 68
Artemisia, 46
Artocarpus, 76
Arundina, 81
Arundinella, 108
Arundo, 110
Asclepias, 53
Asparagus, 93
Aspidium, 115
Asplenium, 114
Aster, 44
Astrocaryum, 101
Asystasia, 61
Atalantia, 14
Ataccia, 92
Athyrium, 115
Attalea, 102
Averrhoa, 13
Axinandra, 35
Azadirachta, 16
Azalea, 47
Azolla, 120

B

Baccaurea, 71
Bactris, 101
Balsamodendrum, 15
Bambusa, 110
Barklya, 26
Barleria, 61
Barringtonia, 33
Basella, 67
Bassia, 48
Bauhinia, 27
Beaumontia, 52
Begonia, 37
Beilschmiedia, 69
Belemcanda, 90
Beloperone, 62
Benincasa, 37
Bentinckia, 98
Bertholletia, 33
Bertolonia, 34
Berrya, 12
Beta, 67
Bidens, 45
Bignonia, 58
Billbergia, 89
Biophytum, 13
Bischoffia, 71

Bixa, 5
Blachia, 72
Blainvillea, 45
Blakea, 34
Blechnum, 114
Blepharis, 60
Bletia, 81
Blighia, 19
Bocagea, 3
Boehmeria, 77
Boerhaavia, 65
Bombax, 10
Boucerosia, 53
Borassus, 100
Bougainvillea, 66
Boussingaultia, 67
Bowenia, 79
Brahea, 99
Bragantia, 68
Brassaia, 40
Brassavola, 82
Brassia, 84
Brassica, 4
Brexia, 31
Bridelia, 71
Bromelia, 89
Broussonetia, 74
Brosimum, 76
Broughtonia, 82
Browallia, 57
Brownea, 28
Brucea, 15
Brunfelsia, 57
Brya, 22
Bryophyllum, 31
Buckinghamia, 70
Bucklandia, 31
Buddleia, 53
Buettneria, 11
Bulbophyllum, 80
Burchellia, 42
Byrsonima, 12

C

Cæsalpinia, 26
Cajanus, 24
Caladium, 103
Calamus, 100
Calanthe, 81
Calathea, 88
Calendula, 47
Calliandra, 29
Callicarpa, 63
Calliopsis, 45
Callistemon, 32

Callistephus, 44
Callitris, 77
Calodendron, 14
Calophanes, 60
Calophyllum, 7
Calotropis, 53
Calpurnia, 25
Calyptrocalyx, 97
Camellia, 7
Camoensia, 26
Cananga, 2
Canarium, 15
Canna, 88
Cannabis, 74
Canavalia, 23
Canthium, 42
Capparis, 4
Capsicum, 56
Carallia, 31
Carapa, 16
Cardiospermum, 18
Careya, 33
Carica, 36
Carissa, 51
Carludovica, 102
Carthamus, 47
Carum, 39
Caryota, 98
Casearia, 36
Cassia, 27
Castanospermum, 25
Castilloa, 76
Casuarina, 77
Catakidozamia, 78
Catasetum, 83
Catha, 17
Cattleya, 82
Cecropia, 76
Cedrela, 16
Celastrus, 17
Celosia, 66
Celtis, 74
Centaurea, 47
Centothea, 110
Centrosema, 23
Centrosolenia, 58
Cephaelis, 43
Ceratonia, 27
Ceratophorus, 49
Ceratopteris, 114
Cerbera, 51
Cereus, 38
Ceropegia, 53
Cestrum, 56
Chaetocarpus, 73

- Chamaedorea*, 97
Chavannesia, 52
Cheilanthes, 113
Chenopodium, 67
Chickcrassia, 16
Chiococca, 42
Chilocarpus, 50
Chirita, 58
Chloranthus, 69
Chloris, 110
Chlorophora, 74
Chlorophytum, 94
Chloroxylon, 17
Chrysalidocarpus, 98
Chrysobalanus, 30
Chrysophyllum, 48
Chrysopogon, 109
Chonemorpha, 52
Chrysanthemum, 46
Cicer, 22
Cichorium, 47
Cinchona, 41
Cinnamomum, 69
Cirrhopetalum, 80
Cissampelos, 3
Cissus, 18
Citharexylum, 63
Citriobatus, 5
Citrullus, 37
Citrus, 14
Clausena, 14
Clavija, 48
Cleidion, 73
Cleisostoma, 85
Cleistanthus, 71
Cleome, 4
Clerodendron, 64
Clinogyne, 87
Clinostigma, 96
Clitoria, 23
Clusia, 8
Coccoloba, 67
Cocculus, 3
Cochlearia, 3
Cocos, 101
Cochlospermum, 4
Codium, 72
Colebogyme, 73
Coelogyne, 81
Coffea, 43
Coix, 108
Cola, 10
Colea, 59
Colebrookia, 65
Coleus, 64
Colocasia, 103
Columbia, 12
Colvillea, 26
Combretum, 32
Commelina, 94
Copaifera, 28
Corchorus, 12
Cordia, 54
Cordyline, 94
Coreopsis, 45
Coriandum, 39
Corypha, 99
Cosmos, 45
Costus, 87
Cottonia, 84
Crataeva, 4
Cratoxylon, 6
Crescentia, 59
Crinum, 91
Crossandra, 61
Crossostephium, 46
Crotalaria, 21
Croton, 72
Cryptanthus, 89
Cryptocarya, 69
Cryptomeria, 77
Cryptostegia, 53
Cryptostylis, 85
Cucumis, 37
Cucurbita, 37
Cullenia, 10
Cupania, 19
Cuphea, 35
Cupressus, 77
Curculigo, 90
Curcuma, 86
Curmeria, 104
Cyamopsis, 21
Cyanotis, 95
Cyathea, 111
Cyathocalyx, 2
Cyathula, 66
Cycas, 78
Cyclea, 3
Cymbidium, 83
Cynara, 47
Cynodon, 110
Cynoglossum, 54
Cynometra, 29
Cyperus, 106
Cyphomandra, 56
Cyphosperma, 96
Cyphostigma, 86
Cypripedium, 85
Cyrtandra, 58
Cyrtanthus, 91
Cyrtanthera, 62
Cyrtomium, 115
Cyrtodeira, 58
Cyrtopodium, 83
Cyrtostachys, 96
Cystacanthus, 61
- D**
- Dacrydium*, 78
Dædalacanthus, 60
Dæmia, 53
Dahlia, 45
Dalbergia, 24, 25
Dalechampia, 74
Dammara, 78
Darea, 114
Dasyliroin, 94
Datura, 56
Daucus, 39
Davallia, 112
Debregeasia, 77
Delima, 1
Dendrobium, 79
Dendrocalamus, 111
Derris, 25
Desmanthus, 29
Desmodium, 22
Desmoncus, 101
Detarium, 28
Dianella, 94
Dianthus, 6
Dicelostyles, 9
Dichopsis, 48
Dichorisandra, 95
Dichrocephala, 44
Dicksonia, 111
Dictyosperma, 96
Didymocarpus, 58
Didymochlæna, 115
Didymosperma, 98
Dieffenbachia, 104
Dillenia, 1
Dimorphandra, 29
Dimorphocalyx, 72
Dioon, 78
Dioscorea, 92
Diospyros, 49
Dipholis, 49
Dipladenia, 52
Diplazium, 114
Diploglottis, 18
Diplosora, 42
Diplothemium, 101
Dipterix, 25

Dipterocarpus, 7
Dipteris, 117
 Distictis, 58
 Disperis, 85
 Dodonæa, 19
 Dolichandrone, 59
 Dolichos, 24
 Dombeya, 11
 Doodia, 114
 Doona, 8
 Dorstenia, 75
Doryopteris, 113
 Dracæna, 93
 Dracontium, 105
 Drimiopsis, 94
 Duabanga, 35
 Duranta, 63
 Durio, 10
 Drymaria, 5
 Drymoglossum, 118
 Drymophloeus, 96
Drymaria, 117
 Dypsis, 79
 Dysoxylum, 16

E

Ecboium, 62
 Eclipta, 45
 Ehretia, 54
Elaphoglossum, 118
 Elæagnus, 70
 Elæis, 101
 Elæodendron, 17
 Elæocarpus, 12
 Elatostema, 76
 Elephantopus, 44
 Eleusine, 110
 Elettaria, 87
 Elytraria, 60
 Embelia, 48
 Emilia, 46
 Encephalartos, 79
 Entada, 29
 Enterolobium, 30
 Epidendrum, 82
 Epigynum, 52
 Epiphyllum, 38
 Epipogon, 86
 Epipremnum, 105
 Episcia, 58
 Epithema, 58
 Eragrostis, 110
 Eranthemum, 61
 Eria, 80
 Erigeron, 44

Eriodendron, 10
Eriobotrya, 31
 Eryngium, 39
 Erythrochiton, 13
 Erythrospermum, 5
 Erythroxyton, 12
 Erythrina, 23
 Eucharis, 91
 Eucalyptus, 32
 Euchlæna, 108
 Eugenia, 32
 Eulophia, 82
 Euonymus, 17
 Eupatorium, 44
 Euphorbia, 70
 Euroschinus, 20
 Eurya, 7
 Eurycles, 92
 Euterpe, 97
 Evolvulus, 55
 Exacum, 54
 Excæcaria, 94
 Exostemma, 41

F

Fagrea, 54
Falconeria, 74
 Faradaya, 64
Farfugium, 46
 Fatsia, 40
 Feronia, 15
 Ficus, 75
Ficus, 77
 Filicium, 15
 Fimbristylis, 106
 Fittonia, 62
 Flacourtia, 5
 Flemingia, 24
 Foeniculum, 39
 Forrestia, 95
 Floscopa, 95
 Fluggea, 71
 Fragaria, 30
Francisea, 57
 Fraxinus, 50
Frenela, 77
 Freycinetia, 102
 Furcraea, 92

G

Gaillardia, 46
 Galphimia, 13
 Galinsoga, 46
 Garcinia, 6
 Gardenia, 42
 Garnotia, 108

Geissomeria, 61
 Geitonoplesium, 93
 Gelsemium, 53
 Gelonium, 73
 Geodorum, 83
 Geonoma, 98
 Gesnera, 58
 Gigantochloa, 111
Glaziova, 101
 Gleichenia, 111
 Gleditschia, 26
 Gleniea, 19
 Globba, 86
Glochidion, 71
 Gloriosa, 94
 Gloxinia, 57
 Glycine, 23
 Glycosmis, 14
 Gmelina, 63
Godwinia, 105
 Goethea, 9
Goldfussia, 60
 Gomeza, 84
 Gomphandra, 17
 Gomphia, 15
 Gomphostemma, 65
 Gomphrena, 67
 Gomphocarpus, 53
Gonatopus, 105
Goniophlebium, 117
Goniopteris, 117
 Goniotalamus, 2
 Gonocaryum, 17
 Goodyera, 85
 Gossypium, 10
 Gouania, 18
 Grammatophyllum, 83
 Graptophyllum, 62
 Grevillea, 70
 Grewia, 12
 Grias, 33
 Guaiacum, 13
Grisebachia, 97
 Guarea, 16
 Guazuma, 11
Gulielma, 101
 Gustavia, 33
 Gymnosporia, 17
 Gymnogrammé, 117
 Gymnostachyum, 61
Gymnopteris, 118
 Gynandropsis, 4
 Gynocardia, 5
 Gynura, 46
 Gyrynops, 70

- H**
- Habenaria, 85
 Hæmanthus, 91
 Hæmatoxylon, 26
 Hamelia, 42
 Hamiltonia, 44
 Hardwickia, 28
 Haronga, 6
 Harpephyllum, 20
 Harpullia, 19
 Hauya, 36
 Hedera, 40
 Hedychium, 86
 Hedyotis, 41
 Hedysepe, 96
 Heeria, 34
 Helianthus, 45
 Helichrysium, 45
 Heliconia, 88
 Helicteres, 11
 Heliotropium, 54
 Helinthostachys, 119
 Hemerocallis, 93
 Hemicyclia, 71
 Hemigyrosa, 19
 Hemidesmus, 53
 Hemionitis, 118
 Hemitelia, 112
 Heptapleurum, 40
 Heritiera, 11
 Herminiera, 22
 Hernandia, 69
 Heteropanax, 40
 Heterophragma, 59
 Heteropogon, 109
 Heterospathe, 97
 Hevea, 72
 Hewittia, 55
 Hibiscus, 9
Higginsia, 42
 Hippeastrum, 91
 Hiptage, 13
 Hodgsonia, 36
 Hoffmannia, 42
 Holarrhena, 52
 Holmskioldia, 64
 Homalium, 36
 Homalonema, 104
 Homonoia, 73
 Hopea, 8
 Howea, 97
Howardia, 41
 Hoya, 53
Humata, 112
 Humboldtia, 28
- Hunteria, 51
 Hura, 74
 Hydrangea, 31
 Hydriastele, 96
 Hydrilla, 79
 Hydrocotyle, 39
 Hydnocarpus, 5
 Hygrophila, 60
 Hymenæa, 28
 Hymenocallis, 91
 Hymenodictyon, 41
 Hyophorbe, 97
Hyospathe, 97
 Hyphæne, 101
 Hypoestes, 62
 Hypolytrum, 106
- I**
- Ilex, 17
 Impatiens, 13
 Imperata, 108
 Indigofera, 21
 Inocarpus, 25
 Ionidium, 4
 Ipomœa, 55
Ipsœa, 81
 Iresine, 67
 Isachne, 107
 Ischæmum, 109
 Isoloma, 58
 Isotoma, 47
 Ixora, 43
- J**
- Jacaranda, 59
 Jacobinia, 62
 Jacquemontia, 55
 Jacquinia, 48
 Jasminum, 50
 Jatropha, 72
Jonesia, 28
 Jubæa, 102
 Julostylis, 9
 Juniperus, 77
 Jussæa, 35
 Justicia, 62
- K**
- Kadsura, 2
 Kæmpferia, 86
 Kalanchoe, 31
 Karatas, 89
 Kayea, 7
Kentia, 96
 Kigelia, 59
- Kleinhovia, 11
 Klugia, 58
 Knoxia, 42
Koehleria, 58
 Kopsia, 51
 Kurrimia, 17
 Kydia, 8
 Kyllinga, 106
- L**
- Lactaria*, 51
 Lactuca, 47
 Lælia, 82
 Lafaensia, 35
 Lagascea, 45
 Lagenandra, 103
 Lagenaria, 37
 Lagerstroemia, 35
 Lagetta, 70
 Landolphia, 50
 Lansium, 16
 Lantana, 62
 Laportea, 76
 Lasia, 105
Lasiandra, 34
 Lasianthera, 17
 Lasianthus, 44
Lastrea, 115
 Latania, 100
 Lawsonia, 35
 Ledenbergia, 67
 Leea, 18
 Leersia, 108
 Lens, 22
 Leonotis, 65
 Leonurus, 65
 Lepidagathis, 61
 Lepidium, 4
 Leptadenia, 53
Leptogramme, 118
 Lettsonia, 54
 Leucæna, 29
 Leucas, 65
Leucostegia, 112
 Licuala, 99
Ligeria, 58
 Ligustrum, 50
 Lillium, 94
Limatodes, 81
 Limnanthemum, 54
 Limonia, 14
 Lindsea, 112
 Linociera, 50
 Linum, 12
 Liparis, 79

Lippia, 63
Litobrochia, 114
 Litsea, 69
Litsea, 92
 Livistona, 99
 Lobelia, 47
 Lodoicea, 100
 Lomaria, 114
 Lomatophyllum, 93
 Lonchocarpus, 25
 Lonicera, 40
Lophospermum, 57
 Loanthus, 70
 Lourea, 22
 Loxococcus, 96
Loxogramme, 117
 Lucuma, 48
 Luffa, 37
 Luisia, 84
 Lycopersicum, 56
 Lycopodium, 119
 Lygodium, 119
 Lysidice, 28

M

Maba, 49
 Macaranga, 73
 Macadamia, 69
 Macradenia, 85
 Macrophyra, 42
 Macrozamia, 78
 Magnolia, 1
 Malpighia, 12
 Mallotus, 73
 Malva, 8
 Malvaviscus, 9
 Mamillaria, 38
 Mammea, 7
 Manettia, 41
 Mangifera, 20
 Manihot, 73
 Maniltoa, 28
 Mapania, 106
 Mappia, 17
 Maranta, 87
 Maregraavia, 7
 Marsilea, 120
 Martinezia, 101
 Martynia, 59
 Matricaria, 46
 Maurandia, 57
 Maximiliana, 102
 Medinilla, 34
 Melaleuca, 32
 Melampodium, 45

Melanocarpum, 66
 Melastoma, 34
 Melochia, 11
 Melodinus, 51
 Melia, 16
 Memecylon, 34
Meninia, 61
 Meniscium, 118
 Mentha, 65
 Mesembryanthemum, 39
 Mesua, 7
Metroxylon, 97
 Metroxylon, 100
Meyenia, 60
 Michelia, 2
 Miconia, 34
 Microglossa, 45
Microlepia, 112
 Microstylis, 79
 Mikania, 44
 Miliusa, 3
 Millettia, 21
 Millingtonia, 58
 Mimosa, 29
 Mimusops, 49
 Mirabilis, 65
 Mischodon, 71
 Mischophlæus, 95
 Mitrephora, 2
 Modecca, 36
 Mollugo, 39
 Momordica, 37
 Monochoria, 94
 Monoporandra, 8
 Monstera, 104
 Morinda, 43
 Moringa, 20
 Morus, 74
 Mouriria, 35
 Mucuna, 23
 Muehlenbeckia, 67
 Mundulea, 21
 Munronia, 16
 Murraya, 14
 Musa, 88
 Mussænda, 41
 Myriocarpa, 77
 Myristica, 69
Myroxylon, 26
 Myrtus, 32

N

Nægelia, 58
 Naias, 106

Napoleona, 33
 Naravelia, 1
 Nargedia, 42
 Nasturtium, 3
 Nectandra, 69
 Nenga, 96
 Nepenthes, 68
 Nephelium, 19
 Nephrodium, 115
 Nephrolepis, 116
 Nephrosperma, 97
 Nerium, 52
 Nesæa, 35
 Nicandra, 56
Nicolaia, 36
 Nicotiana, 56
Nidularium, 89
Niphobolus, 117
 Nopalea, 38
 Noronhia, 50
 Nothopegia, 20
 Nothosaerva, 66
 Notonia, 46
 Nyctanthes, 50
 Nymphæa, 3

O

Ochlandra, 111
 Ochna, 15
 Ochrocarpus, 7
 Ochroma, 10
 Ochrosia, 51
 Ocymum, 64
 Odina, 20
 Oldenlandia, 41
 Oncidium, 83
 Oncoba, 5
 Oncosperma, 97
 Ophioglossum, 119
 Ophiopogon, 90
 Oplismenus, 108
 Ophiorrhiza, 41
 Opuntia, 38
 Orania, 98
 Orchipeda, 51
 Oreodoxa, 97
 Ormocarpum, 22
 Ormosia, 25
 Oroxyllum, 58
 Oryza, 108
 Osbeckia, 34
 Osmunda, 118
 Ostodes, 72
 Oxalis, 13
Oxandra, 3

Oxyanthus, 42
Oxystelma, 53
Oxytenanthera, 111

P

Pachira, 10
Pachystoma, 81
Pahudia, 28
Palaquium, 48
Palicourea, 43
Palisota, 94
Panax, 40
Pancratium, 91
Pandanusphyllum, 106
Pandanus, 102
Panicum, 107
Papaver, 3
Parameria, 52
Paramignya, 14
Pardanthus, 90
Parkia, 29
Parkinsonia, 27
Parmentiera, 59
Paspalum, 107
Passiflora, 36
Paullinia, 18
Pavetta, 43
Pavonia, 9
Payena, 49
Pedilanthus, 70
Pelargonium, 13
Peliosanthes, 90
Pellaea, 113
Pellionia, 76
Peltophorum, 26
Penicillaria, 108
Pennisetum, 108
Pentas, 41
Pentstemon, 11
Pentstemon, 57
Peperomia, 68
Pereskia, 39
Pergularia, 53
Pericopsis, 25
Peristeria, 83
Perotis, 108
Persea, 69
Petiveria, 67
Petrea, 63
Petroselinum, 39
Petunia, 57
Phaius, 81
Phalaenopsis, 84
Phalaris, 109
Phaleria, 70
Phaseolus, 23
Phegopteris, 117
Philodendron, 104
Phlebodium, 117
Phlogacanthus, 61
Pholidocarpus, 101
Pholidota, 81
Phœnicophorium, 97
Phlox, 54
Phoenix, 98
Photinia, 31
Phrynium, 87
Phyllagathis, 34
Phyllanthus, 71
Phyllocactus, 38
Physostigma, 23
Phytelaphas, 98
Picræna, 15
Pierardia, 71
Pilea, 76
Pimenta, 32
Pinanga, 96
Pinus, 78
Piper, 68
Piscidia, 25
Pisonia, 66
Pistia, 103
Pisum, 22
Pitcairnia, 90
Pithecolobium, 30
Pittosporum, 5
Pityranthe, 11
Platyterium, 118
Platymiscium, 24
Plecosperrum, 74
Pleopeltis, 117
Plectocomia, 100
Plectranthus, 64
Pleroma, 34
Pleuropetalum, 66
Pleurostylium, 17
Plumbago, 47
Plumeria, 51
Poa, 110
Podadenia, 73
Podocarpus, 78
Podochilus, 85
Pogonia, 85
Pogonopus, 41
Pogostemon, 65
Poinciana, 26
Poinsettia, 71
Polianthes, 92
Pollia, 94
Polyalthia, 2
Polybotrya, 118
Polygala, 5
Polymnia, 45
Polypodium, 117
Polypodium, 116
Polypogon, 110
Polystachya, 83
Polystichum, 115
Pometia, 19
Pongamia, 25
Pootia, 51
Porana, 55
Portlandia, 41
Portulaca, 6
Posoqueria, 42
Pothos, 104
Pothos, 105
Pothomorphe, 68
Pouzolzia, 77
Prestoea, 97
Pritchardia, 99
Prosopis, 29
Prosurus, 71
Prunus, 30
Pseudarthria, 22
Psidium, 32
Pilotum, 119
Psophocarpus, 24
Psoralea, 21
Psychotria, 43
Ptychandra, 96
Ptychococcus, 96
Ptychosperma, 96
Pteris, 113
Pterospermum, 11
Pterocarpus, 24
Punica, 35
Pygeum, 30
Pyrrheima, 95
Pyrus, 31

Q

Quassia, 15
Quillaia, 30
Quisqualis, 32

R

Radermachera, 59
Randia, 42
Raphanus, 4
Raphia, 100
Raphidophora, 104
Raphistemma, 53
Rauwolfia, 51
Ravenala, 89

Ravenia, 14
 Ravensara, 69
 Reevesia, 11
 Reinwardtia, 12
 Remusatia, 103
 Renanthera, 84
 Rhapis, 100
 Rhinacanthus, 62
 Rhipsalis, 38
 Rhododendron, 47
Rhodostoma, 43
 Rhopaloblaste, 96
 Rhopalocarpus, 12
 Rhoeo, 95
 Rhus, 19
 Ricinus, 73
 Rivina, 67
 Rodriguesia, 83
 Rondeletia, 41
 Rosa, 30
 Roscheria, 98
Rothmannia, 42
 Rottboellia, 109
 Roupellia, 52
 Rourea, 20
Rozburghia, 92
 Rubus, 30
 Ruellia, 60
 Rumex, 67
 Russellia, 57
 Ruta, 14

S

Sabal, 99
 Saccharum, 109
 Saccolabium, 84
Sagenia, 115
 Sagittaria, 105
 Salacia, 17
 Salix, 77
 Salvadora, 50
 Salvia, 65
 Samadera, 15
 Sanchezia, 60
 Sandoricum, 16
 Sansevieria, 90
 Santalum, 70
 Sapindus, 19
 Sapium, 74
 Saprosmia, 44
 Saraca, 28
 Sarcoccephalus, 40
 Sarcophilus, 84
 Satyrium, 85
 Saxifraga, 31

Scævola, 47
 Schaueria, 62
 Schinus, 20
 Schismatoglottis, 104
 Schizæa, 119
 Schizocapsa, 92
 Schizolobium, 26
Schizoloma, 112
 Schœnocaulon, 94
 Schomburgkia, 82
 Schleicheria, 19
 Schumacheria, 1
 Scindapsus, 104
 Scleria, 107
 Sclerocarya, 20
 Scoparia, 57
 Scolopia, 5
 Scutellaria, 65
Seaforthia, 96
 Sebastiana, 74
 Sechium, 37
 Securidaca, 6
 Sedum, 31
 Seguiera, 67
 Selaginella, 119
 Semecarpus, 20
 Senebeira, 4
 Senecio, 46
Sericographis, 62
 Serissa, 44
 Sesamum, 59
 Sesbania, 21
 Setaria, 108
 Shorea, 8
 Sida, 8
 Siegesbeckia, 45
 Silene, 6
Simonisia, 62
 Sinningia, 58
 Siphocampylus, 47
 Smilax, 93
 Solandra, 56
 Solanum, 56
 Sonchus, 47
 Sonerila, 34
 Sophora, 25
 Sorghum, 109
 Sorindeia, 20
 Spathicarpa, 104
 Spathiphyllum, 105
 Spathodea, 59
 Spermacoce, 44
 Sphenodesma, 64
 Spilanthes, 45
 Spinacia, 67

Spironema, 95
 Spondias, 20
 Sporobolus, 109
 Sprekelia, 91
 Stachytarpheta, 63
 Stangeria, 79
 Stanhoepa, 83
 Stemona, 92
 Stenocarpus, 70
Stenochlæna, 118
Stenoloma, 112
 Stenotaphrum, 108
 Stephanus, 3
 Stephanotis, 53
 Stephegyne, 41
 Sterculia, 10
 Stereospermum, 59
Stevensonia, 97
 Stiffitia, 47
 Stigmaphyllon, 13
Stillingia, 74
 Streblus, 74
 Strelitzia, 88
 Streptogyne, 110
 Strobilanthes, 60
 Stromanthe, 87
 Strombosia, 17
 Strophanthus, 53
 Strychnos, 54
 Styraax, 49
 Swietenia, 16
Syagrus, 101
 Symplocos, 49
 Syngonium, 104
Syngramme, 117

T

Tabernæmontana, 51
 Tabebuia, 59
 Tacca, 92
 Tæniophyllum, 85
 Tagetes, 46
 Talauma, 1
 Talinum, 6
 Tamarindus, 28
 Taraktogenos, 5
 Tecoma, 59
 Tectona, 63
 Tephrosia, 21
 Terminalia, 31
 Teysmannia, 99
 Theobroma, 11
Theophrasta, 48
 Thespesia, 9
 Thevetia, 51

Thrinax, 100
 Thuja, 77
 Thunbergia, 60
 Thyrsacanthus, 62
 Thysanolaena, 108
 Tillandsia, 90
 Tinospora, 3
 Tithonia, 45
 Toddalia, 14
 Toluifera, 26
 Torenia, 57
 Trachycarpus, 100
 Trachylobium, 28
 Tradescantia, 95
 Tragia, 74
 Trema, 74
 Trevesia, 40
 Trewia, 73
 Trichadenia, 5
 Trichodesma, 54
 Trichomanes, 111
 Trichopus, 92
 Trichosanthes, 37
 Tridax, 46
 Trigonostemon, 72
 Triphasia, 14
 Triumfetta, 12
 Tropæolum, 13
 Tulbaghia, 94
 Tupidanthus, 40
 Turnera, 36
 Turpinia, 19
 Tydea, 58
 Tylophora, 53
 Typhonium, 103

U

Uncaria, 41
 Unona, 2
 Uraria, 22
 Urceola, 52
 Urena, 9
 Uvaria, 2

V

Vahea, 50
 Vallaris, 52
 Vallota, 91
 Vanda, 84
 Vanguardia, 43
 Vanilla, 85
Vasconcellia, 36
 Vateria, 8
 Vatica, 7
 Vellozia, 92
 Ventilago, 18
Vepris, 14
 Verbena, 63
 Vernonia, 44
 Verschaffeltia, 97
 Vicia, 22
 Vigna, 24
 Vinca, 51
 Viola, 4
 Viscum, 70
 Vitex, 63
 Vitis, 18
 Vittaria, 118

W

Wagatea, 26
 Wallichia, 98

Walsura, 16
 Waltheria, 11
 Webera, 42
 Weihea, 31
 Wendlandia, 41
 Whitfieldia, 60
 Wikstroemia, 70
 Willughbeia, 50
 Wissadula, 8
 Withania, 56
 Woodfordia, 35
 Wormia, 1
 Wrightia, 52

X

Xerophyta, 92
Xylophylla, 71
 Xylopia, 3


Y

Yucca, 93

Z

Zalacca, 100
 Zamicolucas, 10
 Zanthoxylum, 14
 Zea, 108
 Zebrina, 95
 Zephyranthes, 91
 Zeuxine, 85
 Zingiber, 87
 Zinnia, 45
 Zizyphus, 18

**PRINTED AT
THE GOVERNMENT PRINTING WORKS,
COLOMBO, CEYLON.**



3 2044 102 801 685

