



Ceylon Government Gazette

EXTRAORDINARY

Published by Authority.

No. 5,078—TUESDAY, AUGUST 11, 1891.

GOVERNMENT NOTIFICATIONS.

IN compliance with the provisions of "The Trade Marks' Ordinances, 1888 and 1890," and the regulations made on March 28, 1889, notice is hereby given that Monsieur C. Ruinat, of Colombo, has applied for the registration of the following Trade Mark for Fermented Liquors and Spirits, in class 43 in the Classification of Goods in the above-mentioned regulations, in the name of Messrs. Adet Seward & Co., of Bordeaux, in the Republic of France.



Colonial Secretary's Office,
Colombo, August 7, 1891.

E. NOEL WALKER,
Colonial Secretary.

RETURN OF GRAIN CROP PROSPECTS FOR THE QUARTER ENDED JUNE 30, 1891.

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past three years.	Paddy.			Dry Grain.						
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter, last year.			
WESTERN.				Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
Colombo ...	33-37	47-06	44-30	1 50	1 50	1 50	—	—	—	—	The floods have caused damage to the sowings for the yala harvest, and crops in low-lying villages along the banks of the Kelani river have suffered considerably	On the whole there is a fair prospect of a good yala crop being reaped before the close of the year throughout the greater part of the Colombo district	—
Negombo ...	23-69	—	—	1 50	1 50	1 50	Very little in	market	—	—	Unusually large extent cultivated for yala. Crops thriving well	—	Damage done by floods very slight in the neighbourhood of the Maha-oya
Kalutara ...	31-24	45-35	43-87	1 0 to 1 25	1 25 to 1 50	1 25 to 1 50	No dry grain	is sold	—	—	Full extent sown. Condition of crops good	The present crop will be reaped in September and October next	Prospects generally good
CENTRAL.													
KANDY.													
Udunuwara ...	—	—	—	1 12	1 12	—	Kurakkan Amu	0 75 0 50	0 87 0 50	—	Transplanting in yala fields completed; prospects fair. Cultivation of maha fields commenced	No harvest	—
Yatinuwara ...	—	—	—	1 40	1 37	—	Kurakkan	1 0	1 0	—	Paddy for yala was sown in April; plants are being transplanted. Chenas for kurakkan cultivation were cleared in April and the sowing has been completed	No harvest	Owing to rain being favourable for cultivation during this quarter a larger extent than usual of paddy fields and chenas has been cultivated for the yala. A fair yield is expected
Tumpane ...	—	—	—	1 0	1 0	—	Hill paddy	0 75	0 75	—	Paddy fields were sown in May and June	Some fields were harvested in April	Heavy rain during this quarter unlike the corresponding quarter last year

Harispattu ...	—	—	—	1 0	1 0	—	Kurakkan	0 75	0 84	—	No sowing. Young plants are being transplanted in yala fields. Fields for maha season are being cultivated	No harvest	—
Pata Dumbara ...	—	—	—	1 0	1 25	—	Kurakkan	0 75	1 0	—	Paddy for yala was sown. Condition of crop good	Some fields sown for maha were harvested in April	A large extent was sown for yala. If rain continues a good yield expected
Uda Dumbara ...	—	—	—	1 25	1 37	—	Kurakkan	0 75	1 0	—	In some korales yala fields are being transplanted. In others cultivation commenced at the end of June	The harvest of maha fields not over yet in Gandeke korale. In Kandapahala paddy crop not yet ripening. Crop fair	—
Pata Hewaheta ...	—	—	—	1 25	1 25	—	Kurakkan	1 25	1 25	—	Paddy fields and chenas for yala have been sown. Prospects fair	Maha harvest closed in April. Yield from irrigated fields fair: 25 per cent. less than last year. From land depending on rain bad, and some such fields wholly abandoned	Favourable rain in May and June has led to the cultivation of a larger extent for yala than last year
Udawalata ...	—	—	—	1 20	1 25	—	Kurakkan	1 20	1 0	—	Sowing over. Paddy in plants. Expect a very good crop. The whole extent available for yala has been cultivated	No harvest	—
Uda Bulatgama ...	—	—	—	1 40	1 50	—	Hill paddy Kurakkan Indian corn	1 12 1 20 1 87	1 25 1 12 1 87	— — —	The maha paddy fields are being ploughed and the chenas are being cleared. The yala paddy plants are two months old, and are in a good condition	No harvest	The sowing for maha had to be delayed owing to heavy rain
MATALE.													
Matale South:— Kohonsiyapattu	—	38.57	22.15	1 50	1 25	—	Kurakkan and tala	1 25	1 25	—	400 acres paddy under cultivation for yala and 30 acres for dry grain	—	Should the rains continue a good crop expected. The best rainfall for many years
Gampahasiya pattu	—	—	—	1 50	1 25	—	Kurakkan	1 25	1 25	—	Paddy fields are being cultivated and 25 acres of dry grain	72 acres paddy reaped; return eight-fold.	do.
Udasiya pattu	—	—	—	1 5	1 25	—	—	—	—	—	436 acres paddy and 4 acres kurakkan	Rain spoilt some of the ripe maha crop	do.

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past Three Years.	Paddy.			Dry Grain.						
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
CENTRAL— <i>contd.</i>				Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
Medasiya pattu	—	—	—	—	—	—	—	—	—	—	All the paddy fields and 8 acres kurakkan for yala	Poor crops for maha	Should the rains continue a good crop expected—the best rainfall for many years
Asgiri Udasiya	—	—	—	—	—	—	—	—	—	—	180 acres paddy and 20 acres kurakkan	—	do.
Palesiya pattu	—	—	—	—	—	—	—	—	—	—	740 acres paddy and 28 acres kurakkan	—	do.
Matale North :—													
Dambulla ...	—	24·07	11·29	—	—	—	—	—	—	—	Considerable cultivation of paddy for yala. Dry grain crop successful so far	A good harvest of gingerly and chillies was gathered in. In Minneriya crop being gathered	The tanks nearly all filled, except Pilihudugolla. The success of the cultivation depends upon them
Matale East ...	—	—	—	—	—	—	—	—	—	—	Crops were reaped; partly damaged by excessive rainfall when the corn was ripening	—	—
NUWARA ELIYA.													
Uda Hewaheta ...	—	—	—	1 50	1 25	1 25	Kurakkan Indian corn	1 0 1 25	1 0 1 25	1 0 1 25	Paddy reaped; crop fair. No dry grain cultivation in the quarter	Maha	—
Walapane ...	—	—	—	1 37	1 25	1 50	Kurakkan Indian corn	1 25 1 0	1 0 1 0	1 0 1 0	Paddy: maha harvest reaped; crop fair. No dry grain cultivation in the quarter	Maha	—
Kotmale ...	—	—	—	1 0	1 0	1 0	Kurakkan	1 0	1 0	1 0	Paddy sowing season. No Indian corn and dry grain cultivated this year	Maha	—

NORTHERN.
Jaffna

...	10-89	14-90	7-05	1 50	1 66	1 76	Varaku Payeru Kollu Kurakkan Panichamy Ellu Thenai Ulundu	1 0 4 0 2 50 1 25 1 50 3 70 1 50 3 70	1 20 3 0 1 87½ 1 52 1 41 3 43 1 50 3 70	1 13 3 90 1 87½ 1 47 1 50 3 72 1 50 3 60	Extensive cultivation of panichamy, thinaichamy, and kurakkan. Plants looking well. In regard to tobacco cultivation in Valigamam North, the following is an extract from a report received from the Maniagar :— “Farmers usually purchase fields for tobacco cultivation after the paddy and varago harvests, but this year the rain we had in the latter part of May was so copious that the plants cultivated in the fields were in some parts greatly damaged and destroyed, and so the farmers had to transplant tobacco in the fields a second time”	Ellu, payaru, and kurakkan cultivated mostly in paddy fields mainly dependent on rain, very few of the fields being irrigated from wells. The rains of April, though beneficial, were not sufficient. The rains of May reported to have damaged the dry grain in fields; crop on the whole fair, though not the bumper crop expected	The rains of April and May proved on the whole very beneficial to the country. Tobacco cut and cured: on the whole a fair crop. In Valigamam North tobacco plants were transplanted in fields. From May 20 to 22nd there was heavy rain with thunder, lightning, and strong wind, amounting almost to a gale from north, north-west, and west, finally going round to south-west. Weather cleared on 23rd, and the south-west monsoon appeared to have fairly set in on May 24. Wind during June unusually strong from south and south-west during the whole month without a lull
Mannar	10-37	13-12	11-05	1 37	1 50	1 50	All the dry grain grown in the district is consumed by the cultivators. It is not sold, and no price can therefore be quoted				Paddy sowing for chirupokam general throughout district during end of May and beginning of June. Crops fair. Dry grain none	—	Good rain at the end of May, which filled most of the tanks. The chirupokam being entirely dependent on the water in the tanks, at the end of May only about one-tenth of the total sowing extent was cultivated
Vavuniya	*22-89	42-67	16-18	1-94	1-79	1-73	Gingelly Kurakkan	4 14 1 54	3 58 1 48	3 37 1 61	The few chenas allowed this year were cultivated with gingelly in the early part of April. There having been a general fall of rain all over the district, an unusually large extent of paddy was cultivated in the months of May and June, but the sowing was late in many places owing to scarcity of seed paddy	Gingelly crops cultivated in the latter part of March were reaped and harvested during June. The small extent of paddy cultivated for idaipokam were reaped and harvested	Prospects generally are fair. A good sirupokam is expected

* These represent the total rainfall.

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	Last Quarter.	This Quarter.	To end of corresponding Quarter of past three years.	Paddy.			Dry Grain.						
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
NORTHERN— contd.				Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
Mullaitivu ...	15 23	23 53	11 75	1 50 to 2 53	1 25 to 1 75	2 0	Kurakkan	0 75 to 1 0	0 75 to 1 50	1 0 to 2 0	227 bushels' extent sown for sirupokam in May and June against 54 bushels sown last year. The young plants are coming up well. About 70 acres were sown with gingelly in Tunekkai and Karunavel pattus. Prospects fair	—	—
							Varaku	0 75 to 1 75	0 50 to 1 0	0 75 to 1 0			
							Gingelly	2 0 to 4 50	2 50 to 4 50	3 0 to 4 50			
SOUTHERN. GALLE.													
Four Gravets ...	—	—	—	1 25	1 25	1 25	Amu Kurakkan Mederi	1 0 1 0 1 44	1 0 1 0 1 44	1 0 1 0 1 44	The weather was favourable to the paddy sown, but the recent rains have damaged the crops to some extent	The harvest will probably be good in comparison with that of last year	A large extent is left uncultivated for the yala season this year owing to indifference and want of means on the part of cultivators
Talpe pattu ...	—	—	—	1 50	1 25	1 25	—	1 0	1 0	1 0	Middling	Yala, 1891	The recent showers have damaged the crop to some extent in the Walawe division; but on the whole they have been favourable to the cultivators. Reaping will commence about the end of July
Gangaboda pattu	—	—	—	1 25	1 25	1 25	—	—	—	1 50	The yala crops are in blossom. They have been greatly damaged by floods	A middling harvest may be expected	—
Wellaboda pattu ..	—	—	—	1 12	1 12	1 12	—	—	—	—	Good	Yala	—

Bentota - Wallala-witi korale ...	—	—	—	1 20	1 25	1 25	—	0 75	0 75	0 75	Sowing for yala was over in May. Condition of crop good in all lands not recently inundated	Yala	Crops of some parts of the korale damaged by over-supply of water in the fields
Hinidum pattu ...	—	—	—	1 50	1 50	1 50	—	0 50	0 50	0 50	The yala crop is earing. The sowing was done during the early weeks of the quarter	The prospects of the harvest are fair. Owing to the floods they are not so satisfactory as was anticipated	—
HAMBANTOTA.													
West Giruwa pattu	—	—	—	1 75	1 37½	1 0	Fine grain	1 33	1 25	1 0	Under the Kirama stream an extent of 593 amunams has been sown for yala, of which the crop of nearly half the extent is good and that of the other half middling. An extent of 227 amunams under Urubokka stream has been sown: about one-third of the crop is good and that of the other two-thirds middling. Under Udukirivila tank 260 amunams' extent has been sown for yala. The crop of 102 amunams good; the crop of 88 amunams middling; and the crop of 70 amunams damaged by flood	Yala	The crop of second maha has been harvested. In most cases the crops look fair and good, but they were materially injured by the floods. There has been no appreciable improvement of the food supply of the inhabitants
East Giruwa pattu	—	—	—	1 75	2 0	1 75	Fine grain	1 0	1 25	1 25	No sowing; crop fair	None	Water insufficient for the crop
Magam pattu ...	—	—	—	1 75	1 50	1 50	Fine grain	1 0	1 0	1 0	The crops of the fields at Tissa, which are cultivated for the first yala, are about to be reaped, but the crop have been damaged by flies. The sowing for the second yala was completed on June 15. Crops are in good condition	Yala	The second maha crops were reaped and the harvest was a rich one

Province and District.	Average Rainfall in Inches.			Price per Bushel.								Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past Three Years.	Paddy.			Dry Grain.							
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.				
SOUTHERN—contd.														
MATARA.														
Four Gravets ...	13-23	17-03	11-80 32-65 31-80	Rs. c.	Rs. c.	Rs. c.	Kurakkan	Rs. c.	Rs. c.	Rs. c.	Paddy, yala, somewhat damaged by rain Crops of good promise A large extent of paddy sown; somewhat damaged. Fine grain little, but good Paddy partly damaged by floods. Fine grain crops fair	Yala	—	
Wellabodapattu...				1 25	1 50	1 25	Green gram	1 50	1 75	1 12		Yala	—	
Kandaboda pattu...				1 50	1 50	1 50	—	3 50	3 75	3 0		Yala	—	
				1 50	1 50	1 25	Kurakkan	1 25	1 50	1 25		Yala	—	
Weligam korale ...				1 37	1 50	—	Kurakkan	—	1 25	—		Yala	—	
							Amu	—	1 0	—			—	
							Tana	—	1 25	—			—	
							Mederi	—	1 25	—			—	
Gangaboda pattu...				1 25	1 25	1 25	Kurakkan	1 0	1 0	1 0	Paddy in low-level fields damaged by floods. In high-level fields good. Very little fine grain	Yala	—	
											Paddy damaged by rain; dry grain good	Yala	—	
Morowak korale...				1 50	1 75	1 50	Amu	0 75	1 0	0 75				
							Mederi	1 0	1 25	1 0				
							Kurakkan	1 0	1 25	1 0				
							Mun	1 0	1 25	1 0				
							Tala	1 25	1 50	1 25				
ASTERN.														
Batticaloa ...	1-38	27-17	11-04	1 0	1 44	1 0	Fine grain & Indian corn	1 0	1 0	0 75	Ettalai cultivation in progress and likely to be very extensive as water is available	Both munmari and pinmari excellent—reaping finished	Early and late pinmari crops cut, turned out excellent. Large sowing in progress for ettalai, including 4,000 acres of pinmari lands cultivated a second time in consequence of large supply of water in the big tanks and favourable season. Paddy in hand is largely in excess of local requirements, and heavy sales are being made for export to Jaffna at Re. 1'44 per bushel delivered in town and Re. 1'25 in threshing floors in Manmunai pattu. This high price is due to scarcity in India. Chena crops all over, but good supply of vegetables in markets, and manioc being dessicated and exported to Jaffna.	
													General condition of district prosperous, and as money is available for reinvestment, brisk demand for land for paddy and coconut cultivation, to be cleared before next rains. Public health good, but diarrhoea of mild type and colds prevailing. Cattle: no murrain; foot-and-mouth disease going—not severe—no mortality	

Trincomalee	4.22	14.46	6.99	1 87	1 50	1 75	Fine grain & Indian corn	1 12½	1 37½	1 25	Pinmari cultivation in progress	Partly reaped. Mun- mari crop over : results good	Munmari crop all nearly threshed. Early pinmari, fair; crops in some places already reaped, that in Peru- veli Koddigar abandoned, and the later pinmari will, it is feared, suffer in partial and total failure of crops because of want of water in tanks. Fine grain plentiful in Sinhalese villages; where paddy sown for pinmari is in ear and in plants. So are also the paddy crops in Pompalakam and Koddigar, under Kantalai and Allai tanks, which both have run short of water considerably. Prices of paddy and dne grain and gingelly cheaper than last quarter
NORTH- WESTERN.													
KURUNEGALA.													
Weudawili hat- pattu	—	—	—	1 50	1 75	1 25	Kurakkan Tana •	1 12½ 1 0	1 25 1 12½	0 75 0 75	Paddy and dry grain sowing for yala just closed. Paddy sown was considerably damaged by rain. Standing crops very good	Expect a good re- turn of paddy and dry grain	There was a good deal more rain than usual in all the divisions. In parts it did some damage. On the whole, conditions were favourable for cultivation. Seed paddy has been scarce and dear
Dewamedia hat- pattu	34 60	49 4	33 82	1 50 to 1 75	1 50 to 2 0	1 25 to 1 50	Meneri, tana, &c.	1 12½	1 25 to 1 50	1 12½	Chena sowing com- pleted early in the quarter. Paddy still being sown. All crops fair	Reaping of meneri just beginning	—
Dambadeni hat- pattu	52.61	69.77	41.03	1 50 to 2 0	1 25 to 1 50	1 50	Kurakkan, &c.	0 50 to 0 75	0 75 to 1 0	0 75 to 1 0	Chenas as above. Sowing of paddy for yala continued owing to favourable wea- ther. Crops of both paddy and dry grain doing well, but some damage reported to have been done by heavy rain	None during the quarter	—
Katugampola hat- pattu	37.82	51.47	36.11	1 50	1 75	1 75	Kurakkan, mun, &c.	1 0	1 25	1 25	Chena crops maturing. Paddy sown. Crops partly young, and partly coming into ear. Both paddy and dry grain good	None during the quarter	—
Wanni hatpattu...	31.16	45.50	—	1 50	1 50	1 50	Meneri, tana, gin- gelly, &c.	1 50	1 50	1 50	Paddy sown and now in various stages of growth; all in good condition. Dry grain crops slightly dam- aged by flies and rain, but otherwise good	Reaping of dry grain crops commencing	—

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past Three Years.	Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
NORTH-WESTERN—contd.				Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
Hiriyala hatpattu	37-49	46-97	27-52	1 75	1 75	1 25	Meneri, tana, gingelly, &c.	1 0	1 25	1 25	Paddy and fine grain sown: the former partly young plants, partly in ear, and partly maturing; condition good. Dry grain in ear and getting ripe. Crops middling. Some damage by caterpillars	No harvesting during the quarter	—
PUTTALAM ...	9-31	19-83	13-6	1 75	1 50	1 50	—	1 25	1 25	1 12	The fields are now being prepared for cultivation for the yala harvest. Some tracts are being sown, some being ploughed, and in some the paddy has germinated	No crops reaped	The prospects are good generally, there having been more rain during the quarter than usual. Some of the village tanks in the Demala hatpattu were breached in the late rains. The tanks generally are full
CHILAW.													
Pitigal North korale	17-86	27-56	16-51	1 75	1 50	1 25	—	1 12½	1 12½	1 25	Sowing balavi. Meneri and mun maturing	No harvest reaped	Slight failure of crops at Puliankulam expected owing to breach of Battulu-oya bund
Pitigal South korale	23-31	Not ascertainable		1 50	1 75	1 50	—	0 75	1 50	1 50	Sowing dewareddiri. Balavi, gingelly, mun, and meneri maturing	No harvest reaped	Dewareddiri and balavi have been cultivated to an extent of about 1,450 bushels, of which a fourth has been damaged owing to heavy flood. About 100 bushels of dry grain have been sown. Young mun crop requires more rain
NORTH-CENTRAL.													
Nuwarakalswiya	Rain during the quarter was heavy in almost all parts of the district, and nearly all tanks have filled. Rain was heavier than in the corresponding quarter of any years			1 37	1 50	1 0	Karakkan Gingelly Mun Undu Kollu	1 0 2 25 3 50 2 0 2 0	1 0 2 0 3 50 2 0 2 0	0 75 2 0 3 0 2 0 2 0	Cultivation for yala has commenced in almost every part of the district, except in few villages of Kalagam palata, and there is promise of a good crop	The prospects of the yala harvest are very favourable	—

Tamankaduwa ...	Rain moderate.	The tanks are half and one-fourth full	2 0	2 0	2 25	Kurakkan	1 50	1 50	1 25	No sowing during the quarter. Fields that had been cultivated were reaped and some are earing. The condition of crop is fair.	There is a prospect of an average yield harvest
UVA.											
Udukinda ...	—	—	1 55	1 55	—	Kurakkan Indian corn Peas Kollu	1 4 1 43 4 23 3 10	1 41 1 39 3 77 2 67	— — — —	Some fields are ripening and some are being reaped. Crop middling. The kollu crop is being gathered	Paddy and kollu Some fields are subject to the disease called "maral-lan roge." The ears of grain in some fields are quite empty owing to heavy rain when the crop was in blossom
Yatikinda ...	—	—	1 50	1 75	—	Kurakkan Indian corn Peas Kollu	1 25 1 25 4 0 2 0	1 25 1 25 4 0 2 0	— — — —	The crop of some fields is now ripening and some are just earing. The ears of the paddy crop of some fields are empty owing to rain when the crop was blossoming	Paddy The paddy crop of some fields is being gathered. Paddy crop is generally only middling, as there was rain when the plants were in blossom
Wellassa ...	—	—	1 50	1 25	—	Kurakkan Indian corn Peas	0 75 0 75 2 50	1 0 0 87 3 0	— — —	Sowing of paddy nearly over. Many fields were damaged by flies and excessive rain at the time of blossoming. Almost all the fields are being reaped and a good crop is expected	Paddy Nilgala, Nikawetiya, and Mahawedirata korales require irrigation works for cultivation of paddy lands
Wiyaluwa ...	—	—	1 50	1 50	—	Kurakkan Indian corn Peas Kollu	1 0 1 0 3 0 2 0	1 0 1 12 3 50 —	— — — —	The crop of some fields is being reaped	Paddy Although the crop which is now being reaped was damaged by flies and rain, yet it is a middling one
Wellawaya ...	—	—	2 50	2 25	2 50	Kurakkan Indian corn Peas Kollu	1 25 1 12½ 4 50 3 50	1 25 1 50 4 50 3 50	1 25 1 12½ 4 50 3 50	The crop of fields sown for maha is now being reaped	Paddy The crops of some fields sown for maha is now ripening, whilst others still have only small plants
Bintenna ...	—	—	1 50	1 0	1 25	Kurakkan Indian corn Peas	0 75 0 75 2 28	0 75 0 50 2 80	1 50 1 0 3 36	Fields in some parts of the country are being sown. Owing to insufficiency of rain the paddy plants seem to be poor	Paddy No dry grain crop. The crop was destroyed by flies as there was no wind during the time of blossoming
Buttala ...	—	—	1 50	1 50	—	Kurakkan Indian corn Peas	0 67 0 67 0 35	0 75 0 75 3 50	— — —	No dry grain crop during the quarter. The paddy crop is not satisfactory owing to want of rain	Paddy No rain in proper time, and also damage done by flies

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past three years.	Paddy.			Dry Grain.						
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
SABARAGAMU	WA.			Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
RATNAPURA.													
Kuruwiti korale...	20-95	—	10-07	1 50	1 25	1 25	El-wi Kurakkan Amu Meneri	1 25 1 25 0 75 0 75	1 25 1 25 0 75 0 75	1 25 1 25 0 75 0 75	Yala sown. Crop ripening. Excessive rain during the quarter has been injurious to cultivation. Crops on owita lands in some villages good	Fine grain crops on owita lands have been gathered and in some villages they have been subjected to damage by floods	Exceptionally heavy and continued rain during the quarter had a very injurious effect on the young paddy and fine grain
Nawadun korale...	—	—	—	1 50	1 50	1 50	El-wi Kurakkan Amu Meneri	1 25 1 25 0 75 0 75	1 25 1 25 0 75 0 75	1 25 1 25 0 75 0 75	The yala had been sown, but the excessive rain during the quarter has been injurious to a considerable extent	Fine grain crops on owita lands had been harvested, but the floods have caused considerable damage	do.
Atakalan korale...	—	—	—	1 50	1 75	1 75	El-wi Indian corn Kurakkan Mun Beans Tana Kollu	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	Sowing has been irregular from want of cattle. Prospect of crop on fields sown is good	No regular harvest during this quarter	—
Kadawatu korale..	—	—	—	1 0	1 0	1 25	El-wi Indian corn Kurakkan Mun Beans Tana Kollu	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	Condition of crops fair	Fair	—

Meda korale ...	—	—	—	1 0	1 0	1 25	El-wi Indian corn ^c Kurakkan Mun Beans Tana Kollu	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	1 25 0 25 1 0 4 0 2 50 1 25 4 0	Condition of crops fair	Fair	—
Kukulu korale ...	—	—	—	1 25	2 0	2 0	El-wi Kurakkan Amu Meneri	1 25 0 75 0 75 0 75	1 25 0 75 0 75 0 75	1 25 0 75 0 75 0 75	General growth good. Small portions of cultivation have been damaged on account of heavy rains	No harvest during this quarter	—
Kolonna korale ...	7·01	—	5·55	1 50	1 50	1 50	Indian corn ^c Kurakkan Mun Beans Tana Kollu	0 25 1 25 4 0 2 50 1 25 4 0	0 25 1 25 4 0 2 50 1 25 4 0	0 25 1 25 4 0 2 50 1 25 4 0	Tana chenas are in full blossom. In paddy fields sown plants thriving well. Prospects good.	No harvest during this quarter	—
Kegalla.													
Galboda and Kinigoda korales	(No meteorological instruments for recording observations)			1 0	1 25	1 25	Hill paddy Amu Kurakkan Mun Iringu	1 0 0 75 0 75 3 50 0 50	1 12 0 75 0 75 3 25 0 50	1 12 0 75 0 75 3 25 0 50	Yala fields and kurakkan chenas partly damaged by heavy rain. Mun sown thriving well. Fields being prepared for maha harvest. Chenas being cleared for sowing hill paddy, amu, and iringu	Paddy crop prospects middling. Dry grain, mun, and kurakkan fair	Rainfall exceptionally heavy for the time of year. Prospects fair
Paranakuru korale	54·31	—	34·78	1 0	1 25	1 25	Hill paddy Amu Mun Kurakkan Meneri	1 0 0 50 3 50 0 75 0 50	1 0 0 50 3 50 0 75 0 50	1 0 0 50 3 50 0 75 0 50	Paddy sown for yala harvest growing well. Fields being prepared for maha harvest. Chenas being cleared for sowing hill paddy. Mun and kurakkan sown	Paddy prospects middling. Dry grain; kurakkan good; mun middling	Rainfall exceptionally heavy for the time of year. Prospects middling
Beligal korale ...	(No meteorological instruments for recording observations)			1 25	1 37	1 37	Hill paddy Amu Kurakkan Mun Meneri Gingelly	1 0 0 50 0 87 3 0 0 50 3 0	1 12 0 62 1 0 3 25 0 62 3 25	1 12 0 62 1 0 3 25 0 62 3 25	Paddy sown for yala harvest; plants thriving well. Fields being prepared for maha harvest. Kurakkan, mun, and gingelly growing well. Chenas being cleared for sowing hill paddy	Paddy prospects good. Dry grain, kurakkan, mun, and gingelly good	Rainfall exceptionally heavy for the time of year. Prospects good

* Per 100 pods.

Province and District.	Average Rainfall in Inches.			Price per Bushel.							Sowing and Condition of Crop.	Harvest.	Remarks.
	In the Quarter.	To end of Quarter.	To end of corresponding Quarter of past three years.	Paddy.			Dry Grain.						
				Last Quarter.	This Quarter.	Corresponding Quarter last year.	Description of Grain.	Last Quarter.	This Quarter.	Corresponding Quarter last year.			
				Rs. c.	Rs. c.	Rs. c.		Rs. c.	Rs. c.	Rs. c.			
SABARAGAMUWA— <i>contd.</i> Three Korales and Lower Bulatgama	52.14	—	45.43	1 25	1 25	1 25	Hill paddy Amu Kurakkan	1 0 0 50 1 0	1 0 0 50 1 0	1 0 0 50 1 0	Heneti : Dehigampal korale, Atulugam korale, and Kitulgahalapalata promise well ; Panawal and Uduwapalata damaged by rain. Kurakkan in good condition. Fields being prepared for maha harvest. Chenas being cleared for sowing hill paddy	Paddy crop prospects : Dehigampal and Atulugam korales and Kitulgahalapalata good ; Panawal and Uduwapalata middling. Dry grain : kurakkan good	Rainfall exceptionally heavy for the time of year. Prospects generally fair

Monthly Abstract Season Report for July, 1891.

MATALE.

FINE GRAIN secured. The paddy fields in the south and a few in the east are planted for yala. Several fields under the Matale North tanks are dying owing to scarcity of rain. Chenas are being felled for maha.
